
CONSTRUCT RETAINING WALLS AS INDICATED. PLACE COMPACTED FILL AT 95% STANDARD DENSITY TO MATCH TOP OF NEW WALL.


SRB

SCALE: 1" = 10'


● = IRON




GRADE CHANNEL AS INDICATED ON SHEET 12. MAINTAIN 9' OF NATIVE MATERIAL BEHIND EXISTING RETAINING WALL. GRADE LAST 9' OF CHANNEL TO 6" BELOW TOP OF WALL.



REBAR TO BE SET 2" CLEAR FROM FACE OF CONCRETE



CONCRETE USED IN RETAINING WALLS SHALL CONFORM TO THE REQUIREMENTS FOR CONCRETE PAVEMENT CONSTRUCTION AS SPECIFIED IN THE CITY STANDARD PAVING SPECIFICATIONS, USING CITY CONCRETE PAVEMENT MIX WITHOUT AIR ENTRAINING ADMIXTURE.



TARA FALLS PHASE 2 PAVING
CONCRETE WEIR DETAILS
WICHITA, SEDGWICK COUNTY, KANSAS

SRB
924 NORTH MAIN
WICHITA, KANSAS 67203
www.srb1.com
316-264-8008
FAX 264-4621
E-mail: srb@srb1.com

SAVOY, RUGGLES & BOHM, P. A.
ENGINEERING & SURVEYING

PROJECT NUMBER
472-83374

DESIGN	DRAWN	UTILITY	REVIEW	DATE	REVISED
KWL	KWL			June 1, 2001	

DWG FILE: Paving

SRB JOB: 1861E

SHEET: 13 OF 27