


WOODLAND ELEMENTARY SCHOOL ADDITION
WICHITA, SEDGWICK COUNTY, KANSAS



- Δ = 3/4" IRON IN THIMBLE (FOUND)
○ = 3/4" PINCHED IRON (FOUND)
Λ = CHISELED V NOTCH (FOUND)
• = 1/2" REBAR W/ "RUGGLES & BOHM" CAP (FOUND)

- (M) = MEASURED
(P) = PLATTED
(C) = CALCULATED

NOTE:
A DRAINAGE PLAN HAS BEEN DEVELOPED FOR THIS SUBDIVISION AND IS ON FILE WITH THE CITY OF WICHITA, KANSAS. DRAINAGE INTENT SHALL REMAIN AS DEPICTED OR AS MODIFIED WITH THE APPROVAL OF THE CITY ENGINEER OF THE CITY OF WICHITA, KANSAS. NO OBSTRUCTIONS WHICH IMPEDE THE FLOW OF THIS DRAINAGE PLAN SHALL BE ALLOWED.


State of Kansas) SS We, Baughman Company, P.A., Surveyors in
Sedgwick County) Sedgwick County do hereby certify that we have surveyed and
platted "WOODLAND ELEMENTARY SCHOOL ADDITION", Wichita, Sedgwick
County, Kansas and that the accompanying plat is a true and correct
exhibit of the property surveyed, described as and being a replat of all of
Lots 122, 124, 126, 128, 130 and 132, on Payne Avenue, Garden Grove
Addition to Wichita, Kansas, together with all of Lots 129 and 131, on
Salina Avenue, Garden Grove Addition to Wichita, Kansas, together with all
of Reserve A, Garden Grove Addition to Wichita, Kansas, together with
Lots 2 and 3, Block C, Ferrells Fourth Addition to the City of Wichita,
Kansas, EXCEPT that part of said Lot 2 platted as Garden Grove Addition
to Wichita, Kansas.

Existing public easements and dedications
being vacated by virtue of K.S.A. 12-512(b).

All being situated in the SW1/4 of Sec. 8, Twp. 27-S,
R-1-E of the 6th P.M., Sedgwick County, Kansas.

Baughman Company, P.A.

Michael A. Conrey, Surveyor
Michael A. Conrey



This plat of "WOODLAND ELEMENTARY SCHOOL
ADDITION", Wichita, Sedgwick County, Kansas has been submitted to and
approved by the Wichita-Sedgwick County Metropolitan Area Planning
Commission, Wichita, Kansas.

Dated this _____ day of _____, 2004.
Wichita-Sedgwick County Metropolitan Area Planning Commission

_____, Chair
Ronald L. Marnell

_____, Secretary
John L. Schlegel

This plat approved and all dedications
shown hereon accepted by the City Council of the City of Wichita,
Kansas, this _____ day of _____, 2004.

_____, Mayor
Carlos Mayans

_____, City Clerk
Karen Sublett

Reviewed in accordance with K.S.A. 58-2005
on this _____ day of _____, 2004.

Tricia L. Robella, L.S. #1246
Deputy County Surveyor
Sedgwick County, Kansas

Know all men by these presents that we,
the undersigned, have caused the land in the surveyors certificate to be
platted into a Lot and a Block to be known as "WOODLAND ELEMENTARY
SCHOOL ADDITION", Wichita, Sedgwick County, Kansas. The utility
easements are hereby granted as indicated for the construction and
maintenance of all public utilities.

Unified School District No. 259,
Wichita, Sedgwick County, Kansas

Michael Kinard, President
Michael Kinard


Entered on transfer record this _____ day
of _____, 2004.

_____, County Clerk
Don Brace

State of Kansas) SS The foregoing instrument acknowledged before
Sedgwick County) me, this 14th day of June, 2004, by Michael Kinard, President
of Unified School District No. 259, Wichita, Sedgwick County, Kansas, on
behalf of the Unified School District.



Mike Willome, Notary Public
MIKE WILLOME



My App't. Exp. 6/9/07

State of Kansas) SS This is to certify that this plat has been
Sedgwick County) filed for record in the office of the Register of Deeds, this _____ day
of _____, 2004 at _____ o'clock _____ M; and is duly recorded.

_____, Register of Deeds
Bill Meek

_____, Deputy
Linda Kizzire



Wichita-Sedgwick County Metropolitan Area Planning Department

April 22, 2004

Baughman Company, P.A.
311 Ellis
Wichita, KS 67211

RE: SUB 2004-39 -- One-Step Final Plat of Woodland Elementary Addition

At the regular meeting of the Metropolitan Area Planning Commission on April 22, 2004, the above captioned plat was considered. The action of the Planning Commission was to approve the plat as recommended by the Subdivision Committee, subject to the conditions stated in our letter dated April 16, 2004, subject to revising Item D to:

A five-foot dedication of a utility easement is required.

The following items must be submitted to the Metropolitan Area Planning Department before the plat is scheduled for the City Council and/or County Commission's consideration:

1. A completed and signed tracing of the subdivision, along with five (5) copies. Also, if a change is required on the tracing after submittal, five (5) revised copies must be submitted;
2. A check, made out to the Register of Deeds, covering the costs of any documents to be recorded as a requirement of platting (\$8.00 for the first page; \$4.00 for each additional page), if the site is located within the City of Wichita's city limits, OR, in the County within three miles of Wichita's city limits; and,
3. A disk, which will be used by the City and County GIS Departments, detailing the final plat in digital format in Autocad.

If you have any questions regarding this plat, please call.

Neil Evan Strahl, Senior Planner
Current Plans Division

NES:ch

Copies to: Joe Hoover, USD No. 259, 201 N. Water, Wichita, KS 67202
Kevin Holman, Sedgwick County Fire Department
Jim Armour, Acting City Engineer, Department of Engineering
City Hall • 10th Floor • 455 North Main • Wichita, Kansas 67202-1688

T 316.268.4421 F 316.268.4390

www.wichita.gov



Wichita-Sedgwick County Metropolitan Area Planning Department

April 16, 2004

Baughman Company, P.A.
311 Ellis
Wichita, KS 67211

RE: SUB 2004-39 -- One-Step Final Plat of Woodland Elementary Addition

At the regular meeting of the Subdivision Committee of the Metropolitan Area Planning Commission on Thursday, April 15, 2004, the above captioned plat was considered. The action of the Committee was to approve the one-step final plat, subject to the following staff comments:

- A. Municipal services are available to serve the site. *Applicant shall meet with City Engineering regarding abandonment of a portion of the sewer line.*
- B. If improvements are guaranteed by petition, a notarized certificate listing the petitions shall be submitted to the Planning Department for recording.
- C. *City Engineering* needs to comment on the status of the applicant's drainage plan. *The drainage plan is approved.*
- D. *Traffic Engineering* has requested a 5-ft contingent dedication of sidewalk and utility easement along perimeter streets.
- E. The Applicant has platted 20-ft building setbacks which represents an adjustment of the Zoning Code standard of 25 feet for the TF-3, Two-Family Residential District. The Subdivision Regulations permit the setback provisions to be modified by the plat upon the approval of the Planning Commission.
- F. The Applicant is reminded that a platting binder is required with the final plat. Approval of this plat will be subject to submittal of this binder and any relevant conditions found by such a review.
- G. The plat's text shall include language that a drainage plan has been developed for the plat and that all drainage easements, rights-of-way, or reserves shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of stormwater.

- H. The applicant shall install or guarantee the installation of all utilities and facilities which are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- I. The applicant's engineer is advised that the Register of Deeds is requiring the name(s) of the notary public, who acknowledges the signatures on this plat, to be printed beneath the notary's signature.
- J. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the U.S. Postal Service Growth Management Coordinator (Phone 316-946-4556) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- K. The applicant is advised that various State and Federal requirements (specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS 67147) for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.
- L. The owner of the subdivision should note that any construction that results in earthwork activities that will disturb one (1) acre or more of ground cover requires a Federal/State NPDES Storm Water Discharge Permit from the Kansas Department of Health and Environment in Topeka. Also, for projects located within the City of Wichita, erosion and sediment control devices must be used on ALL projects. For projects outside of the City of Wichita, but within the Wichita Metropolitan area, the owner should contact the appropriate governmental jurisdiction concerning erosion and sediment control device requirements.
- M. Perimeter closure computations shall be submitted with the final plat tracing.
- N. Recording of the plat within thirty (30) days after approval by the City Council and/or County Commission.
- O. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.
- P. The applicant is reminded that a compact disc (CD) shall be submitted with the final plat tracing to the Planning Department detailing this plat in digital format in AutoCAD, or sent via e-mail to MAPD (cholloway@wichita.gov) . This will be used by the City and County GIS Department.

If this plat requires the guaranteeing of improvements, a list of the five (5) methods that have been adopted as being acceptable is available in the Planning Department. Also available, are Certificates that are required if petitions are submitted, bond forms and Irrevocable Letter of Credit forms.

This case will be forwarded to the Planning Commission for consideration on Thursday, April 22, 2004. The meeting will begin at 12:30 p.m., in the Metropolitan Area Planning Conference Room - 10th Floor, 455 N. Main Street, Wichita, KS.

METROPOLITAN AREA PLANNING COMMISSION

**AGENDA ITEM NO. 4-3
APRIL 22, 2004**

STAFF REPORT
(One-Step Final Plat 4/15/04)

CASE NUMBER: SUB 2004-39 -- WOODLAND ELEMENTARY ADDITION

OWNER/APPLICANT: USD 259, Attn: Joe Hoover, 201 N. Water, Wichita, KS 67202

SURVEYOR/ENGINEER: Baughman Company, P.A., 315 Ellis, Wichita, KS 67211

LOCATION: North of 13th North, West of Broadway

SITE SIZE: 3.1 Acres

NUMBER OF LOTS


Residential:	1
Office:	
Commercial:	
Industrial:	
Total:	<u>1</u>

MINIMUM LOT AREA: 3.09 Acres

CURRENT ZONING: TF-3, Two-Family Residential

PROPOSED ZONING: Same

VICINITY MAP



SUB 2004-39 -- One-Step Final Plat of WOODLAND ELEMENTARY ADDITION
April 22, 2004 - Page 2

NOTE: This is a replat of a portion of the Garden Grove Addition and Ferrell's 4th Addition.

STAFF COMMENTS:

- A. Municipal services are available to serve the site. *Applicant shall meet with City Engineering regarding abandonment of a portion of the sewer line.*
- B. If improvements are guaranteed by petition, a notarized certificate listing the petitions shall be submitted to the Planning Department for recording.
- C. *City Engineering* needs to comment on the status of the applicant's drainage plan. *The drainage plan is approved.*
- D. *Traffic Engineering* has requested a 5-ft contingent dedication of sidewalk and utility easement along perimeter streets.
- E. The Applicant has platted 20-ft building setbacks which represents an adjustment of the Zoning Code standard of 25 feet for the TF-3, Two-Family Residential District. The Subdivision Regulations permit the setback provisions to be modified by the plat upon the approval of the Planning Commission.
- F. The Applicant is reminded that a platting binder is required with the final plat. Approval of this plat will be subject to submittal of this binder and any relevant conditions found by such a review.
- G. The platlor's text shall include language that a drainage plan has been developed for the plat and that all drainage easements, rights-of-way, or reserves shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of stormwater.
- H. The applicant shall install or guarantee the installation of all utilities and facilities which are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- I. The applicant's engineer is advised that the Register of Deeds is requiring the name(s) of the notary public, who acknowledges the signatures on this plat, to be printed beneath the notary's signature.
- J. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the U.S. Postal Service Growth Management Coordinator (Phone 316-946-4556) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- K. The applicant is advised that various State and Federal requirements (specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS 67147) for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.
- L. The owner of the subdivision should note that any construction that results in earthwork activities that will disturb one (1) acre or more of ground cover requires a Federal/State NPDES Storm Water Discharge Permit from the Kansas Department of Health and Environment in Topeka. Also, for projects located within the City of Wichita, erosion and sediment control

SUB 2004-39 -- One-Step Final Plat of WOODLAND ELEMENTARY ADDITION
April 22, 2004 - Page 3

devices must be used on ALL projects. For projects outside of the City of Wichita, but within the Wichita Metropolitan area, the owner should contact the appropriate governmental jurisdiction concerning erosion and sediment control device requirements.

- M. Perimeter closure computations shall be submitted with the final plat tracing.
- N. Recording of the plat within thirty (30) days after approval by the City Council and/or County Commission.
- O. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.
- P. The applicant is reminded that a compact disc (CD) shall be submitted with the final plat tracing to the Planning Department detailing this plat in digital format in AutoCAD, or sent via e-mail to MAPD (cholloway@wichita.gov) . This will be used by the City and County GIS Department.