

LIBERTY PARK 2ND

AN ADDITION TO WICHITA, SEDGWICK COUNTY, KANSAS

State of Kansas) SS
 Sedgwick County) We, Baughman Company, P.A., Surveyors in
 aforesaid county and state do hereby certify that we have surveyed and
 plotted "LIBERTY PARK 2ND", an Addition to Wichita, Sedgwick County,
 Kansas and that the accompanying plat is a true and correct exhibit of
 the property surveyed, described as and being a replat of all of Lots 1, 2,
 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23,
 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41,
 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, and 54, Block A, Liberty
 Park, an Addition to Wichita, Sedgwick County, Kansas, together with all
 of Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,
 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37,
 38, 39, 40, 41, 42, 43, 44, 45, and 46, Block B, in said Liberty Park,
 together with all of Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15,
 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33,
 34, 35, 36, 37, 38, 39, 40, 41, 42, and 43, Block C, in said Liberty Park,
 together with all of Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15,
 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33,
 34, 35, 36, 37, 38, 39, 40, and 41, Block D, in said Liberty Park,
 together with all of Lots 1, 2, 3, and 4, Block E, in said Liberty Park,
 together with all Reserves "A", "B", "C", "D", "E", "F", "G", and "H" as
 plotted in said Liberty Park, together with all of Forestview, all five
 Forestview Cts., 10th Street North, both 10th North Cts., Alderny Cts.,
 Liberty, Harvest Lane, Lost Creek, and Lost Creek Cir., all as
 dedicated in said Liberty Park.

Existing public easements and dedications
 being vacated by virtue of K.S.A. 12-512(b).
 All being situated in the NW1/4 of Sec. 13, Twp. 27-S,
 R-2-W of the 6th P.M., Sedgwick County, Kansas.

Baughman Company, P.A.



Michael G. Conroy, Surveyor

Know all men by these presents that we,
 the undersigned, have caused the land in the surveyors certificate to be
 platted into Lots, Blocks, Streets, and Reserves, to be known as "LIBERTY
 PARK 2ND", an Addition to Wichita, Sedgwick County, Kansas. The utility
 easements are hereby granted as indicated for the construction and
 maintenance of all public utilities. The drainage and utility easements are
 hereby granted as indicated for drainage purposes and for the construction
 and maintenance of all public utilities. The drainage easements are hereby
 granted as indicated for drainage purposes. The wall easements are hereby
 granted as indicated for the construction and maintenance of a private
 screening wall and utility main lines and service lines shall be allowed to
 cross these easements. The drainage and pedestrian access easements are
 hereby granted as indicated for drainage purposes and for pedestrian access
 to or from Reserve "C" and no fences or other obstructions shall be
 constructed or placed on or within this easement. The utility and
 pedestrian access easements are hereby granted as indicated for the
 construction and maintenance of all public utilities and for pedestrian
 access to or from Reserves "C" and "D", respectively, and no fences or
 other obstructions shall be constructed or placed on or within these
 easements. The streets are hereby dedicated to and for the use of the
 public. Reserves "A", "E", and "G" are reserved for entry monuments,
 landscaping, open space, berms, drainage purposes, and utilities. Reserves
 "B" and "F" are reserved for entry monuments, streets, landscaping, open
 space, berms, drainage purposes, and utilities. Reserve "D" is reserved for
 landscaping, lakes, open space, berms, drainage purposes, and utilities as
 confined to easements. Reserve "H" is reserved for landscaping, lakes,
 open space, berms, drainage purposes, and utilities as confined to
 easements. Reserves "A", "B", "C", "D", "E", "F", and "G" will be owned
 and maintained by the homeowners association for the addition. Access
 controls shall be as depicted on the face of the plat and are hereby
 granted to the City of Wichita, Kansas. The Minimum Building Pad
 Elevations for the lowest opening to the structures shall be as indicated
 on the face of the plat.

Kelsey Investments, Inc.

Paul E. Kelsey, President

State of Kansas) SS
 Sedgwick County) The foregoing instrument acknowledged before
 me, this 22nd day of October, 2003, by Paul E. Kelsey, President
 of Kelsey Investments, Inc., on behalf of the corporation.

SUSAN K. MONETTE, Notary Public
 My App'l. Exp. 11-9-03

We, the undersigned holders of a mortgage on the
 above described property, do hereby consent to this plat of "LIBERTY
 PARK 2ND", an Addition to Wichita, Sedgwick County, Kansas.
 Legacy Bank

State of Kansas) SS
 Sedgwick County) The foregoing instrument acknowledged before
 me, this 24th day of Oct., 2003, by Brad E. Vaeger,
 of Legacy Bank, on behalf of the bank.

Danielle K. N., Notary Public
 My App'l. Exp. 11/1/05

This plat of "LIBERTY PARK 2ND", an Addition
 to Wichita, Sedgwick County, Kansas has been submitted to and approved
 by the Wichita-Sedgwick County Metropolitan Area Planning Commission,
 Wichita, Kansas.

Dated this ___ day of _____,
 Wichita-Sedgwick County Metropolitan Area Planning Commission

Chair

Secretary

This plat approved and all dedications
 shown hereon accepted by the City Council of the City of Wichita,
 Kansas, this ___ day of _____, 2003.

At the direction of the City Council

City Clerk

Reviewed in accordance with K.S.A. 58-2005
 on this ___ day of _____, 2003.

Tricia L. Robella, L.S. #1246
 Deputy County Surveyor
 Sedgwick County, Kansas


Entered on transfer record this ___ day
 of _____, 2003.

County Clerk

State of Kansas) SS
 Sedgwick County) This is to certify that this plat has been
 filed for record in the office of the Register of Deeds, this ___ day
 of _____, 2003 at ___ o'clock ___ M.; and is duly recorded.

Register of Deeds

Deputy




BENCHMARK:
 135th St. W. & 13th St. N. - City of
 Wichita Benchmark Disc, SE corner of
 intersection.
 56' East of Centerline
 55' South of Centerline
 Elev. = 167.85 City Datum
 (1355.23 NGVD29)

- = #4 REBAR W/ "BAUGHMAN" CAP (FOUND)
- = #4 REBAR W/ "BAUGHMAN" CAP (SET)
- = 3/4" IRON (FOUND)
- = 1/2" IRON (FOUND)

(M) = MEASURED
 (P) = PLATTED
 (C-P) = CALCULATED PER
 PLATTED INFO.

MINIMUM BUILDING PAD ELEVATIONS FOR LOWEST OPENING TO THE STRUCTURES	
LOT	BLOCK
1-15	B
5-20, 29-32	D



NOTE:
 A master grading plan for drainage has been developed for this
 subdivision and is on file with the City of Wichita, Kansas. All
 drainage easements, rights-of-way, or reserves shall remain at
 established grades or as modified with the approval of the City
 Engineer of the City of Wichita, Kansas. No obstructions which
 impede the flow of this drainage system shall be allowed.



Wichita-Sedgwick County Metropolitan Area Planning Department

April 10, 2003

Baughman Company, P.A.
315 Ellis
Wichita, KS 67211

RE: SUB 2003-24 -- One-Step Final Plat of Liberty Park Second Addition

At the regular meeting of the Metropolitan Area Planning Commission on April 10, 2003, the above captioned plat was considered. The action of the Planning Commission was to approve the plat as recommended by the Subdivision Committee, subject to the conditions stated in our letter dated March 28, 2003.

The following items must be submitted to the Metropolitan Area Planning Department before the plat is scheduled for the City Council and/or County Commission's consideration:

1. A completed and signed tracing of the subdivision, along with five (5) copies. Also, if a change is required on the tracing after submittal, five (5) revised copies must be submitted;
2. A check made out to the Register of Deeds, covering the costs of any documents to be recorded as a requirement of platting (\$8.00 for the first page; \$4.00 for each additional page), if the site is located within the City of Wichita's city limits, OR, in the County within three miles of Wichita's city limits; and
3. A disk, which will be used by the City and County GIS Departments, detailing the final plat in digital format in Autocad.

If you have any questions regarding this plat, please call.

A handwritten signature in black ink, appearing to read 'Neil Evan Strahl'.

Neil Evan Strahl, Senior Planner
Current Plans Division

NES:ch

Copies to: Kelsey Investments, Inc., 716 N. 119th St. West, Wichita, KS 67212
Kevin Holman, Sedgwick County Fire Department
Neil Cable, City Engineer, Department of Engineering
Jim Weber, PE-Director, Sewer Operations & Maintenance Department, Bureau of Public Services

City Hall • 10th Floor • 455 North Main • Wichita, Kansas 67202-1688

T 316.268.4421 F 316.268.4390

www.wichitagov.org



Wichita-Sedgwick County Metropolitan Area Planning Department

March 28, 2003

Baughman Company, P.A.
315 Ellis
Wichita, KS 67211

RE: SUB 2003-24 -- One-Step Final Plat of Liberty Park Second Addition

At the regular meeting of the Subdivision Committee of the Metropolitan Area Planning Commission on Thursday, March 13, 2003, the above captioned plat was considered. The action of the Committee was to approve the one-step final plat, subject to the following staff comments:

- A. The applicant shall guarantee the extension of sanitary sewer and City water to serve the lots being platted.
- B. **City Engineering** needs to comment on existing guarantees and the need for any requirements for providing new guarantees. **New petitions need to be provided.**
- C. If improvements are guaranteed by petition, a notarized certificate listing the petitions shall be submitted to the Planning Department for recording.
- D. **City Engineering** needs to comment on the status of the applicant's drainage plan. **The drainage plan is approved.**
- E. With the Liberty Addition, the applicant has previously guaranteed paving of 13th Street North from Hickory Creek (located to the east) to Forestview including a left turn bay at Forestview. The applicant has also previously guaranteed construction of a left turn bay on 135th Street at 10th St. North.
- F. The Applicant has previously guaranteed the paving of the proposed streets with Liberty Addition. The guarantee has also provided for sidewalks on at least one side of all through, non cul-de-sac streets. **New petitions need to be provided.**
- G. Provisions shall be made for ownership and maintenance of the proposed reserves. The applicant shall either form a lot owners' association prior to recording the plat or shall submit a covenant stating when the association will be formed, when the reserves will be deeded to the

City Hall • 10th Floor • 455 North Main • Wichita, Kansas 67202-1688

T 316.268.4421 F 316.268.4390

www.wichitagov.org

association and who is to own and maintain the reserves prior to the association taking over those responsibilities. This covenant shall also provide for the Homeowners' Association to maintain the "parking strip" located between this site's north property line and driving surface for 13th St. North.

- H. For those reserves being platted for drainage purposes, the required covenant which provides for ownership and maintenance of the reserves shall grant, to the City, the authority to maintain the drainage reserves in the event the owner(s) fail to do so. The covenant shall provide for the cost of such maintenance to be charged back to the owner(s) by the governing body.
- I. For the swimming pool proposed in Reserve C, a site plan shall be submitted with the final plat, for review and approval by the Planning Director. The site plan shall include the information indicated in the Subdivision Regulations. **A 5-ft setback will be platted in Reserve C. The plattors text shall be revised to include swimming pool as a permitted use in Reserve C.**
- J. The applicant shall submit a covenant which provides for four (4) off-street parking spaces per dwelling unit on each lot which abuts a 58-foot street. The covenant shall inventory the affected lots by lot and block number and shall state that the covenant runs with the land and is binding on future owners and assigns.
- K. **GIS** needs to comment on the plat's street names. **10th N. Ct. needs to be revised to 10th Ct. North.**
- L. The plattor's text shall include language that a drainage plan has been developed for the plat and that all drainage easements, rights-of-way, or reserves shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of stormwater.
- M. The applicant shall install or guarantee the installation of all utilities and facilities which are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- N. The applicant's engineer is advised that the Register of Deeds is requiring the name(s) of the notary public, who acknowledges the signatures on this plat, to be printed beneath the notary's signature.
- O. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the U.S. Postal Service Growth Management Coordinator (Phone 316-946-4556) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- P. The applicant is advised that various State and Federal requirements (specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS 67147) for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.

- Q. The owner of the subdivision should be aware of the fact that the development of any subdivision greater than five (5) acres in size may require an NPDES Storm Water Discharge

Permit from the Kansas Department of Health and Environment in Topeka. Further, on all construction sites, the City of Wichita requires that best management practices be used to reduce pollutant loadings in storm water runoffs.

- R. Perimeter closure computations shall be submitted with the final plat tracing.
- S. Recording of the plat within thirty (30) days after approval by the City Council and/or County Commission.
- T. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property. Westar Energy has requested additional easements.
- U. The applicant is reminded that a disk shall be submitted with the final plat tracing to the Planning Department detailing this plat in digital format in AutoCAD. This will be used by the City and County GIS Department.

If this plat requires the guaranteeing of improvements, a list of the five (5) methods that have been adopted as being acceptable is available in the Planning Department. Also available, are Certificates that are required if petitions are submitted, bond forms and Irrevocable Letter of Credit forms.

This case will be forwarded to the Planning Commission for consideration on Thursday, April 10, 2003, at 1:30 p.m.

The enclosed "marked" copy of the plat is for your information and files.

If you have any questions regarding this plat, please call.



Neil Evan Strahl, Senior Planner
Current Plans Division

NES:ch

Enclosure

Copies to: Kelsey Investments, Inc., 716 N. 119th St. West, Wichita, KS 67212
Kevin Holman, Sedgwick County Fire Department
Neil Cable, City Engineer, Department of Engineering
Jim Weber, PE-Director, Sewer Operations & Maintenance Department, Bureau of Public Services

STAFF REPORT
(One-Step Final Plat)

CASE NUMBER: SUB 2003-24 – LIBERTY PARK SECOND ADDITION

OWNER/APPLICANT: Kelsey Investments, Inc., 716 N. 119th St. West, Wichita, KS 67212

SURVEYOR/ENGINEER: Baughman Company, P.A., 315 Ellis, Wichita, KS 67211

LOCATION: South side of 13th St. North, East side of 135th St. West

SITE SIZE: 72.35 acres

NUMBER OF LOTS


Residential:	163
Office:	
Commercial:	
Industrial:	
Total:	163

MINIMUM LOT AREA: 10,080 sq. ft.

CURRENT ZONING: SF-5, Single-Family Residential

PROPOSED ZONING: Same

VICINITY MAP



SUB 2003-24 – One-Step Final Plat of LIBERTY PARK SECOND ADDITION
March 27, 2003 - Page 2

NOTE: This is a replat of the Liberty Park Addition. The street layout has not changed; however the width of the lots has been increased to create 24 fewer lots.

Planning Staff recommends approval of the plat.

STAFF COMMENTS:

- A. The applicant shall guarantee the extension of sanitary sewer and City water to serve the lots being platted.
- B. **City Engineering** needs to comment on existing guarantees and the need for any requirements for providing new guarantees.
- C. If improvements are guaranteed by petition, a notarized certificate listing the petitions shall be submitted to the Planning Department for recording.
- D. **City Engineering** needs to comment on the status of the applicant's drainage plan.
- E. With the Liberty Addition, the applicant has previously guaranteed paving of 13th Street North from Hickory Creek (located to the east) to Forestview including a left turn bay at Forestview. The applicant has also previously guaranteed construction of a left turn bay on 135th Street at 10th St. North.
- F. The Applicant has previously guaranteed the paving of the proposed streets with Liberty Addition. The guarantee has also provided for sidewalks on at least one side of all through, non cul-de-sac streets.
- G. Provisions shall be made for ownership and maintenance of the proposed reserves. The applicant shall either form a lot owners' association prior to recording the plat or shall submit a covenant stating when the association will be formed, when the reserves will be deeded to the association and who is to own and maintain the reserves prior to the association taking over those responsibilities. This covenant shall also provide for the Homeowners' Association to maintain the "parking strip" located between this site's north property line and driving surface for 13th St. North.
- H. For those reserves being platted for drainage purposes, the required covenant which provides for ownership and maintenance of the reserves shall grant, to the City, the authority to maintain the drainage reserves in the event the owner(s) fail to do so. The covenant shall provide for the cost of such maintenance to be charged back to the owner(s) by the governing body.
- I. The applicant shall submit a covenant which provides for four (4) off-street parking spaces per dwelling unit on each lot which abuts a 58-foot street. The covenant shall inventory the affected lots by lot and block number and shall state that the covenant runs with the land and is binding on future owners and assigns.
- J. **GIS** needs to comment on the plat's street names. **10th N. Ct. needs to be revised to 10th Ct. North.**

SUB 2003-24 – One-Step Final Plat of LIBERTY PARK SECOND ADDITION
March 27, 2003 - Page 3

- K. The platlor's text shall include language that a drainage plan has been developed for the plat and that all drainage easements, rights-of-way, or reserves shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of stormwater.
- L. The applicant shall install or guarantee the installation of all utilities and facilities which are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- M. The applicant's engineer is advised that the Register of Deeds is requiring the name(s) of the notary public, who acknowledges the signatures on this plat, to be printed beneath the notary's signature.
- N. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the U.S. Postal Service Growth Management Coordinator (Phone 316-946-4556) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- O. The applicant is advised that various State and Federal requirements (specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS 67147) for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.
- P. The owner of the subdivision should be aware of the fact that the development of any subdivision greater than five (5) acres in size may require an NPDES Storm Water Discharge Permit from the Kansas Department of Health and Environment in Topeka. Further, on all construction sites, the City of Wichita requires that best management practices be used to reduce pollutant loadings in storm water runoffs.
- Q. Perimeter closure computations shall be submitted with the final plat tracing.
- R. Recording of the plat within thirty (30) days after approval by the City Council and/or County Commission.
- S. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.
- T. The applicant is reminded that a disk shall be submitted with the final plat tracing to the Planning Department detailing this plat in digital format in AutoCAD. This will be used by the City and County GIS Department.