


**FINAL PLAT**  
**CESSNA ELEMENTARY SCHOOL ADDITION**  
 AN ADDITION TO WICHITA, SEDGWICK COUNTY, KANSAS



**LEGEND**  
 △ = SECTION CORNER MONUMENT FOUND/SET  
 ● = FOUND 3/4" REBAR W/ MKEC CLS #39 CAP  
 (M) = MEASURED DIMENSION

SCALE: 1"=60'  
 0 60 120



This plat of "CESSNA ELEMENTARY SCHOOL ADDITION" has been submitted to and approved by the Wichita-Sedgwick County Metropolitan Area Planning Commission, Wichita, Kansas. Dated this \_\_\_\_ day of \_\_\_\_\_, 2003.

WICHITA-SEDGWICK COUNTY METROPOLITAN PLANNING COMMISSION

\_\_\_\_\_, Chair  
 Bernard A. Hentzen, Chair  
 \_\_\_\_\_, Secretary  
 Dale Miller, Secretary

This plat approved and all dedications shown thereon, if any, accepted by the City Council of the City of Wichita, Kansas, this \_\_\_\_ day of \_\_\_\_\_, 2003.

At the direction of the City Council.

\_\_\_\_\_, City Manager  
 Chris Cherches, City Manager  
 \_\_\_\_\_, City Clerk  
 Pat Graves, City Clerk

Entered on transfer record this \_\_\_\_ day of \_\_\_\_\_, 2003.

\_\_\_\_\_, County Clerk  
 Don Brace, County Clerk

STATE OF KANSAS )  
 )ss:  
 SEDGWICK COUNTY )  
 This is to certify that this instrument was filed for record in the Register of Deeds office this \_\_\_\_ day of \_\_\_\_\_, 2003 at \_\_\_\_ o'clock M; and is duly recorded.

\_\_\_\_\_, Register of Deeds  
 Bill Meek, Register of Deeds  
 \_\_\_\_\_, Deputy  
 Linda Kizzire, Deputy

Reviewed in accordance with K.S.A. 58-2005 on this \_\_\_\_ day of \_\_\_\_\_, 2003.

\_\_\_\_\_, Deputy County Surveyor  
 Tricia L. Robello, LS #1246  
 Deputy County Surveyor  
 Sedgwick County, Kansas

I, Gregory J. Allison, a Registered Land Surveyor in Kansas, do hereby certify that I have been in responsible charge of surveying and platting of "CESSNA ELEMENTARY SCHOOL ADDITION" an addition to Wichita, Sedgwick County, Kansas, into a Lot and a Block, the same being accurately set forth in the accompanying plat and described herein:

The North Half of the Southeast Quarter of the Southwest Quarter, Section 18, Township 28 South, Range 1 East, of the Sixth Principal Meridian, Sedgwick County, Kansas, said North Half being more particularly described as follows:

COMMENCING at the Northeast corner of said North Half; thence along the East line of said Southwest Quarter on a Kansas South Zone Grid Bearing of S00°52'19"E, 30.07 feet; thence S89°07'38"W, 40 feet to the POINT OF BEGINNING, said point being the Southwest corner of Clarence Avenue and 45th Street South; thence along the West right-of-way line of Clarence Avenue parallel with and 40 feet West of said East line, S00°52'19"E, 628.78 feet to the South line of said North Half; thence along the said South line, S88°58'52"W, 1281.50 feet to the West line of said North Half; thence along the West line of said North Half, N00°54'58"W, 629.89 feet to the South right-of-way line of said 45th Street South; thence along said South right-of-way line, parallel with and 30 feet South of the North line of said North Half, N89°01'51"E, 1281.99 feet to the POINT OF BEGINNING.  
 I hereby certify that the details of this plat are correct to the best of my knowledge and belief this \_\_\_\_ day of \_\_\_\_\_, 2003.

Unified School District No. 259

Chip Gramke, Board of Education, President  
 Unified School District No. 259  
 STATE OF KANSAS )  
 ) ss.  
 SEDGWICK COUNTY )

BE IT REMEMBERED, that on this \_\_\_\_ day of \_\_\_\_\_, 2003, before me the undersigned, a Notary Public in and for the County and State aforesaid, came Chip Gramke, President, Board of Education, Unified School District No. 259, to me personally known to be the same person who executed the foregoing instrument of writing and duly acknowledged the execution of the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, the day and year last above written.

\_\_\_\_\_, Notary Public  
 My appointment expires: \_\_\_\_\_  
 Notary Public  
 My appointment expires: \_\_\_\_\_

Gregory J. Allison, PE, LS #1257  
 MKEC Engineering Consultants, Inc.  
 411 North Webb Road  
 Wichita, Kansas 67206

Know all men by these presents that we the undersigned property owners of the land above set forth in the Registered Land Surveyor's Certificate, have caused the same to be surveyed and platted into Lots, a Block, the same to be known as "CESSNA ELEMENTARY SCHOOL ADDITION" an addition to Wichita, Sedgwick County, Kansas. Easements for the construction and maintenance of public utilities and drainage, as indicated on the accompanying plat are hereby granted to the public. A drainage plan has been developed for this plat and all drainage easements, right-of-way, or reserves shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of storm water.

NW. Cor., S. 1/2, SW. 1/4,  
 Sec. 18, T28S, R1E, 6th P.M.  
 Fnd. 1/2" Pipe

NE. Cor., SW. 1/4, Sec. 18,  
 T28S, R1E, 6th P.M.  
 Found 1" Pipe

NE. Cor., S. 1/2, SW. 1/4,  
 Sec. 18, T28S, R1E, 6th P.M.  
 Set 3/4" Rebar W/  
 MKEC CLS #39 Id cap

Basis of Bearings Kansas South Zone Grid Bearing of S00°57'54"E(M)  
 W. LINE SW. 1/4  
 1322.21'(M)

S88°55'41"W(M)  
 2641.90'(M)

SE. Cor., SW. 1/4, Sec. 18,  
 T28S, R1E, 6th P.M.  
 Set 3/4" Rebar w/  
 MKEC CLS #39 Id cap

12/26/02 10:30 AM



**Wichita-Sedgwick County Metropolitan Area Planning Department**

January 23, 2003

MKEC Engineering Consultants, Inc.  
411 N. Webb Road  
Wichita, KS 67206

RE: SUB 2002-141 -- One-Step Final Plat of Cessna Elementary School Addition

At the regular meeting of the Metropolitan Area Planning Commission on January 23, 2003, the above captioned plat was considered. The action of the Planning Commission was to approve the plat as recommended by the Subdivision Committee, subject to the conditions stated in our letter dated January 17, 2003.

The following items must be submitted to the Metropolitan Area Planning Department before the plat is scheduled for the City Council and/or County Commission's consideration:

1. A completed and signed tracing of the subdivision, along with four (4) copies. Also, if a change is required on the tracing after submittal, four (4) revised copies must be submitted;
2. A check, made out to the Register of Deeds, covering the costs of any documents to be recorded as a requirement of platting. (Cost: \$8.00 for the first page; \$4.00 for each additional page); and
3. A disk, which will be used by the City and County GIS Departments, detailing the final plat in digital format in Autocad.

If you have any questions regarding this plat, please call.

A handwritten signature in black ink that reads 'Neil Evan Strahl'.

Neil Evan Strahl, Senior Planner  
Current Plans Division

NES:ch

Enclosure: Marked Copy of Plat  
City Hall • 10th Floor • 455 North Main • Wichita, Kansas 67202-1688

T 316.268.4421 F 316.268.4390

[www.wichitagov.org](http://www.wichitagov.org)



## Wichita-Sedgwick County Metropolitan Area Planning Department

January 17, 2003

MKEC Engineering Consultants, Inc.  
411 N. Webb Road  
Wichita, KS 67206

RE: SUB 2002-141 -- One-Step Final Plat of Cessna Elementary School Addition

At the regular meeting of the Subdivision Committee of the Metropolitan Area Planning Commission on Thursday, January 16, 2003, the above captioned plat was considered. The action of the Committee was to approve the one-step final plat, subject to the following staff comments:

- A. Municipal services are available to serve the site. **City Engineering** needs to comment on the need for guarantees or easements.
- B. If improvements are guaranteed by petition, a notarized certificate listing the petitions shall be submitted to the Planning Department for recording.
- C. **City Engineering** needs to comment on the status of the applicant's drainage plan. **The drainage plan is approved. The applicant will need to connect to the stormwater sewer in Clarence as part of site development.**
- D. This property is within a zone identified by the City Engineers' office as likely to have groundwater at some or all times within 10 feet of the ground surface elevation. Building with specially engineered foundations or with the lowest floor opening above groundwater is recommended, and owners seeking building permits on this property will be similarly advised. More detailed information on recorded groundwater elevations in the vicinity of this property is available in the City Engineers' office.
- E. Based upon the platting binder, property taxes are still outstanding. Before the plat is scheduled for City Council consideration, proof shall be provided indicating that all applicable property taxes have been paid.

City Hall • 10th Floor • 455 North Main • Wichita, Kansas 67202-1688

T 316.268.4421 F 316.268.4390

[www.wichitagov.org](http://www.wichitagov.org)

- F. The platlor's text shall include language that a drainage plan has been developed for the plat and that all drainage easements, rights-of-way, or reserves shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of stormwater.
- G. The applicant shall install or guarantee the installation of all utilities and facilities which are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- H. The applicant's engineer is advised that the Register of Deeds is requiring the name(s) of the notary public, who acknowledges the signatures on this plat, to be printed beneath the notary's signature.
- I. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the U.S. Postal Service Growth Management Coordinator (Phone 316-946-4556) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- J. The applicant is advised that various State and Federal requirements (specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS 67147) for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.
- K. The owner of the subdivision should be aware of the fact that the development of any subdivision greater than five (5) acres in size may require an NPDES Storm Water Discharge Permit from the Kansas Department of Health and Environment in Topeka. Further, on all construction sites, the City of Wichita requires that best management practices be used to reduce pollutant loadings in storm water runoffs.
- L. Perimeter closure computations shall be submitted with the final plat tracing.
- M. Recording of the plat within thirty (30) days after approval by the City Council and/or County Commission.
- N. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.
- O. The applicant is reminded that a disk shall be submitted with the final plat tracing to the Planning Department detailing this plat in digital format in AutoCAD. This will be used by the City and County GIS Department.


If this plat requires the guaranteeing of improvements, a list of the five (5) methods that have been adopted as being acceptable is available in the Planning Department. Also available, are Certificates that are required if petitions are submitted, bond forms and Irrevocable Letter of Credit forms.

SUB 2002-141 -- One-Step Final Plat of Cessna Elementary School Addition  
January 17, 2003  
Page 3

This case will be forwarded to the Planning Commission for consideration on Thursday, January 23, 2003, at 1:30 p.m.

The enclosed "marked" copy of the plat is for your information and files.

If you have any questions regarding this plat, please call.

A handwritten signature in black ink that reads "Neil Evan Strahl". The signature is written in a cursive, flowing style.

Neil Evan Strahl, Senior Planner  
Current Plans Division

NES:ch

Enclosure: Marked Copy of Plat

Copies to: Joe Hoover, USD #259, 3850 N. Hydraulic, Wichita, KS 67219  
Walter Rooney, Sedgwick County Fire Department  
Neil Cable, City Engineer, Department of Engineering  
Jim Weber, PE-Director, Sewer Operations & Maintenance Department, Bureau of Public Services

**STAFF REPORT**  
**(ONE-STEP FINAL PLAT APPROVED 1/16/03)**

**CASE NUMBER:** SUB 2002-141 – CESSNA ELEMENTARY SCHOOL ADDITION

**OWNER/APPLICANT:** USD #259, Attn: Joe Hoover, 3850 N. Hydraulic, Wichita, KS 67219

**SURVEYOR/ENGINEER:** MKEC Engineering Consultants, Inc., 411 N. Webb Road, Wichita, KS 67206

**LOCATION:** South side of 45th St. South, East of Meridian

**SITE SIZE:** 15.52 acres

**NUMBER OF LOTS**

Residential:	1
Office:	
Commercial:	
Industrial:	
Total:	<b>1</b>


**MINIMUM LOT AREA:** 15.52 acres

**CURRENT ZONING:** SF-5, Single-Family Residential

**PROPOSED ZONING:** Same

---

**VICINITY MAP**



NOTE: This is an unplatted site located within the City.

**Planning Staff recommends approval of the plat.**

**STAFF COMMENTS:**

- A. Municipal services are available to serve the site. **City Engineering** needs to comment on the need for guarantees or easements.
- B. If improvements are guaranteed by petition, a notarized certificate listing the petitions shall be submitted to the Planning Department for recording.
- C. **City Engineering** needs to comment on the status of the applicant's drainage plan. **The drainage plan is approved. The applicant will need to connect to the stormwater sewer in Clarence as part of site development.**
- D. This property is within a zone identified by the City Engineers' office as likely to have groundwater at some or all times within 10 feet of the ground surface elevation. Building with specially engineered foundations or with the lowest floor opening above groundwater is recommended, and owners seeking building permits on this property will be similarly advised. More detailed information on recorded groundwater elevations in the vicinity of this property is available in the City Engineers' office.
- E. Based upon the platting binder, property taxes are still outstanding. Before the plat is scheduled for City Council consideration, proof shall be provided indicating that all applicable property taxes have been paid.
- F. The platting text shall include language that a drainage plan has been developed for the plat and that all drainage easements, rights-of-way, or reserves shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of stormwater.
- G. The applicant shall install or guarantee the installation of all utilities and facilities which are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- H. The applicant's engineer is advised that the Register of Deeds is requiring the name(s) of the notary public, who acknowledges the signatures on this plat, to be printed beneath the notary's signature.
- I. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the U.S. Postal Service Growth Management Coordinator (Phone 316-946-4556) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- J. The applicant is advised that various State and Federal requirements (specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS

**SUB 2002-141 – One-Step Final Plat of CESSNA ELEMENTARY SCHOOL ADDITION**  
**January 23, 2003 - Page 3**

67147) for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.

- K. The owner of the subdivision should be aware of the fact that the development of any subdivision greater than five (5) acres in size may require an NPDES Storm Water Discharge Permit from the Kansas Department of Health and Environment in Topeka. Further, on all construction sites, the City of Wichita requires that best management practices be used to reduce pollutant loadings in storm water runoffs.
- L. Perimeter closure computations shall be submitted with the final plat tracing.
- M. Recording of the plat within thirty (30) days after approval by the City Council and/or County Commission.
- N. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.
- O. The applicant is reminded that a disk shall be submitted with the final plat tracing to the Planning Department detailing this plat in digital format in AutoCAD. This will be used by the City and County GIS Department.