


PRAIRIE RIDGE ESTATES,
SEDGWICK COUNTY, KANSAS



This plat of "PRAIRIE RIDGE ESTATES", Sedgwick County, Kansas, has been submitted to and approved by the Wichita-Sedgwick County Metropolitan Area Planning Commission, Wichita, Kansas.

Dated this ____ day of _____, 1998.

Wichita-Sedgwick County Metropolitan
Area Planning Commission

_____, Chairman
Richard E. Lopez

_____, Secretary
Marvin S. Krout

This plat approved and all dedications shown hereon, if any, accepted by the Board of County Commissioners of Sedgwick County, Kansas, this ____ day of _____, 1998.

_____, Chairman
Mark F. Schroeder, Fifth District

_____, Chairman Pro-Tem
Paul W. Hancock, Second District

_____, Commissioner
Betsy Gwin, First District

_____, Commissioner
Thomas G. Winters, Third District

_____, Commissioner
Melody C. Miller, Fourth District

ATTEST:

_____, County Clerk
James Alford

Entered on transfer record this ____ day of _____, 1998.

_____, County Clerk
James Alford

State of Kansas, County of Sedgwick, SS.

This is to certify that this instrument was filed for record in the Register of Deeds Office, at ____ o'clock, ____ m., on the ____ day of _____, 1998.

_____, Register of Deeds
Bill Meek

_____, Deputy
Linda Kizzire

First National Bank of Derby, Kansas, by _____, mortgagees of the land described in the Land Surveyor's certificate, does hereby consent to the platting of "PRAIRIE RIDGE ESTATES", Sedgwick County, Kansas.

First National Bank of Derby

ATTEST:

State of Kansas, County of Sedgwick, SS.

I, Jim E. Bishop, Land Surveyor in the State of Kansas, do hereby certify that I have surveyed and platted "PRAIRIE RIDGE ESTATES", Sedgwick County, Kansas, and that the accompanying plat is a true and correct exhibit of said survey described as follows: The Northwest Quarter (NW/4) of Section 35, Township 28 South, Range 2 East of the 6th P.M., Sedgwick County, Kansas, EXCEPT that part described as follows: A tract of land beginning at the Northeast corner of the Northwest Quarter of Section 35, Township 28 South, Range 2 East of the 6th P.M., Sedgwick County, Kansas; thence West 600 feet; thence South 440 feet; thence East 600 feet; thence North 440 feet to beginning; AND EXCEPT a tract of land beginning 440 feet South of the Northeast corner of the Northwest Quarter of Section 35, Township 28 South, Range 2 East of the 6th P.M., Sedgwick County, Kansas; thence West 600 feet; thence South 290.4 feet; thence East 600 feet; thence North 290.4 feet to the point of beginning.

_____, L.S.
Jim E. Bishop, L.S.

Know all men by these presents that we, Cheryl Troyer, Larry Bannon, and Gregory P. Farber and Judith M. Farber, husband and wife, have caused the land described in the Land Surveyor's certificate to be platted into lots, blocks, and streets to be known as "PRAIRIE RIDGE ESTATES", Sedgwick County, Kansas. The streets are hereby dedicated to and for the use of the public. Utility easements as indicated on the plat are hereby granted for the construction and maintenance of all public utilities.

The Floodway Reserve is hereby granted for drainage purposes. No building shall be constructed on or within said Floodway Reserve; nor shall any fill, change of grade, creation of channel or other work be carried on without the permission of said appropriate governing body, with such permission of said appropriate governing body, additional improvements and/or activities may be permitted within said Floodway Reserve.

All abutter's rights of access to or from 63rd St. South, over and across the north line of Lots 1 thru 5, Block A, are hereby granted to the appropriate governing body.

All abutter's rights of access to or from 127th St. East, over and across the west line of Lots 1 and 14, Block A, and Lots 1 and 11, Block B, are hereby granted to the appropriate governing body.

_____, Cheryl Troyer
_____, Larry Bannon
_____, Gregory P. Farber
_____, Judith M. Farber

State of Kansas, County of Sedgwick, SS.

The foregoing instrument was acknowledged before me this ____ day of _____, 1998 by Cheryl Troyer.

_____, Notary Public

My Commission Expires: _____

State of Kansas, County of Sedgwick, SS.

The foregoing instrument was acknowledged before me this ____ day of _____, 1998 by Larry Bannon.

_____, Notary Public

My Commission Expires: _____


State of Kansas, County of Sedgwick, SS.

The foregoing instrument was acknowledged before me this ____ day of _____, 1998 by Gregory P. Farber and Judith M. Farber, husband and wife.

_____, Notary Public

My Commission Expires: _____

WICHITA — SEDGWICK COUNTY



METROPOLITAN AREA PLANNING
DEPARTMENT

CITY HALL — TENTH FLOOR
455 NORTH MAIN STREET
WICHITA, KANSAS 67202-1988
(316) 268-4421
FAX (316) 268-4390

June 26, 1998

Sandalwood Surveying, Inc.
P. O. Box 75053
Wichita KS 67275-5053

Re: S/D 98-53 -- Final Plat of PRAIRIE RIDGE ESTATES ADDITION

Gentlemen:

At the regular meeting of the Metropolitan Area Planning Commission on June 25, 1998, the above captioned plat was considered. The action of the Planning Commission was to recommend that the plat be approved as recommended by the Subdivision Committee subject to the conditions stated in our letter of June 19, 1998.

In addition to complying with those conditions, it is necessary that you meet the following requirements before this plat can be forwarded to the City Council and/or County Commission for consideration:

1. Submission of the fully completed and signed tracing of the subdivision, along with five (5) copies, to the Metropolitan Area Planning Department.
2. Submission of a check, made out to the Register of Deeds, covering the costs of any documents to be recorded as a requirement of platting.
3. Subdivision regulations now require a detailed Lot Grading Plan be submitted to Engineering prior to the tracing being released. This applies to all multi-lot and residential developments.
4. Submission of a disk to the Planning Department detailing this plat. This will be used by the City and County GIS Departments.

S/D 98-53 -- Final Plat for PRAIRIE RIDGE ESTATES ADDITION
June 25, 1998 -- Page 2

Please call if you have any questions.

Sincerely,

A handwritten signature in cursive script, appearing to read "Neil Evan Strahl".

Neil Evan Strahl, AICP
Senior Planner, Current Plans Division

NES\lfb

cc: Greg Farber, 7001 S. 99th St. East, Derby, KS 67037
Mike Lindebak, City Engineering, Mail Stop (1-71)
Jim Weber, PE-Director, Sewer Operations & Maintenance Department, Bureau of Public
Services, 1250 S. Seneca, Wichita, KS 67213



METROPOLITAN AREA PLANNING
DEPARTMENT

CITY HALL — TENTH FLOOR
455 NORTH MAIN STREET
WICHITA, KANSAS 67202-1688
(316) 268-4421
FAX (316) 268-4390

June 19, 1998

Sandalwood Surveying, Inc.
P. O. Box 75053
Wichita KS 67275-5053

Re: S/D 98-53 -- Final Plat of PRAIRIE RIDGE ESTATES ADDITION

Gentlemen:

At the regular meeting of the Subdivision Committee of the Metropolitan Area Planning Commission on Thursday, June 18, 1998, the above captioned plat was considered. The action of the Committee was to approve the final plat subject to the following:

- A. Since sanitary sewer is unavailable to serve this property, the applicant shall contact the Environmental Health Division of the Health Department to find out what tests may be necessary and what standards are to be met for approval of on-site sewerage facilities. A memorandum shall be obtained specifying approval. *Standard soil testing is required.*
- B. The site is currently served by Rural Water District No. 3. The applicant shall contact this water district to determine the ability of this property being platted to connect to their water line and submit a letter from the water district regarding any *requirements. The Rural Water District has informed MAPD that capacity is available to serve the lots in this plat.*
- C. If improvements are guaranteed by petition, a notarized certificate listing the petitions shall be submitted to the Planning department for recording.
- D. *County Engineering* needs to comment on the status of the applicant's drainage plan. *Floodway reserves will need to be platted to cover cross-lot drainage. County Engineering requests the floodway reserve in Lot 7 to be increased in width from 40 feet to 60 feet.*
- E. The applicant shall guarantee the installation of the proposed interior streets to the 32-ft sand road standard.
- F. Complete access control shall be dedicated along the site's frontage to 63rd St. South and 127th St. East. On the final plat, the dedication of access controls shall be referenced in the plat's text.

The requested access controls have been depicted on the final plat.



- G. County Fire needs to comment on the acceptability of the plat's street names. *The street names are acceptable.*
- H. Contingent right-of-way dedications extending to the south and east line of the plat is recommended in order to provide potential street connections. These dedications shall be referenced in the plat's text as being effective upon the platting of any adjacent subdivision having a street connecting thereto. *Applicant explained the existence of 10-acre developed lots to the south; but agreed to plat a contingent right-of-way dedication to the east.*

The Subdivision Committee required the platting of the contingent right-of-way dedication to the east on the final tracing.

- I. County Engineering needs to comment on the need for improvements to perimeter streets or additional right-of-way. *An additional 10 feet of half street right-of-way needs to be dedicated along the north line of the plat.*

The requested 10-feet of half-street right-of-way has been denoted on the final plat.

- J. Provisions shall be made for ownership and maintenance of the proposed reserves. The applicant shall either form a lot owners' association prior to recording the plat or shall submit a covenant stating when the association will be formed, when the reserves will be deeded to the association and who is to own and maintain the reserves prior to the association taking over those responsibilities.
- K. For those reserves being platted for drainage purposes, the required covenant which provides for ownership and maintenance of the reserves shall grant, to the County, the authority to maintain the drainage reserves in the event the owner(s) fail to do so. The covenant shall provide for the cost of such maintenance to be charged back to the owner(s) by a method similar to special assessments.
- L. County Engineering should comment on the length of the cul-de-sac (2,100 ft.) which exceeds the 1,200 ft. standard. *County Engineering recommends that the southern cul-de-sac be looped northward and connected to the northern street.*

The requested loop street has been denoted on the final plat.

- M. The applicant shall install or guarantee the installation of all utilities and facilities which are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- N. The applicant's engineer is advised that the Register of Deeds is requiring the name(s) of the notary public, who acknowledges the signatures on this plat, to be printed beneath the

notary's signature.

- O. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the U.S. Postal Service Growth Management Coordinator (phone 316-729-0102) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- P. The applicant is advised that various State and Federal requirements [specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS 67147] for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.
- Q. The owner of the subdivision should be aware of the fact that the development of any subdivision greater than five (5) acres in size may require an NPDES Storm Water Discharge Permit from the Kansas Department of Health and Environment in Topeka. Further, on all construction sites located within the City, the City of Wichita requires that best management practices be used to reduce pollutant loadings in storm water runoffs.
- R. Perimeter closure computations shall be submitted with the final plat tracing.
- S. Recording of the plat within thirty (30) days after approval by the City Council and/or County Commission.
- T. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.
- U. The applicant is reminded that a disk shall be submitted with the final plat tracing to the Planning Department detailing this plat. This will be used by the City and County GIS Department.
- V. *The final tracing shall include the platting of a pipeline easement if included within the plat or any required pipeline setback.*

If this plat requires the guaranteeing of improvements, a list of the five methods which have been adopted as being acceptable is available through the Planning Department. Also certificates, which are required if petitions are submitted and forms for the bond and irrevocable Letter of Credit, are also available from this office.

The enclosed "marked" copy of the plat is for your information and files.

S/D 98-53 -- Preliminary Plat of PRAIRIE RIDGE ADDITION

June 19, 1998 - Page 4

This matter will be forwarded to the Planning Commission for its consideration on Thursday, June 25, 1998, at 1:30 p.m. If you have any questions concerning this matter, please call.

Sincerely,

A handwritten signature in black ink, appearing to read "Neil Evan Strahl". The signature is fluid and cursive, with the first name "Neil" being the most prominent.

Neil Evan Strahl, AICP

Senior Planner, Current Plans Division

NES\lfb

Enclosure

cc: Greg Farber, 7001 S. 99th St. East, Derby, KS 67037

Mike Lindebak, City Engineering, Mail Stop (1-71)

Jim Weber, PE-Director, Sewer Operations & Maintenance Dept., Bureau of Public Services, 1250 S. Seneca,
Wichita, KS 67213

METROPOLITAN AREA PLANNING COMMISSION

AGENDA ITEM NO. 3-4.

June 25, 1998

STAFF REPORT

(Final Plat-Approved 06/18/98, Preliminary Plat approved 5/21/98)

CASE NUMBER: S/D 98-53 - PRAIRIE RIDGE ESTATES ADDITION

OWNER/APPLICANT: Greg Farber, 7001 S. 99th St. East, Derby, KS 67037

SURVEYOR/ENGINEER: Sandalwood Surveying, Inc., P.O. Box 75053,
Wichita, KS 67275-5053

LOCATION: Southeast corner of 63rd St. South and 127th St. East

SITE SIZE: 152 acres

NUMBER OF LOTS


Residential:	25
Office:	
Commercial:	
Industrial:	
Total:	<u>25</u>

MINIMUM LOT AREA: 5 acres

CURRENT ZONING: RR, Rural Residential

PROPOSED ZONING: Same

VICINITY MAP



Note: This site is located in the County in an area designated as "suburban" by the Wichita-Sedgwick County Comprehensive Plan.

STAFF COMMENTS:

- A. Since sanitary sewer is unavailable to serve this property, the applicant shall contact the Environmental Health Division of the Health Department to find out what tests may be necessary and what standards are to be met for approval of on-site sewerage facilities. A memorandum shall be obtained specifying approval. Standard soil testing is required.
- B. The site is currently served by Rural Water District No. 3. The applicant shall contact this water district to determine the ability of this property being platted to connect to their water line and submit a letter from the water district regarding any requirements. The Rural Water District has informed MAPD that capacity is available to serve the lots in this plat.
- C. If improvements are guaranteed by petition, a notarized certificate listing the petitions shall be submitted to the Planning department for recording.
- D. County Engineering needs to comment on the status of the applicant's drainage plan. Floodway reserves will need to be platted to cover cross-lot drainage. County Engineering requests the floodway reserve in Lot 7 to be increased in width from 40 feet to 60 feet.
- E. The applicant shall guarantee the installation of the proposed interior streets to the 32-ft sand road standard.
- F. Complete access control shall be dedicated along the site's frontage to 63rd St. South and 127th St. East. On the final plat, the dedication of access controls shall be referenced in the plat's text.

The requested access controls have been depicted on the final plat.

- G. County Fire needs to comment on the acceptability of the plat's street names. The street names are acceptable.
- H. Contingent right-of-way dedications extending to the south and east line of the plat is recommended in order to provide potential street connections. These dedications shall be referenced in the plat's text as being effective upon the platting of any adjacent subdivision having a street connecting thereto.

Applicant explained the existence of 10-acre developed lots to the south; but agreed to plat a contingent right-of-way dedication to the east.

The Subdivision Committee required the platting of the contingent right-of-way dedication to the east on the final tracing.

- I. County Engineering needs to comment on the need for improvements to perimeter streets or additional right-of-way. An additional 10 feet of half street right-of-way needs to be dedicated along the north line of the plat.

The requested 10-feet of half-street right-of-way has been denoted on the final plat.

- J. Provisions shall be made for ownership and maintenance of the proposed reserves. The applicant shall either form a lot owners' association prior to recording the plat or shall submit a covenant stating when the association will be formed, when the reserves will be deeded to the association and who is to own and maintain the reserves prior to the association taking over those responsibilities.
- K. For those reserves being platted for drainage purposes, the required covenant which provides for ownership and maintenance of the reserves shall grant, to the County, the authority to maintain the drainage reserves in the event the owner(s) fail to do so. The covenant shall provide for the cost of such maintenance to be charged back to the owner(s) by a method similar to special assessments.
- L. County Engineering should comment on the length of the cul-de-sac (2,100 ft.) which exceeds the 1,200 ft. standard. County Engineering recommends that the southern cul-de-sac be looped northward and connected to the northern street.

The requested loop street has been denoted on the final plat.

- M. The applicant shall install or guarantee the installation of all utilities and facilities which are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- N. The applicant's engineer is advised that the Register of Deeds is requiring the name(s) of the notary public, who acknowledges the signatures on this plat, to

be printed beneath the notary's signature.

- O. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the U.S. Postal Service Growth Management Coordinator (phone 316-729-0102) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- P. The applicant is advised that various State and Federal requirements [specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS 67147] for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.
- Q. The owner of the subdivision should be aware of the fact that the development of any subdivision greater than five (5) acres in size may require an NPDES Storm Water Discharge Permit from the Kansas Department of Health and Environment in Topeka. Further, on all construction sites located within the City, the City of Wichita requires that best management practices be used to reduce pollutant loadings in storm water runoffs.
- R. Perimeter closure computations shall be submitted with the final plat tracing.
- S. Recording of the plat within thirty (30) days after approval by the City Council and/or County Commission.
- T. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.
- U. The applicant is reminded that a disk shall be submitted with the final plat tracing to the Planning Department detailing this plat. This will be used by the City and County GIS Department.
- V. *The final tracing shall include the platting of a pipeline easement if included within the plat or any required pipeline setback.*