



PLOTTED: Friday, August 01, 2025 @ 02:48PM


J:\PROJECTS\2023\20230810\10431_COW_WDC_BRIDGE REPLACEMENT AT 15TH STREET\100_230431_CADD\SET\08_CIVIL\BRIDGE\20431_BEARING DETAILS.DWG




PLAN



SWEDGED ANCHOR BOLT




DETAIL A



SECTION A-A

- NOTES:
1. ELASTOMERIC BEARING, SOLE PLATES AND SWEDGED ANCHOR BOLTS SUBSIDIARY TO THE BID ITEM "BEARING (STEEL REINFORCED ELASTOMERIC)".
 2. BEVELED SOLE PLATE MATERIAL TO BE ASTM A709 (GR. 50) STEEL.



SECTION B-B



IMPROVEMENT PLANS FOR
**15TH STREET BRIDGE OVER THE
 WICHITA DRAINAGE CANAL**
 WICHITA, KS

BEARING DETAILS

PROJECT NO.	472-2023-085864	
SCALE	NTS	
DRAWN	DESIGNED	CHECKED
RAM	DMU	JTH
NO.	REVISION	DATE
0	ISSUED FOR CONSTRUCTION	8-1-2025

©2025 MKEC ENGINEERING, INC. ALL RIGHTS RESERVED. WWW.MKEC.COM. THESE DRAWINGS AND THEIR CONTENTS, INCLUDING, BUT NOT LIMITED TO, ALL CONCEPTS, DESIGNS, & DETAILS ARE THE EXCLUSIVE PROPERTY OF MKEC ENGINEERING, INC. (MKEC), AND MAY NOT BE USED OR REPRODUCED IN ANY WAY WITHOUT THE EXPRESS CONSENT OF MKEC.