
BM 100.00 Top of bolt SW bolt Pattie & St. Marys-Mitchell Inst. 2 SW Radials
BM 102.20 SW Cor. Pattie & St. Francis 2 SW Radials
BM 102.60 NW Cor. Pattie & Pattie 2 NW Radials



Prop Exc	City Exc
44.4	10.0
37.2	5.1
40.6	46.2
50.3	6.3
172.5	67.6
+10%	
189.8 cu yds	67.6 cu yds

TOTALS

PROP	CITY
189.8	67.6
624.3	284.0
737.4	
1551.5	351.4

8 Drive

1/3

PATTIE AVE
S.L. LEVEE to S.L. KING-MITCHELL INST. 2 SW RAD.
26-2-30
CITY OF WICHITA, KANSAS
Engineering Division
L.K. WHITE CITY E.
JULY 1942

N

INSTALL 5'x5' C.B.

DO NOT

INSTALL 5'x5' C.B.

INSTALL 5'x5' C.B.

AVE.


CRKT

Road Exca
7.5
22.7
32.2
33.0
30.0
26.1
16.3
7.9
19.8
207.5 +10%
694.3 cu yds

C.B. Exca
13.2
36.6
21.7
71.4
228.2 +10%
284.0 cu yds

2
3

22 days


N
PLOT TIME

LAURA AVE

PATTIE AVE

LULU AVE

S. KINKAID

S. CLARK

S. LEVY ST.

S. SKINNER ST.

INSTALL 24" C.M.P. W/ LEADS.

15" R.C.P. (C-76)

15" R.C.P. (C-76)

CONNECTING M.H.

EXIST. M.H. RIM 103.41 INV. OUT 93.91

EXIST. M.H. RIM 103.25 INV. OUT 93.25

EXIST. M.H. RIM 103.20 INV. OUT 93.20

EXIST. M.H. RIM 103.20 INV. OUT 93.20 (TO BE ADJUSTED WITH NEW CONC. RING)

B.M. 103.20 S.W. CORNER CONC. PORCH SLAB, HOUSE ON CORNER LEVY + LAURA

B.M. 100.87 TOP OF PROP. IRON, S.W. CUR. PATTIE + CLARK

N

Incidental Drainage
in connection with
paving
PATTIE AVE
from
S.L. LEVY to S.L. King Michaelsen 2nd Add'n
scale 1" = 60'

e 10 of (e)