



INLET (CURB)(MODIFIED)

* THE ENGINEER WILL CONSIDER AN "EQUIVALENT" OF THE BRAND NAME SPECIFIED. PROVIDE THE ENGINEER WITH A COMPLETE DESCRIPTION, LITERATURE, TEST REPORTS, ETC. ON THE PROPOSED "EQUIVALENT". THE BURDEN OF PROOF REGARDING THE "EQUIVALENT" WILL BE UPON THE CONTRACTOR.

GENERAL NOTES:

1. The vanes of the grates shall be oriented with respect to the flow arrows shown on the plans.
2. Top of Inlet shall be sloped to match the slope of the adjacent curb.
3. Mortar used in masonry construction shall be in accordance with standard specifications.
4. All brick used in stack construction shall meet Grade ASTM C32 for MM or MS.



TARA CREEK ADDITION RCB DETAILS WICHITA, KANSAS			
	Ruggles & Bohm, P.A. Engineering, Surveying, Land Planning		DESIGN CMB DRAWN RA REVIEW UTILITY DATE
	924 North Main Wichita, Kansas 67203 www.rbkansas.com		(316) 264-8008 (316) 264-4621 fax E-mail: info@rbkansas.com
DRAWING FILE RCB Details	PROJECT NUMBER 468-84358		SHEET 6 OF 16