BENEFIT DISTRICT
STORM WATER SEWER NO. 57
CITY OF WICHITA, KANSAS
PROJ. NO. C24-43 MAY, 1954



LOCATION MAP
STORM WATER SEWER NO. 57
CITY OF WICHITA, KANSAS
PROJ. NO. C24-43 MAY, 1954.





B.M. 1125.78 Bolt on Coping, S.W. Cor. 21st St. Bridge, Little River

Profile Scale: 1" Horizontal = 40'
1" Vertical = 4'

Note:
Shaded area to be sand filled & flushed.
If excavated material is suitable for backfill, this material is to be used & flushed.

Storm Water Sewer No. 57
City of Wichita, Kansas
B. E. Smith - City Engineer
Proj. C24-23

2/3



TOP VIEW



PEKRUL MODEL 16 AUTOMATIC
FLAPGATE OR AN EQUIVALANT MODEL

No Scale

NOTE

Concrete for structures shall contain not less than 1.65 barrels of cement per cubic yard. In no event shall the total water content exceed 6.25 gallons per sack. The mixture of fine and coarse aggregate shall be such as will produce a maximum density of the most workable mixture. The floor of the outfall shall be shaped for flow and drainage. An internal vibrator shall be used for placing the concrete.



SIDE VIEW



END VIEW

OUTFALL STRUCTURE
Scale 1/2" = 1'-0"



INLET LOCATION
Scale 1" = 40'

STORM WATER SEWER No. 57
CITY OF WICHITA KANSAS
B E SMITH CITY ENGINEER
PROJECT No. C24-43

PERRY



RIVERLAWN

B.M. 124.11 "G" in N. Globe
N. Cb. Riverlawn, N.L. 23rd



LATERAL No. 1
STORM WATER SEWER No. 57
PRIVATE JOB