


4/25/37
D. Cramer





NOTE: TO CONTRACTOR

- #1 - Flush all backfill.
- #2 - Sand backfill is to be flushed & vibrated.
- #3 - Cost of flushing is to be included in bid price of pipe.
- #4 - Cost of vibrating is to be included in bid price of sand backfill.
- #5 - Asphalt mat removed is a non-bid item incidental to the project.
- #6 - Brush & trees rem. on river bank are a no-pay item incidental to the project.
- #7 - Mechanically compact backfill between Outfall & 1180 & around inlets. Compacting backfill is incidental to outfall & inlet construction.
- #8 - All caps removed shall be used to rip-rap & outfall structure.
- #9 - Cost of filling abandoned pipe is to be included in bid price of pipe plugs.

Plan Scale 1"=40'
Profile Scale 1"=40' Hor.
1"=4' Vert.

B.M. 122.88 "D" chisled on S.W. Cor. Conc. Parking N.E. Cor. 21st & Hood

NOTE: SEE SHEET NO. 2 FOR
OUTFALL STRUCTURE DETAIL



STORM WATER SEWER 77
CITY OF WICHITA, KANSAS.
B. E. SMITH, CITY ENGINEER
PROJ. NO. 626-9
DATE: APRIL 1936

