




NOTE TO CONTRACTOR:

Contractor Will Notify K.B.E.
(Mr Koester Ext. 335) Before excav.
is started on this project.
Contractor will exercise extreme
caution while excavating over conduit.



CURVE DATA BASED ON E. R. R-160 Δ 89° 36' 30"					
Sta	Arc	Chd B @ NCB	Chd B @ SCh	Deflection	Total Defl's
PC 2192					
412.24	129.24	120.26	84.10	23° 08' 27"	23° 08' 27"
+50	28.76	27.46	17.21	5° 08' 57"	28° 17' 24"
+75	25.0	23.88	16.70	4° 28' 35"	32° 45' 29"
5100	"	"	"	"	37° 14' 34"
+25	25.0	23.88	16.70	4° 28' 35"	41° 43' 09"
PT 5742.25	17.25	16.47	11.52	3° 05' 06"	44° 48' 15"

10.7430 Min. / Ft.

Excavation
Prop.
2127³
~~2225~~ 9* C.Y.
222.6 + 10%
244.85 C.Y. Total

* Includes 100 C.Y. Ditch Excav.

Comp. Fill
Prop.
462 ³/₄
450.2 CY.
45.0 + 10%
495.2 C.Y. Total

LAWRENCE LANE
E.L. LOT 6, BLD D, 3RD. ADDN. WOODLAWN VILLAGE
To N.L. LOT 4, BLD D, 3RD ADDN. WOODLAWN VILLAGE

26' - 2' - 30' A.C.

CITY OF WICHITA, KANSAS
B. E. SMITH CITY ENGINEER
DATE MAR 1966 PROJ. C13-8

14-Eng
1-Water

