

J:\PROJECTS\2022\2201010296_PERFECTION_JACOBS 155TH AND CENTRAL 00_220296 CAD\SHS\05 CIVIL\GRD\2ND ADDITION\220296_C-001-G01_2ND.DWG

- KANSAS ONE-CALL 1-800-344-7233
OR (LOCAL WICHITA) 687-2470

AT&T	800-246-8464
BLACK HILLS ENERGY (GAS)	800-694-9899
CITY OF WICHITA WATER & SEWER	316-219-8921
CITY OF WICHITA STORMWATER	316-268-4090
CITY OF WICHITA TRAFFIC	316-268-4034
COX COMMUNICATIONS	888-249-3530
KANSAS GAS SERVICE	888-482-4950
EVERGY	800-544-4857

- ## GENERAL GRADING NOTES

- TESTING GUIDELINES:
- GENERAL EARTHWORK OUTSIDE OF PAVEMENT
 - ONE NUCLEAR DENSITY TEST PER 8" LIFT PER 2,000 SY. OR A MINIMUM OF 1 TESTS PER LOT PER LIFT (IN CENTER OF LOT).
 - EARTHWORK WITHIN RIGHT-OF-WAY
 - ONE NUCLEAR DENSITY TEST PER 8" LIFT PER 500 SY.

- THE TOPS OF INLETS AND MANHOLES AS NOTED ON THE PLANS MAY VARY SO AS TO MEET PROPOSED TOP OF CURB ELEVATIONS OR PAVEMENT ELEVATIONS. THE FIELD ENGINEER SHALL LOCATE INLETS AND MANHOLES WITH REFERENCE TO PROPOSED PAVING PLANS OF THE PERTINENT STREETS. INLET DEPRESSIONS NEED TO BE TIED TO CURB, GUTTER, AND PAVING.

SHEET NO.
C-001-G01
01 OF 59