


As-Built Survey Sheds By: Baughman Company, P.A.



1. CONTRACTOR TO IDENTIFY THE EXISTING AND LOCATIONS OF EXISTING UTILITIES PRIOR TO CONSTRUCTION.
2. CONTRACTOR IS RESPONSIBLE FOR 8" - 12" DEEP PLUMBING FOR ALL PIPES INCLUDING THE EXISTING 6" SERVICE LINE. COORDINATE WITH OWNER ON LOT 2 FOR AN REINFORCEMENT TO SERVICE, REFER TO ADD 404 ON SHEET 21.



PLAN SAN LINE 1
PROFILE SAN LINE 1

ADULT GPS SURVEY

Northing	Easting	Top/Lid Elevation	Item	Station
1,711,387.73	1,828,711.94	1333.68	MH 1-0	10+80.0
1,711,344.69	1,828,875.23	1334.91	MH 1-1	10+57.5
1,711,100.99	1,828,877.67	1334.99	MH 1-2	12+40.5

1000-0001

Nearby-existing building sanitary-sewer service-waste was Temporarily Div. Paased to Manhole 1-0, during Sanitary Sewer Line 1 installation.



PRIVATE SANITARY SEWER FOR
HOOVER INDUSTRIAL PARK 2ND

JOHN A. KANDEL

Figure 1

0000-0001-9390-4000

End

100% 100% 100%

--	--

--	--

[illegible]

100

DLH11-5



HOOVER INDUSTRIAL PARK 2ND

WICHITA, KANSAS

PRIVATE SANITARY SEWER FOR

BUBBLE MAP

2024-08-08 PM

2024

2024

2024

2024

2024

2024


2024

2024

2024

2024

2024



SURVEY POINTS			
Point #	Northing	Easting	Desc.
2000	1011807.43	1628677.67	DI MH
2001	1011807.43	1628677.67	MH
2002	1011807.43	1628677.67	MH

AS-BUILT GPS SURVEY

Northing	Easting	Top Lid	Item	Station
1,711,387.73	1,628,711.94	1333.68	MH 1-0	10+00.0
1,711,344.09	1,628,675.23	1334.91	MH 1-1	10+57.5
1,711,160.99	1,628,677.67	1334.99	MH 1-2	12+40.4

Northing (N) & Easting (E): State Plane Coordinates - Kansas Grid South - NAD83 (2011), EPOCH 2023. Elevations: NAVD83 (Geoid 18).

As-Built Survey Shot By: Baughman Company, P.A.

EVERY ATTEMPT HAS BEEN MADE TO INSURE ALL COORDINATE VALUES SHOWN ARE AN ACCURATE AND TRUE REPRESENTATION OF THE CURRENT PLANS. ALL VALUES ARE TO BE COMPARED WITH THE FINAL AS-BUILT PLAN SET BEFORE USE.