


**WESTRIDGE DRIVE**  
 N. L. 19th St. - S. L. Westridge Court  
 472-76-245-80679-000-000-001




**TYPICAL SECTION**

**3' ASPHALTIC CONCRETE PAVEMENT WITH BITUMINOUS BASE**


A TACK COAT OF EMULSIFIED ASPHALT (SS-IH) SHALL BE APPLIED AT AN APPROXIMATE RATE OF 0.05 GALLONS PER SQ. YD. BETWEEN LIFTS OF ASPHALTIC MATERIALS WHEN ORDERED BY THE ENGINEER. TACK COAT WILL NOT BE PAID FOR DIRECTLY AND SHALL BE CONSIDERED AS SUBSIDIARY TO PRICE BID FOR ASPHALTIC PAVEMENT. BITUMINOUS BASE AND ASPHALTIC CONCRETE WEARING SURFACE SHALL BE PLACED WITH A LAYDOWN MACHINE HAVING AUTOMATIC ELECTRONIC CONTROLS FOR CROWN AND GRADE. CONSTRUCTION JOINTS IN EACH LIFT SHALL BE STAGGERED A MINIMUM DISTANCE OF 1' WITH JOINTS IN PRECEDING LIFTS AND SUCH THAT A JOINT WILL BE CONSTRUCTED ON THE PAVEMENT CENTERLINE IN THE TOP LIFT.

*The A.C. pavement between the curb & gutter shall be paid as 3" A.C. Pavement (6" Bituminous Base). This Bituminous Base under the curb & gutter shall be paid as 3" Bituminous Base.*


COMBINED CURB & GUTTER



ROLL TYPE CURB & GUTTER



**DETAIL OF TRANSVERSE CONSTRUCTION JOINTS**




TRANSVERSE CONSTRUCTION JOINTS SHALL BE CONSTRUCTED IN FLEXIBLE BASE PAVEMENTS AT LOCATIONS WHERE PAVEMENT TEMPORARILY ENDS TO FACILITATE FUTURE PAVEMENT CONSTRUCTION AS SHOWN BY DETAIL. THE COST OF CONSTRUCTING THE TRANSVERSE CONSTRUCTION JOINTS SHALL NOT BE MEASURED OR PAID FOR DIRECTLY BUT SHALL BE INCLUDED IN THE BID PRICE FOR SQUARE YARDS OF ASPHALTIC CONCRETE PAVEMENT.

CITY OF WICHITA, KANSAS  
 DEPARTMENT OF PUBLIC WORKS - ENGINEERING  
 R. W. LINN CITY ENGINEER  
 DATE \_\_\_\_\_ PROJ. NO. \_\_\_\_\_

10 2 3 5 1/3

B.M. 130.45 "D" Top West Curb Westridge @ S.L. 19<sup>th</sup>  
 B.M. 132.91 S.W. Cor. Conc. Porch to House @ 1930 High



Survey Map  
 Boundaries  
 1/4" = 100'  
 1/8" = 50'  
 1/16" = 25'  
 1/32" = 12.5'  
 1/64" = 6.25'  
 1/128" = 3.125'  
 1/256" = 1.5625'  
 1/512" = 0.78125'  
 1/1024" = 0.390625'  
 1/2048" = 0.1953125'  
 1/4096" = 0.09765625'  
 1/8192" = 0.048828125'  
 1/16384" = 0.0244140625'  
 1/32768" = 0.01220703125'  
 1/65536" = 0.006103515625'  
 1/131072" = 0.0030517578125'  
 1/262144" = 0.00152587890625'  
 1/524288" = 0.000762939453125'  
 1/1048576" = 0.0003814697265625'  
 1/2097152" = 0.00019073486328125'  
 1/4194304" = 0.000095367431640625'  
 1/8388608" = 0.0000476837158203125'  
 1/16777216" = 0.00002384185791015625'  
 1/33554432" = 0.000011920928955078125'  
 1/67108864" = 0.0000059604644775390625'  
 1/134217728" = 0.00000298023223876953125'  
 1/268435456" = 0.000001490116119384765625'  
 1/536870912" = 0.0000007450580596923828125'  
 1/1073741824" = 0.00000037252902984619140625'  
 1/2147483648" = 0.000000186264514923095703125'  
 1/4294967296" = 0.0000000931322574615478515625'  
 1/8589934592" = 0.00000004656612873077392578125'  
 1/17179869184" = 0.000000023283064365386962890625'  
 1/34359738368" = 0.0000000116415321826934814453125'  
 1/68719476736" = 0.00000000582076609134674072265625'  
 1/137438953472" = 0.000000002910383045673370361328125'  
 1/274877906944" = 0.0000000014551915228366851806640625'  
 1/549755813888" = 0.00000000072759576141834259033203125'  
 1/1099511627776" = 0.000000000363797880709171295166015625'  
 1/2199023255552" = 0.0000000001818989403545856475830078125'  
 1/4398046511104" = 0.00000000009094947017729282379150390625'  
 1/8796093022208" = 0.000000000045474735088646411895751953125'  
 1/17592186044416" = 0.0000000000227373675443232059478759765625'  
 1/35184372088832" = 0.00000000001136868377216160297393798828125'  
 1/70368744177664" = 0.000000000005684341886080148696968994140625'  
 1/140737488355328" = 0.00000000000284217094304007434848449707265625'  
 1/281474976710656" = 0.000000000001421085471520037174242248536328125'  
 1/562949953421312" = 0.0000000000007105427357600185871211242681640625'  
 1/1125899906842624" = 0.00000000000035527136788000929356056213403125'  
 1/2251799813685248" = 0.000000000000177635683940004646780281067015625'  
 1/4503599627370496" = 0.0000000000000888178419700023233901405335078125'  
 1/9007199254740992" = 0.00000000000004440892098500116169507026675390625'  
 1/18014398509481984" = 0.000000000000022204460492500580847535133376953125'  
 1/36028797018963968" = 0.000000000000011102230246250290423767566687890625'  
 1/72057594037927936" = 0.000000000000005551115123125145211883783344453125'  
 1/144115188075855872" = 0.0000000000000027755575615625726059418916722265625'  
 1/288230376151711744" = 0.00000000000000138777878078128630297094583611328125'  
 1/576460752303423488" = 0.000000000000000693889390390643151485472918056640625'  
 1/1152921504606846976" = 0.0000000000000003469446951953215757427364590283203125'  
 1/2305843009213693952" = 0.00000000000000017347234759766078787136822951416015625'  
 1/4611686018427387904" = 0.000000000000000086736173798830393935684114757078125'  
 1/9223372036854775808" = 0.0000000000000000433680868994151969678420573785390625'  
 1/18446744073709551616" = 0.0000000000000000216840434497075984839210286891953125'  
 1/36893488147419103232" = 0.00000000000000001084202172485379924196051434459765625'  
 1/73786976294838206464" = 0.000000000000000005421010862426899620952572172298828125'  
 1/147573952589676412928" = 0.00000000000000000271050543121344981047628611144140625'  
 1/295147905179352825856" = 0.0000000000000000013552527156067244052381430557201953125'  
 1/5902958103587056517056" = 0.0000000000000000006776263578033622026190715278609765625'  
 1/11805916207174113034112" = 0.00000000000000000033881317890168110130953576393048828125'  
 1/23611832414348226068224" = 0.000000000000000000169406589450840550654767881965244140625'  
 1/47223664828696452136448" = 0.0000000000000000000847032947254202753273839409826220703125'  
 1/94447329657392904272896" = 0.000000000000000000042351647362710137663691970491311015625'  
 1/188894659314785808545792" = 0.000000000000000000021175823681355068831845985245555578125'  
 1/377789318629571617091584" = 0.000000000000000000010587911840677534415922992622777890625'  
 1/755578637259143234183168" = 0.0000000000000000000052939559203387672079614963113889453125'  
 1/1511157274518286468366336" = 0.000000000000000000002646977960169383603980748156947265625'  
 1/3022314549036572936732672" = 0.0000000000000000000013234889800846918019903740784736328125'  
 1/6044629098073145873465344" = 0.00000000000000000000066174449004234590099518703923681640625'  
 1/12089258196146291746930688" = 0.000000000000000000000330872245021172950497593519618408203125'  
 1/24178516392292583493861376" = 0.0000000000000000000001654361225105864752487967798092040625'  
 1/48357032784585166987722752" = 0.00000000000000000000008271806125529323762439838990460203125'  
 1/96714065569170333975445504" = 0.000000000000000000000041359030627646618812199194952301015625'  
 1/193428131138340667950891008" = 0.00000000000000000000002067951531382330940609959747615078125'  
 1/386856262276681335901782016" = 0.000000000000000000000010339757656911654703049798738075390625'  
 1/773712524553362671803564032" = 0.000000000000000000000005169878828455827351524899369403765625'  
 1/1547425049106725343607128064" = 0.0000000000000000000000025849394142279117576124496847018828125'  
 1/3094850098213450687214256128" = 0.00000000000000000000000129246970711145587880622484235094140625'  
 1/6189700196426901374428512256" = 0.000000000000000000000000646234853555727939403122421175470703125'  
 1/12379400392853802748857024512" = 0.000000000000000000000000323117426777863969701561105587853515625'  
 1/24758800785707605497714049024" = 0.000000000000000000000000161558713388931984850780552789267890625'  
 1/49517601571415210995428098048" = 0.0000000000000000000000000807793566944659924253902763946339453125'  
 1/99035203142830421990856196096" = 0.00000000000000000000000004038967834723299621269513819731697265625'  
 1/198070406285660843981712392192" = 0.0000000000000000000000000201948391736164981063475975986889378125'  
 1/396140812571321687963424784384" = 0.00000000000000000000000001009741958680824905317379879934446953125'  
 1/792281625142643375926849568768" = 0.00000000000000000000000000504870979340412452658689939722234765625'  
 1/1584563250285286751853699137536" = 0.000000000000000000000000002524354896702062263293449698611136328125'  
 1/3169126500570573503707398275072" = 0.00000000000000000000000000126217744835103113164672484930556640625'  
 1/6338253001141147007414796550144" = 0.000000000000000000000000000631088724175515558223362424717778125'  
 1/12676506002282294014829593100288" = 0.000000000000000000000000000315544362087757779111681212358890625'  
 1/25353012004564588029659186200576" = 0.0000000000000000000000000001577721810438788895558406061944453125'  
 1/50706024009129176059318372401152" = 0.00000000000000000000000000007888609052193944477792030309722265625'  
 1/101412048018258352118636744802304" = 0.00000000000000000000000000003944304526096972238896015154611328125'  
 1/202824096036516704237273489604608" = 0.000000000000000000000000000019721522630484861194480075773056640625'  
 1/405648192073033408474546979209216" = 0.0000000000000000000000000000098607613152424305972400378865283203125'  
 1/811296384146066816949093958418432" = 0.00000000000000000000000000000493038065762121752962001894326416015625'  
 1/162259276833213363299818791683664" = 0.0000000000000000000000000000024651903288106087648100094716632078125'  
 1/324518553666426726599637583367328" = 0.000000000000000000000000000001232595164405304382405004735831640390625'  
 1/649037107332853453199275166734656" = 0.0000000000000000000000000000006162975822026521912025023679158201953125'  
 1/1298074214665706906398550333471312" = 0.000000000000000000000000000000308148791101326095601251183957910078125'  
 1/2596148429331413812797100666942624" = 0.0000000000000000000000000000001540743955506630478006255919789550390625'  
 1/5192296858662827625594201333885248" = 0.0000000000000000000000000000000770371977753315239003127959894775390625'  
 1/10384593717325655251188402667770496" = 0.000000000000000000000000000000038518598887665761950156397994738890625'  
 1/20769187434651310502376805335540992" = 0.000000000000000000000000000000019259299443832880975078198997369453125'  
 1/41538374869302621004753610671081984" = 0.000000000000000000000000000000009629649721916440487539099498684765625'  
 1/83076749738605242009507221342163968" = 0.0000000000000000000000000000000048148248609582202437695497493423828125'  
 1/166153499477210484019014442844327936" = 0.00000000000000000000000000000000240741243047911012188477487467119140625'  
 1/332306998954420968038028885688655872" = 0.00000000000000000000000000000000120370621523955506094438743733559765625'  
 1/664613997908841936076057771377311744" = 0.000000000000000000000000000000000601853107619777530472218718667890625'  
 1/1329227995817683872152115442754623488" = 0.00000000000000000000000000000000030092655380988876523610935933389453125'  
 1/2658455991635367744304230885509246976" = 0.00000000000000000000000000000000015046327690494438261805467966689765625'  
 1/5316911983270735488608461771018493952" = 0.000000000000000000000000000000000075231638452472219130027339833448828125'  
 1/10633823966541470977216923422036979008" = 0.0000000000000000000000000000000000376158192262361105650136699167224140625'  
 1/21267647933082941954433846844073958016" = 0.00000000000000000000000000000000001880790961311805528250683495836119140625'  
 1/42535295866165883908867693688147916032" = 0.00000000000000000000000000000000000940395480655902764125341747916755578125'  
 1/85070591732331767817735387376295832064" = 0.0000000000000000000000000000000000047019774032795138206267087395889453125'  
 1/170141183464663535635470774752591664128" = 0.0000000000000000000000000000000000023509887016397569103133543697944765625'  
 1/340282366929327071270941549505183328256" = 0.00000000000000000000000000000000000117549435081987845515667718489723828125'  
 1/680564733858654142541883099010366656512" = 0.00000000000000000000000000000000000058774717540993922757833889244893640625'  
 1/1361129467717308285083766188020733313024" = 0.000000000000000000000000000000000000293873587704969613789169446224470703125'  
 1/2722258934434616570167532376041466626048" = 0.00000000000000000000000000000000000014693679385248480689458472311223515625'  
 1/5444517868869233140335064752082933241984" = 0.00000000000000000000000000000000000007346839692624240344729236155611328125'  
 1/10889035737338466280670129040165866483968" = 0.0000000000000000000000000000000000000367341984631212017236461807778056640625'  
 1/21778071474676932561340258080331732967936" = 0.00000000000000000000000000000000000001836709923156060086182305938889283203125'  
 1/43556142949353865122680516160663465935872" = 0.0000000000000000000000000000000000000091835496157803004309115296944416015625'  
 1/87112285898707730245361032321326931871744" = 0.00000000000000000000000000000000000000459177480789015021545576484722078125'  
 1/174224571797415460490722064626538767543488" = 0.000000000000000000000000000000000000002295887403945075107727882423611328125'  
 1/348449143594830920981444129253077535086976" = 0.0000000000000000000000000000000000000011479437019725375538639412118056640625'  
 1/696898287189661841962888258506155070173952" = 0.00000000000000000000000000000000000000057397185098626877693197060590283203125'  
 1/1393796574379323683925776517012300140347904" = 0.000000000000000000000000000000000000000286985925493134388465985302951416015625'  
 1/278759314875864736785155303402460028069584" = 0.0000000000000000000000000000000000000001434929627465671942329926514757078125'  
 1/557518629751729473570310606804920056139168" = 0.007174648137328359711649632573889453125'  
 1/1115037259503458947140621213609840112278336" = 0.003587324068664179855824816286944765625'  
 1/2230074519006917894281242427219680224556672" = 0.001793662

