STA 0+00
INSTALL 30" RC FLARED END SECTION. INSTALL 10'x10'x1'-6" deep Type B Riprap WITH 2' TOEWALLS & 1:1 SIDES

STA 0+57
CONST. TYPE B MANHOLE 5' DIA.
F IN, OUT 142.50, Top of Ring 147.50

STA 2+97
CONST 2'x9' DROPINLET
F IN, OUT 144.92, Top of Frame 148.92
15" RCP in, 30" RCP out

PROPERTY LINE ?

GAS SERVICE TO 2 HOUSES ABANDONED

12" WATER MAIN (ABANDONED)

STORM SEWER FROM WICHITA CLINIC BLDG W.C. Job No U-3240

8" @ 5% LATERALS BY OTHERS 8"

2'-6"

IRON

PROPERTY LINE ?

VASSAR AVE BRIDGE

VASSAR AVE.

SCALE
HORIZ. 1"=20'
VERT 1"=5'

Cast in place end block prior to installation.

2-#4 bars

6'-0" 1'-7½" 4'-6" 6" 3" 1½" 1'-6" 1'-2" 5'-0" 15° 30°

30" END SECTION ASTM C-76 CL III

BM TOP NE BOLT FIRE HYDRANT ON ROTAN, 590'N of the centerline of Edgemont 156.78 City Datum

CITY OF WICHITA
APPROVED: Approval does not relieve the contractor from any responsibility for errors or deviations from the contract requirements or for any deficiencies of equipment, work, or materials.
Date 10/21/83
Engineering Div. EOR

THE CONTRACTOR SHALL BE RESPONSIBLE FOR PRESERVING PROPERTY IRONS. THE CONTRACTOR SHALL BE REQUIRED TO RE-ESTABLISH ANY PROPERTY IRONS WHICH ARE DAMAGED OR DESTROYED BY HIS CONSTRUCTION OPERATIONS. SUCH IRONS SHALL BE RE-ESTABLISHED BY A LICENSED LAND SURVEYOR OR A LICENSED PROFESSIONAL ENGINEER IN ACCORDANCE WITH STATE LAWS.

NOTE TO CONTRACTOR
This project will be constructed under the supervision of the CITY ENGINEER and conforming to the SPECIFICATIONS of the CITY OF WICHITA. The CONTRACTOR will prepay the City of Wichita for all costs of Inspection.

Δ 10/21 ARCHITECT REVISIONS SHR

NOTES:
ALL STORMSEWER AND APPURTANCES SHALL BE INSTALLED IN ACCORDANCE WITH STANDARD SPECIFICATIONS FOR STORMSEWER INSTALLATIONS

NOTIFY THE FOLLOWING FOR UTILITY LOCATION
ARKLA GAS Co. 942-8550
KAN-U-DIG-IT 267-2889
WESLEY MEDICAL CENTER
EBY CONST. CO.

CONTACT GENE RATH, FLOOD CONTROL AT 268-4559 BEFORE CONSTRUCTION

STEPHEN H. RATHGEB LICENSED 7800 KANSAS PROFESSIONAL ENGINEER

WESLEY MEDICAL ENDOWMENT FOUNDATION
PARKING FACILITY

UTILITY CONTRACTORS, INC. OCT, 1983
CITY PROJECT No. 468-76-295-80010-000-000-008 SHR
U-3281

PLAN: SURVEYED / PLOTTED / GRADES CHECKED / BASIS OF ELEV. / STRUCTURE NOTATIONS CHECKED / NOTE BOOK / ALIGNMENT CHECKED / R/W OF WAY CHECKED / NO. / BY / DATE / STATE

PROFILE: SURVEYED / PLOTTED / GRADES CHECKED / BASIS OF ELEV. / STRUCTURE NOTATIONS CHECKED / NOTE BOOK / NO. / BY / DATE

150 195 140

STA 0+57 TYPE B MH RIM 147.50

CAP/PLUG 8" GAS LINE

CAP/PLUG 8" WATER LINE

CAP/PLUG 8" GAS LINE

STA 2+97 DROP INLET RIM 148.92

E 142.50

30" RCP END SECTION

57 LF 30" RCP @ 5.66% Slope

E 144.92

TWO LF 30" RCP @ 1% Slope

15" RCP FOR WICHITA CLINIC

E 144.92

0 50 57 100 150 2 150 3

U-3281

1/3

PLATE 1 - PLAN - PROFILE - F.A.S.
CLEARPRINT PAPER CO., S.F. CAL
NO. 1000H-1

SAVE EXIST REBAR
#4 each face

8"-12"

Note: Break out existing concrete cut and bend existing rebar to clear pipe, form and place new concrete

STA 0+00
Connect 30" RCP
TO EXIST. 8-5'x5' RCBC
E 189.0 See detail
above.

ASPHALT PARKING LOT

SIDEWALK

Sta 4+85
Connect 30" RCP
TO EXISTING MH in
SIDEWALK

30" RCP TO BE REMOVED

RELOCATE CATCH BASIN TO

Sta. 3+72
CONSTRUCT CURB INLET
REUSE EXISTING GRATE & FRAME
Match EXISTING GUTTER FLOWLINE

EXISTING ELECT. DUCT BANK PRESENTLY ABANDONED TO BE USED WITH THIS PROJECT

STA 3+32 10' Rt. &
STA 3+53 CONSTRUCT
CURB INLET W/C.I.
GRATE, FRAME & CURB
OPENING SIMILAR TO
NEENAH R-3010

LATERALS BY OTHERS

STA 3+32
CONSTRUCT Manhole Type B 5'dia.

PARKING FACILITY

RUTAN

SCALE
HORIZ 1"=20'
VERT 1"=5'

18" RCP

12" RCP

CONSTRUCT
2'x4' DROP INLET
Top of ring 149.50
E 12" RCP 143.80
SEE DETAIL SHEET

BM TOP NE BOLT
FIRE HYDRANT ON
RUTAN 530'N OF THE
NORTH LINE OF EDLEMONT 1356.78 City DATUM.

113' FIELD VERLEY

40'

Col. LINE (3)

BM

WESLEY MEDICAL ENDOWMENT FOUNDATION
PARKING FACILITY

UTILITY CONTRACTORS, INC

Oct, 1983
SHR.

CITY PROJECT NO
468-76-245-80000-000-000-008

△ 10/21 ARCHITECT REVISIONS SHR
△ 10/21 OWNER REQ'D REVISIONS SHR
△ 10/25 GRADE CHANGES TO AVOID WATERLINES SHR

NOTE: All STORM SEWER AND APPURTANCES SHALL BE INSTALLED IN ACCORDANCE WITH STANDARD SPECIFICATION FOR STORM SEWER INSTALLATION

NOTIFY THE FOLLOWING FOR UTILITY LOCATIONS:
ARKLA GAS Co. 942-8350
KAN-U-DIT. IT 267-2889
WESLEY MEDICAL CENTER
EBY CONST. CO.

STEPHEN H. RAMSEY LICENSED 7860 KANSAS PROFESSIONAL ENGINEER

CITY OF WICHITA
APPROVED: Approval does not relieve the contractor from any responsibility for errors or deviations from the contract requirements or for any deficiencies of equipment, work, or materials.
Date 6/12/84
Engineering Div. [illegible]

NOTE TO CONTRACTOR
This project will be constructed under the supervision of the CITY ENGINEER and conforming to the SPECIFICATIONS of the CITY OF WICHITA. The CONTRACTOR will prepay the City of Wichita for all costs of inspection.

THE CONTRACTOR SHALL BE RESPONSIBLE FOR PRESERVING PROPERTY IRONS. THE CONTRACTOR SHALL BE REQUIRED TO RE-ESTABLISH ANY PROPERTY IRONS WHICH ARE DAMAGED OR DESTROYED BY HIS CONSTRUCTION OPERATIONS. SUCH IRONS SHALL BE RE-ESTABLISHED BY A LICENSED LAND SURVEYOR OR A LICENSED PROFESSIONAL ENGINEER IN ACCORDANCE WITH STATE LAWS.

PLAN — SURVEYED, PLOTTED, DRAWN, CHECKED, ALIGNMENT CHECKED, R.O.W. NOTED, CONSTRUCTION NOTATIONS (LISTED), NOTE BOOK, NO., BY, DATE


PROFILE — SURVEYED, PLOTTED, DRAWN, CHECKED, R.O.W. NOTED, STRUCTURE NOTATIONS (LISTED), NOTE BOOK, NO., BY, DATE


PLATE 1 - PLAN - PROFILE - F.A.S.
CLEARPRINT PAPER CO., S.F., CAL.
NO. 1000H-1

U-3281


2/3

NOTE: Grates shall be imprinted on the top surface with "CITY OF WICHITA" using letters at least 1" in height. Other marking methods may be used only if approved by the engineer.








24" x 24" Frame & Grate Detail



Double 24" x 24" Frame Detail







DROP INLET DETAILS

R. W. Linn City Engineer
City of Wichita, Kansas
Project
Project No.
Date:
Scale: 1-1/2" = 1'-0"

3/3