

# EARTHWORK PLANS FOR BROWNTHRUSH PARK

PROJ. NO. 472-82168  
INDEX NO. 785089


CITY OF WICHITA, KANSAS

M. E. LINDEBAK - CITY ENGINEER

## GENERAL NOTES

- The Contractor is solely responsible to notify and to make any necessary arrangements with utility companies for any needed adjustments of utility facilities prior to start of work. Existing utilities and their location, as shown on the plans, represent the best information obtainable for design. The Contractor will be required to work around existing utilities within the right-of-way which do not conflict with proposed construction.
- Contractor will be required to provide a minimum advance notice of forty-eight (48) hours to utility companies prior to starting any excavation as follows:
 

|                                                |                      |
|------------------------------------------------|----------------------|
| Kansas One Call                                | 687-3470             |
| Southwestern Bell Telephone Company            | 1-316-571-2611       |
| Cablevision                                    | 262-4270 or 263-2061 |
| KPL Gas Service                                | 263-7511             |
| Kansas Gas & Electric                          | 264-1141             |
| City of Wichita Water Department               | 268-4908             |
| City of Wichita Sewer Department               | 268-4071             |
| ARKLA Gas Company                              | 942-8350 or 263-8161 |
| Park Department For Marking Their Utility Line | 264-1642             |
- The Contractor shall be responsible for preserving property irons. The Contractor will be required to re-establish any property irons which are damaged or destroyed by his construction operations. Such irons shall be re-established by a licensed land surveyor or a licensed professional engineer in accordance with state laws.
- The Contractor must examine the construction site prior to bidding and be satisfied as to the work shown for completion. After bids have been received, the Contractor shall not assert that there was a misunderstanding of the quantities of work or of the nature of the work to be completed.
- Borrowed material shall be suitable fill dirt but not necessarily top soil. The basis of acceptance of fill dirt shall be visual inspection by the Engineer.
- Existing grass areas will not be stripped in the fill areas. If needed grass areas will be mowed by Park Maintenance (337-9225) prior to the construction.
- The layout and staking will be done by Engineering.



## INDEX OF SHEETS

1. TITLE SHEET
2. PROPOSED GRADES
3. EXISTING ELEVATIONS
- 4-9. CROSS SECTIONS
10. LOCATION MAP



## NOTES:


CENTER LINE IS 300' WEST & PARALLEL TO THAT PART OF BACK CURB OF W. SIDE BROWNTHRUSH FROM 100' N. TO 600' N. OF CL 2ND ST.

STATIONING 0+00 IS WHERE CL CROSSES BK 7B ON N. SIDE OF 2ND ST.

B.M. 146.52 "1" IN TOP CURB N. END RETURN @ S.E. COR. COUNTRY ACRES & BROWNTHRUSH.

TITLE SHEET

1  
10



PROPOSED GRADES  
INDEX # 785089


2  
10

NOTES:

CENTER LINE 48' S&W WEST & 1/4' ALLEY TO BACK CURVE UP W. SIDE BROWTHRUSH FROM 140' N. TO 600' N. OF CL AND ST.

STATIONING 0+00 IS WHERE CL CHANGES FROM 1/4' ON N. SIDE OF 2ND ST.

B.M. 144.65' IN 200' CURVE N. END RETURN 48' S.E. COR. COUNTRY ACRES & BROWTHRUSH.



NOTES:





CENTER LINE IS 300 WEST & PARALLEL TO BACK CURB OF W. SIDE BROWNTHRUSH FROM 100 N. TO 600 N. OF CL 2ND ST.  
 STATIONING 0+00 IS WHERE CL CROSSES MC CS ON N. SIDE OF 2ND ST.  
 B.M. 146.42 "X" IN TOP CURB N. END RETURN & S.E. COR. COUNTRY ACRES A BROWNTHRUSH.

EXISTING ELEVATIONS

INDEX # 785089


3  
10

51.5 - 51.6  
 F = 0  
 C = 0




M = MATCH EXISTING ELEVATION.


Sheet Total  
 $F = 77.1 \text{ yd}^3$




$F = 33.9 \text{ yd}^3$



$F = 14.6 \text{ yd}^3$



$F = 18.2 \text{ yd}^3$




$F = 10.4 \text{ yd}^3$


M = match existing elev.

Sheet Total  
 $F = 432.7 \text{ yd}^3$   
 $C = 0$

$F = 92.0 \text{ ft}^2$




$F = 143.5 \text{ yd}^3$




$F = 63.0 \text{ ft}^2$

$F = 105.2 \text{ yd}^3$




$F = 50.6 \text{ ft}^2$

$F = 77.8 \text{ yd}^3$



$F = 33.4 \text{ ft}^2$

$F = 55.0 \text{ yd}^3$



$F = 26.0 \text{ ft}^2$


$F = 51.2 \text{ yd}^3$

CROSS SECTIONS  
 INDEX # 785089



6  
10

M = Match existing elevation

Sheet Total  
 $F = 1,151.9 \text{ yd}^3$   
 $C = 33.6$




$C = 15.6 \text{ ft}^2$   
 $F = 136.1$





$C = 6.9 \text{ ft}^2$   
 $F = 153.3$

$F = 268.0 \text{ yd}^3$   
 $C = 20.8$




$C = 3.5 \text{ ft}^2$   
 $F = 177.00$

$F = 305.8 \text{ yd}^3$   
 $C = 1.6$



$F = 328.4 \text{ yd}^3$   
 $C = 3.2$








$C = 0$   
 $F = 177.7 \text{ ft}^2$

$F = 249.7 \text{ yd}^3$   
 $C = 7$   
 $10$

M = MATCH EXISTING ELEVATION.

CROSS SECTIONS  
 INDEX # 785089

Sheet Total  $F = 253.5 \text{ yd}^3$   
 $C = 255.8 \text{ yd}^3$



$F = 153.2 \text{ yd}^3$   
 $C = 20.0 \text{ yd}^3$

$F = 139.2 \text{ yd}^3$   
 $C = 51.5 \text{ yd}^3$

$F = 145.6 \text{ yd}^3$   
 $C = 70.3 \text{ yd}^3$

$F = 180.7 \text{ yd}^3$   
 $C = 69.2 \text{ yd}^3$







$F = 235.8 \text{ yd}^3$   
 $C = 44.8 \text{ yd}^3$

M = MATCH EXISTING ELEVATION.

CROSS SECTIONS

INDEX # 785089

8  
10



M = MATCH EXISTING ELEVATION.

$$F = 0.8 \text{ yd}^3$$

$$C = 12.1$$

$$F = 1.6 \text{ yd}^3$$

$$C = 47.3$$

$$F = 19.7 \text{ yd}^3$$

$$C = 56.7$$

$$F = 48.1 \text{ yd}^3$$

$$C = 33.0$$

$$F = 90.2 \text{ yd}^3$$

$$C = 13.4$$

$$F = 148.9 \text{ yd}^3$$

$$C = 1.9$$

Sheet total  
 $F = 307.3 \text{ yd}^3$   
 $C = 164.4 \text{ yd}^3$

Total  $F = 2324.5 \text{ yd}^3$   
 $C = 453.3 \text{ yd}^3$

Borrow excavation 2371  $\text{yd}^3$   
 Fill Dirt 2825  $\text{yd}^3$   
 Excavation 454  $\text{yd}^3$

CROSS SECTIONS

INDEX # 785089


9  
10

14-5-1-3



1

N.E. QUARTER SEC. 21, TWP. 27 S. R. 1 W.



## LOCATION MAP

**INDEX # 785089**

