HAMMERHEAD TURNAROUND ON EDGEMOOR

to serve

The Courts II

Lots 1-6, Block 1; Lots 1-73, Block 2; Lots 93-108, Block 3

an ADDITION TO WICHITA, KANSAS

Michael E. Lindebak, P.E. City Engineer

Project Number


472-76-245-81826-000-000-001

Index Code:

764184

Sheet Index

Title Sheet	1
Hammerhed Plan Sheet	2



Vicinity Map

GENERAL NOTES:

1. *Contractor will be required to provide notice to utility companies a minimum of twenty-four (24) hours prior to any excavation, as follows:*

   Kansas One-Call 687-2470

   The Contractor must notify the following in case of an emergency:

Cablevision or	*262-4270*
	263-2061
K.P.L. Gas Service Company	*263-7511*
Kansas Gas & Electric Company	*264-1141*
Peoples Nat. Gas Company	*942-8350*
Southwestern Bell Telephone Company	*1-571-2611*
City of Wichita Water Department	*268-4908*
City of Wichita Sewer Maintenance	*268-4071*

2. *Utility service lines, poles, valve boxes, meters, and etcetera are to be adjusted as necessary by others prior to construction unless the plans specifically call for their adjustment by the Contractor or unless the plans specifically identify a utility to be adjusted by its owner during construction. Existing utilities and their location, as shown on the plans, represent the best information obtainable for design. The contractor will be required to work around existing utilities within the right-of-way which do not conflict with proposed construction.*

3. *Rubble from the removal of miscellaneous structures and excess excavation which is to be wasted shall be disposed of on sites to be provided by the Contractor. These sites shall be approved by the Engineer as to suitability, appearance and site location. Locations that, in the opinion of the Engineer, will leave an unsightly appearance will not be approved. All disposal sites must be approved by the Kansas Department of Health and Environment. Material either stockpiles or disposed of in a flood plain would a Kansas State Board of Agriculture permit. Any material dumped in waters of the United States or wetlands is subject to U.S. Corps. of Engineers permitting regulations. Any material buried or stockpiled beyond approved construction limits would require additional archaeological investigations unless buried in a previousiy approved borrow location.*

4. *Limits of earthwork shall match existing ground elevations at the right-of-way line unless otherwise noted on the plans with a new finished grade elevation. When a new finished grade elevation is shown, the earthwork shall extend one foot beyond the right-of-way line and then sloped up or down using permissible slopes to match the existing ground surface.*

5. *The Contractor shall adjust water valve boxes and fire hydrants as directed by the Engineer at the price bid for said adjustments. The Water Department shall field located water valves one time during construction when requested by Contractor. It shall be the Contractor's responsibility to preserve such field locations during the construction process. Water valves, water valve boxes or fire hydrants damaged during construction shall be repaired by the Contractor at his own expense.*

6. *The Contractor shall be responsible for preserving property irons. The Contractor will be required to re-establish any property irons which are damaged or destroyed by his construction operations. Such irons shall be re-established by a licensed land surveyor in accordance with state law.*

7. *All areas disturbed by construction shall be seeded at 300 lbs./acre with Rye Grass immediately following construction in that area. Contractor shall prepare ground per City specifications.*

8. *A saw cut of at least one-half the depth of existing surface courses of one-fourth the depth of the existing total pavement thickness shall be provided at locations where proposed construction abuts as existing surface course or pavement for which partial removal of that surface or pavement is required. Sawed joint to facilitate removal within three (3) feet of existing joints will not be permitted and for such instances the limits of removal shall extend to the existing joint. Such saw cuts will not be paid for directly and this cost shall be considered as subsidiary to the removal of the surface or pavement.*

BRIAN LEE FELL
LICENSED
Lee
13744
02/01/97
KANSAS
PROFESSIONAL ENGINEER

BAUGHMAN COMPANY P. A.
ENGINEERING & SURVEYING
316/262-7271 • 315 ELLIS • WICHITA, KANSAS 67211

Benchmark: " " on top of curb located on the east curb of Edgemoor Drive, 79'± south of the south line of The Courts II. Elev. = 176.81

Sta 0+00 | Sta 0+08.79 | Sta 0+21.79 | Sta 0+31.79 | Sta 0+79.09

WOODLAWN PLACE ADDITION

1" = 5'
● = Iron

15' x 75' Temporary Street Turn around Easement

Sta 0+31.79 to Sta 0+79.09 Const. Full Height Curb & Gutter (6-5/8") as shown.

Remove existing A.C. Mat as indicated.

Saw Line

12' Fc to Fc

Existing AC Pvmnt

Ex. 8" W

Construct 6" Reinforced Concrete w/ 6"x12" W4xW4 welded wire fabric. With Monolithic Edge Curb (6-5/8")

Transition from Full Height to No Curb in 3' as shown.

THE COURTS II

70'

Contractor to Remove 70 L.F. of Curb & Gutter as Indicated.

Match 176.22

Elev. = 176.77 Bench Mark

EDGEMOOR DR.

60' R/W

30' Fc to Fc

Sign

Ex. 15" SS

SS MH

Ex. 12" SS

20' Sewer Easement

K.G.E. Box

U/G Elec.

Iron ● Sta. (0-01.47)

O/H Elec.

PP

Guy

K.G.E. XFmr

10' Util Esmt

Ex. 8" SS

Drainage Dedication

"L" Type Hammerhead Turnaround
EDGEMOOR DRIVE
S.L. of THE COURTS II

BAUGHMAN COMPANY P. A.
ENGINEERING, SURVEYING, & PLANNING
316-262-7271 • 315 ELLIS • WICHITA, KANSAS 67211

PROJECT NUMBER 472-76-245-81826-000-000-001

DESIGN	DRAWN	APPROVED	DATE	SCALE	SHEET
B.P.	B.P.		FEB. 1997	1"=5'	2 OF 2

COURTSII\EDGETURN