


CAN-78


B.M. 125.58 S. RIM M.H. & GREEN ACRES & N.S. Mt. VERNON  
B.M. 125.24 "M" in MUELLER F.P. N.W. COR. BELLAIR & GREEN ACRES



Survey done by CHAS. B. CHAPMAN  
L.S. D.S.  
L.C. D.L.  
City of Wichita


NOTE: STAKE THESE ELEVATIONS.

Proposed E. CURB 62" ABOVE W. CURB



Exc. CITY  
 1500' 0" 283.2  
 645.3 +10.7% 311.5  
 707.8 on 105' 311.5 on 105'

Fill CITY  
 200.2 9.9  
 107.0 +10.7% 10.7 on 105'




**DEOLLINGER, W 1/2**  
 & KINKRAID TO N.L. Mt. VERNON  
 15' CONC. & CB.  
 CITY OF WICHITA  
 L.K. WHITE CITY ENGINEER  
 SEPT 1932 PBD. No. C12-46

KINKRAID


BUNTING

5+8	5+9	5+10	5+11	5+12	5+13	5+14	5+15	5+16	5+17	5+18	5+19	5+20	5+21	5+22	5+23	5+24	5+25	5+26	5+27	5+28	5+29	5+30	5+31	5+32	5+33	5+34	5+35	5+36	5+37	5+38	5+39	5+40	5+41	5+42	5+43	5+44	5+45	5+46	5+47	5+48	5+49	5+50	5+51	5+52	5+53	5+54	5+55	5+56	5+57	5+58	5+59	5+60	5+61	5+62	5+63	5+64	5+65	5+66	5+67	5+68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
82.0	81.5	81.0	80.5	80.0	79.5	79.0	78.5	78.0	77.5	77.0	76.5	76.0	75.5	75.0	74.5	74.0	73.5	73.0	72.5	72.0	71.5	71.0	70.5	70.0	69.5	69.0	68.5	68.0	67.5	67.0	66.5	66.0	65.5	65.0	64.5	64.0	63.5	63.0	62.5	62.0	61.5	61.0	60.5	60.0	59.5	59.0	58.5	58.0	57.5	57.0	56.5	56.0	55.5	55.0	54.5	54.0	53.5	53.0	52.5	52.0	51.5	51.0	50.5	50.0	49.5	49.0	48.5	48.0	47.5	47.0	46.5	46.0	45.5	45.0	44.5	44.0	43.5	43.0	42.5	42.0	41.5	41.0	40.5	40.0	39.5	39.0	38.5	38.0	37.5	37.0	36.5	36.0	35.5	35.0	34.5	34.0	33.5	33.0	32.5	32.0	31.5	31.0	30.5	30.0	29.5	29.0	28.5	28.0	27.5	27.0	26.5	26.0	25.5	25.0	24.5	24.0	23.5	23.0	22.5	22.0	21.5	21.0	20.5	20.0	19.5	19.0	18.5	18.0	17.5	17.0	16.5	16.0	15.5	15.0	14.5	14.0	13.5	13.0	12.5	12.0	11.5	11.0	10.5	10.0	9.5	9.0	8.5	8.0	7.5	7.0	6.5	6.0	5.5	5.0	4.5	4.0	3.5	3.0	2.5	2.0	1.5	1.0	0.5	0.0	-0.5	-1.0	-1.5	-2.0	-2.5	-3.0	-3.5	-4.0	-4.5	-5.0	-5.5	-6.0	-6.5	-7.0	-7.5	-8.0	-8.5	-9.0	-9.5	-10.0	-10.5	-11.0	-11.5	-12.0	-12.5	-13.0	-13.5	-14.0	-14.5	-15.0	-15.5	-16.0	-16.5	-17.0	-17.5	-18.0	-18.5	-19.0	-19.5	-20.0	-20.5	-21.0	-21.5	-22.0	-22.5	-23.0	-23.5	-24.0	-24.5	-25.0	-25.5	-26.0	-26.5	-27.0	-27.5	-28.0	-28.5	-29.0	-29.5	-30.0	-30.5	-31.0	-31.5	-32.0	-32.5	-33.0	-33.5	-34.0	-34.5	-35.0	-35.5	-36.0	-36.5	-37.0	-37.5	-38.0	-38.5	-39.0	-39.5	-40.0	-40.5	-41.0	-41.5	-42.0	-42.5	-43.0	-43.5	-44.0	-44.5	-45.0	-45.5	-46.0	-46.5	-47.0	-47.5	-48.0	-48.5	-49.0	-49.5	-50.0	-50.5	-51.0	-51.5	-52.0	-52.5	-53.0	-53.5	-54.0	-54.5	-55.0	-55.5	-56.0	-56.5	-57.0	-57.5	-58.0	-58.5	-59.0	-59.5	-60.0	-60.5	-61.0	-61.5	-62.0	-62.5	-63.0	-63.5	-64.0	-64.5	-65.0	-65.5	-66.0	-66.5	-67.0	-67.5	-68.0	-68.5	-69.0	-69.5	-70.0	-70.5	-71.0	-71.5	-72.0	-72.5	-73.0	-73.5	-74.0	-74.5	-75.0	-75.5	-76.0	-76.5	-77.0	-77.5	-78.0	-78.5	-79.0	-79.5	-80.0	-80.5	-81.0	-81.5	-82.0	-82.5	-83.0	-83.5	-84.0	-84.5	-85.0	-85.5	-86.0	-86.5	-87.0	-87.5	-88.0	-88.5	-89.0	-89.5	-90.0	-90.5	-91.0	-91.5	-92.0	-92.5	-93.0	-93.5	-94.0	-94.5	-95.0	-95.5	-96.0	-96.5	-97.0	-97.5	-98.0	-98.5	-99.0	-99.5	-100.0	-100.5	-101.0	-101.5	-102.0	-102.5	-103.0	-103.5	-104.0	-104.5	-105.0	-105.5	-106.0	-106.5	-107.0	-107.5	-108.0	-108.5	-109.0	-109.5	-110.0	-110.5	-111.0	-111.5	-112.0	-112.5	-113.0	-113.5	-114.0	-114.5	-115.0	-115.5	-116.0	-116.5	-117.0	-117.5	-118.0	-118.5	-119.0	-119.5	-120.0	-120.5	-121.0	-121.5	-122.0	-122.5	-123.0	-123.5	-124.0	-124.5	-125.0	-125.5	-126.0	-126.5	-127.0	-127.5	-128.0	-128.5	-129.0	-129.5	-130.0	-130.5	-131.0	-131.5	-132.0	-132.5	-133.0	-133.5	-134.0	-134.5	-135.0	-135.5	-136.0	-136.5	-137.0	-137.5	-138.0	-138.5	-139.0	-139.5	-140.0	-140.5	-141.0	-141.5	-142.0	-142.5	-143.0	-143.5	-144.0	-144.5	-145.0	-145.5	-146.0	-146.5	-147.0	-147.5	-148.0	-148.5	-149.0	-149.5	-150.0	-150.5	-151.0	-151.5	-152.0	-152.5	-153.0	-153.5	-154.0	-154.5	-155.0	-155.5	-156.0	-156.5	-157.0	-157.5	-158.0	-158.5	-159.0	-159.5	-160.0	-160.5	-161.0	-161.5	-162.0	-162.5	-163.0	-163.5	-164.0	-164.5	-165.0	-165.5	-166.0	-166.5	-167.0	-167.5	-168.0	-168.5	-169.0	-169.5	-170.0	-170.5	-171.0	-171.5	-172.0	-172.5	-173.0	-173.5	-174.0	-174.5	-175.0	-175.5	-176.0	-176.5	-177.0	-177.5	-178.0	-178.5	-179.0	-179.5	-180.0	-180.5	-181.0	-181.5	-182.0	-182.5	-183.0	-183.5	-184.0	-184.5	-185.0	-185.5	-186.0	-186.5	-187.0	-187.5	-188.0	-188.5	-189.0	-189.5	-190.0	-190.5	-191.0	-191.5	-192.0	-192.5	-193.0	-193.5	-194.0	-194.5	-195.0	-195.5	-196.0	-196.5	-197.0	-197.5	-198.0	-198.5	-199.0	-199.5	-200.0	-200.5	-201.0	-201.5	-202.0	-202.5	-203.0	-203.5	-204.0	-204.5	-205.0	-205.5	-206.0	-206.5	-207.0	-207.5	-208.0	-208.5	-209.0	-209.5	-210.0	-210.5	-211.0	-211.5	-212.0	-212.5	-213.0	-213.5	-214.0	-214.5	-215.0	-215.5	-216.0	-216.5	-217.0	-217.5	-218.0	-218.5	-219.0	-219.5	-220.0	-220.5	-221.0	-221.5	-222.0	-222.5	-223.0	-223.5	-224.0	-224.5	-225.0	-225.5	-226.0	-226.5	-227.0	-227.5	-228.0	-228.5	-229.0	-229.5	-230.0	-230.5	-231.0	-231.5	-232.0	-232.5	-233.0	-233.5	-234.0	-234.5	-235.0	-235.5	-236.0	-236.5	-237.0	-237.5	-238.0	-238.5	-239.0	-239.5	-240.0	-240.5	-241.0	-241.5	-242.0	-242.5	-243.0	-243.5	-244.0	-244.5	-245.0	-245.5	-246.0	-246.5	-247.0	-247.5	-248.0	-248.5	-249.0	-249.5	-250.0	-250.5	-251.0	-251.5	-252.0	-252.5	-253.0	-253.5	-254.0	-254.5	-255.0	-255.5	-256.0	-256.5	-257.0	-257.5	-258.0	-258.5	-259.0	-259.5	-260.0	-260.5	-261.0	-261.5	-262.0	-262.5	-263.0	-263.5	-264.0	-264.5	-265.0	-265.5	-266.0	-266.5	-267.0	-267.5	-268.0	-268.5	-269.0	-269.5	-270.0	-270.5	-271.0	-271.5	-272.0	-272.5	-273.0	-273.5	-274.0	-274.5	-275.0	-275.5	-276.0	-276.5	-277.0	-277.5	-278.0	-278.5	-279.0	-279.5	-280.0	-280.5	-281.0	-281.5	-282.0	-282.5	-283.0	-283.5	-284.0	-284.5	-285.0	-285.5	-286.0	-286.5	-287.0	-287.5	-288.0	-288.5	-289.0	-289.5	-290.0	-290.5	-291.0	-291.5	-292.0	-292.5	-293.0	-293.5	-294.0	-294.5	-295.0	-295.5	-296.0	-296.5	-297.0	-297.5	-298.0	-298.5	-299.0	-299.5	-300.0	-300.5	-301.0	-301.5	-302.0	-302.5	-303.0	-303.5	-304.0	-304.5	-305.0	-305.5	-306.0	-306.5	-307.0	-307.5	-308.0	-308.5	-309.0	-309.5	-310.0	-310.5	-311.0	-311.5	-312.0	-312.5	-313.0	-313.5	-314.0	-314.5	-315.0	-315.5	-316.0	-316.5	-317.0	-317.5	-318.0	-318.5	-319.0	-319.5	-320.0	-320.5	-321.0	-321.5	-322.0	-322.5	-323.0	-323.5	-324.0	-324.5	-325.0	-325.5	-326.0	-326.5	-327.0	-327.5	-328.0	-328.5	-329.0	-329.5	-330.0	-330.5	-331.0	-331.5	-332.0	-332.5	-333.0	-333.5	-334.0	-334.5	-335.0	-335.5	-336.0	-336.5	-337.0	-337.5	-338.0	-338.5	-339.0	-339.5	-340.0	-340.5	-341.0	-341.5	-342.0	-342.5	-343.0	-343.5	-344.0	-344.5	-345.0	-345.5	-346.0	-346.5	-347.0	-347.5	-348.0	-348.5	-349.0	-349.5	-350.0	-350.5	-351.0	-351.5	-352.0	-352.5	-353.0	-353.5	-354.0	-354.5	-355.0	-355.5	-356.0	-356.5	-357.0	-357.5	-358.0	-358.5	-359.0	-359.5	-360.0	-360.5	-361.0	-361.5	-362.0	-362.5	-363.0	-363.5	-364.0	-364.5	-365.0	-365.5	-366.0	-366.5	-367.0	-367.5	-368.0	-368.5	-369.0	-369.5	-370.0	-370.5	-371.0	-371.5	-372.0	-372.5	-373.0	-373.5	-374.0	-374.5	-375.0	-375.5	-376.0	-376.5	-377.0	-377.5	-378.0	-378.5	-379.0	-379.5	-380.0	-380.5	-381.0	-381.5	-382.0	-382.5	-383.0	-383.5	-384.0	-384.5	-385.0	-385.5	-386.0	-386.5	-387.0	-387.5	-388.0	-388.5	-389.0	-389.5	-390.0	-390.5	-391.0	-391.5	-392.0	-392.5	-393.0	-393.5	-394.0	-394.5	-395.0	-395.5	-396.0	-396.5	-397.0	-397.5	-398.0	-398.5	-399.0	-399.5	-400.0	-400.5	-401.0	-401.5	-402.0	-402.5	-403.0	-403.5	-404.0	-404.5	-405.0	-405.5	-406.0	-406.5	-407.0	-407.5	-408.0	-408.5	-409.0	-409.5	-410.0	-410.5	-411.0	-411.5	-412.0	-412.5	-413.0	-413.5	-414.0	-414.5	-415.0	-415.5	-416.0	-416.5	-417.0	-417.5	-418.0	-418.5	-419.0	-419.5	-420.0	-420.5	-421.0	-421.5	-422.0	-422.5	-423.0	-423.5	-424.0	-424.5	-425.0	-425.5	-426.0	-426.5	-427.0	-427.5	-428.0	-428.5	-429.0	-429.5	-430.0	-430.5	-431.0	-431.5	-432.0	-432.5	-433.0	-433.5	-434.0	-434.5	-435.0	-435.5	-436.0	-436.5	-437.0	-437.5	-438.0	-438.5	-439.0	-439.5	-440.0	-440.5	-441.0	-441.5	-442.0	-442.5	-443.0	-443.5	-444.0	-444.5	-445.0	-445.5	-446.0	-446.5	-447.0	-447.5	-448.0	-448.5	-449.0	-449.5	-450.0	-450.5	-451.0	-451.5	-452.0	-452.5	-453.0	-453.5	-454.0	-454.5	-455.0	-455.5	-456.0	-456.5	-457.0	-457.5	-458.0	-458.5	-459.0	-459.5	-460.0	-460.5	-461.0	-461.5	-462.0	-462.5	-463.0	-463.5	-464.0	-464.5	-465.0	-465.5	-466.0	-466.5	-467.0	-467.5	-468.0	-468.5	-469.0	-469.5	-470.0	-470.5	-471.0	-471.5	-472.0	-472.5	-473.0	-473.5	-474.0	-474.5	-475.0	-475.5	-476.0	-476.5	-477.0	-477.5	-478.0	-478.5	-479.0	-479.5	-480



2  
2

Sheet  
No. 1  
of 1



NOTE TO FIELD ENGR.:  
CROSSSECTION PROPOSED CHANNEL  
BEFORE & AFTER EXCAVATING.

CUT DITCH WITH 20' BOTTOM & 3:1 SLOPES

CHANNEL CHANGE  
DROLLINGER & BELLAIRE