

BM 133.81 R.R. Spike Side P. Pole, ctr. Amidon
R/W on N. Side Nottingham Lane.



Base Line is (Rt) Property Line.
3.86222 min./ft.

Station	Point	Alignment	Deflection	Chord	Arc	Chord	Arc
0+79.79	PT	$\Delta 10' 16" 20"$	$5^{\circ} 08' 10"$	31.58	32.60	29.90	29.92
0+50		$R=445.02'$	$3^{\circ} 13' 06"$	27.34	27.35	13.10	25.11
0+25		$L=79.79'$	$1^{\circ} 36' 33"$	27.34	27.34	25.10	25.11
0+00	PC						


NOTE:
Construct Roll Curb. Depress
curb through driveways.

NOTE:
Contractor to clear right-of-way, grade parking
and compact fill if necessary for proposed sidewalk.
Sidewalk to be constructed by others.

Scale: 1"=20'



EXCAVATION
778 Cu. Yds.
+10% 78
Total 856 Cu. Yds.



AMIDON AVE. E. 1/2
FROM N.L. NOTTINGHAM LANE
TO S.L. 39TH STREET
20-2-24 Asph. Conc.
B.E. SMITH CITY ENGINEER
CITY OF WICHITA KANSAS
Date:

Project No. C17-48