


**RECAPITULATION OF ESTIMATED QUANTITIES**

Station	Culvert Size	Excavation Cu. Yds	Concrete Reinforcing Steel (Pounds)	Backfill Cu. Yds	Aggregate 1/2" to 3/4" (Cu. Yds)	Riprap 3/4" to 1 1/2" (Cu. Yds)	Concrete Pipe (Feet)	Manhole (Nos.)	Manhole (Feet)	Manhole (Cu. Yds)	Manhole (Feet)
51+50 RL	18" C.M.P.	318.0	28.76	9.17	201.72	17.26	50' x 50'	6.22			
67+50 RL	24" C.M.P.					50' x 50'					
71+25 RL	12" Tile Pipe										
74+40 LL	4" Conc. Box	438.0	39.64	19.21	396.06	21.01					
85+30 LL	4" Conc. Box	450.0	53.33	18.80	483.21	29.06	20' x 20'				
93+30 LL	4" Conc. Box	486.0	54.96	20.00	536.64	33.74	20' x 20'				
109+30 LL	4" Conc. Box	456.0	57.27	18.70	453.87	31.65	20' x 20'				
110+10 LL	18" C.M.P.										
110+20 RL	24" R.C.P.										
112+30 RL	12" C.I.P.										
116+80 RL	3" Conc. Box										
118+50 RL	4" C.I.P.										
123+80 RL	3" Conc. Box	420.0	45.95	16.63	447.87	28.59	20' x 20'				
135+00 RL	30" H.C.P.										
137+30 LL	4" Conc. Box	372.0	30.0	31.35	372.0	8.1	20' x 20'				
137+30 RL	4" Conc. Box	402.0	32.07	14.82	412.90	16.13	20' x 20'				
143+40 RL	24" Tile Pipe										
150+20 LL	4" Conc. Box	402.0	29.71	15.34	414.15	13.25	20' x 20'				
157+40 RL	4" Conc. Box	402.0	42.31	15.27	412.26	26.80	20' x 20'				
157+40 RL	24" R.C.P.	228.0	84.45	8.42	208.63	37.90	20' x 20'				
161+40 LL	15" R.C.P.	192.0	14.45	6.0	150.47	6.32	20' x 20'				
164+50 LL	3" Conc. Box	336.0	29.94	12.26	300.16	17.43	20' x 20'				
164+50 RL	3" Conc. Box	462.0	38.09	15.79	422.24	23.62	20' x 20'				
176+50 LL	4" Conc. Box	396.0	26.01	11.25	377.90	12.10	20' x 20'				
176+50 RL	4" Conc. Box	498.0	42.02	21.88	436.15	19.94	20' x 20'				
187+30 LL	3" Conc. Box										
188+40 RL	3" Conc. Box										
198+70 LL	12" Conc. Box	240.0	28.0	34.81	6.48	125.67					
209+25 LL	3" Conc. Box										
215+00 LL	12" Tile Pipe										
218+50 RL	30" Tile Pipe										
219+60 RL	4" Conc. Box										
219+80 LL	4" Conc. Box										
233+50 LL	4" Conc. Box										
233+50 RL	4" Conc. Box										
234+10 LL	4" Conc. Box										
245+43 RL	4" Conc. Box										
251+30 LL	8" Tile Manhole										
257+00 LL	12" Tile Pipe										
258+40 RL	4" Conc. Box										
271+70 LL	30" Tile Pipe	378.0	30.79	10.83	197.45	18.55					
277+00 LL	20" R.C.P.										
287+00 RL	15" C.I.P.										
301+50 LL	24" C.M.P.										
317+20 RL	18" R.C.P.										
323+80 RL	15" Conc. Box	252.0	45.48	13.17	418.47	21.98					
351+10 RL	12" R.C.P.										
361+20 LL	4" x 7' Gates										
TOTALS		7128	280	836.48	360.06	808.12	384.63	177 Manholes	454.18	372	26

Note - Reinforcing Steel in Pounds includes weight of Reinforcing Steel and Wire Mesh. Corrugated Metal Pipe (sphalt coated) Flow Invert, may be substituted for Reinforced Concrete Pipe.

ARKANSAS RIVER BASIN  
 WICHITA AND VALLEY CENTER  
 FLOOD CONTROL PROJECT  
**EAST BRANCH INTERCEPTION CANAL &  
 WICHITA DRAINAGE CANAL**  
 SITE MAP, LOG RECORD &  
 RECAPITULATION OF ESTIMATED QUANTITIES  
 SCALE 1 INCH = 1/2 MILE  
 CITY COUNTY ENGINEER OFFICE WICHITA KANSAS  
 APPROVED \_\_\_\_\_  
 CITY-ENGINEER ENGINEER IN CHARGE

DRAWN *MLL*  
 TRACED  
 M. O. K. D.  
 SHEET 1 OF 12




ARKANSAS RIVER BASIN  
 WICHITA AND VALLEY CENTER  
**FLOOD CONTROL PROJECT**  
**EAST BRANCH INTERCEPTION CANAL &**  
**WICHITA DRAINAGE CANAL**  
**LOCATION OF CONSTRUCTION & REPAIR**

SCALE 1 INCH = 200 FEET  
 CITY COUNTY ENGINEER OFFICE WICHITA KANSAS  
 APPROVED: \_\_\_\_\_ APPROVED: \_\_\_\_\_  
 CITY ENGINEER ENGINEER IN CHARGE

DRAWN 222  
 TRACED  
 CHECKED


SHEET 2 OF 12



ARKANSAS RIVER BASIN  
 WICHITA AND VALLEY CENTER  
 FLOOD CONTROL PROJECT  
 EAST BRANCH INTERCEPTION CANAL &  
 WICHITA DRAINAGE CANAL  
 LOCATION OF CONSTRUCTION & REPAIR

SCALE 1 INCH = 200 FEET  
 CITY-COUNTY ENGINEER OFFICE WICHITA KANSAS  
 APPROVED \_\_\_\_\_  
 CITY-ENGINEER      ENGINEER-IN-CHARGE

DRAWN BY: TRAGED  
 SHEET 3 OF 12



ARKANSAS RIVER BASIN  
 WICHITA AND VALLEY CENTER  
 FLOOD CONTROL PROJECT  
 EAST BRANCH INTERCEPTION CANAL &  
 WICHITA DRAINAGE CANAL  
 LOCATION OF CONSTRUCTION & REPAIR


SCALE 1 INCH = 200 FEET  
 CITY-COUNTY ENGINEER OFFICE WICHITA KANSAS

APPROVED: \_\_\_\_\_  
 CITY-ENGINEER

DRAWN: C.H.S.  
 TRACED: \_\_\_\_\_  
 CHECKED: \_\_\_\_\_

APPROVED: \_\_\_\_\_  
 ENGINEER IN CHARGE

SHEET 4 OF 12



LISTS OF BARS, DIMENSIONS, AND QUANTITIES FOR HEADWALLS

FOR 4'x4' CONCRETE BOX AT STA. 79+40.01										Flow Line Elev.		
Letter	A	B	C	D	E	F	G	H	K	Excavation	39.00 Cu Yds	1901.00
Dimension	5'10"	8'0"	5'2 1/2"	5'0"	10'9"	13'7"	7'9 1/2"	11'3 1/2"	4'0"	Concrete	Hdwl-11.04 cu yds Apron-4.17 cu yds	Backfill-21.61 cu yds
Bar	a	b	c	d						Reinf. Steel	3 # 8-24.87 # 8 @ 120.00"	Rip Rap-9.95 sq yds
Number	14	22	7	5						Sheet Piling	Hdwl-37 secs Apron-36 secs	
Size	3/8"	1/2"	1/2"	1/2"						Flow rate	None needed	
Length	11'0"	7'0"	7'0"	5'1"						Steel Wire Reinf.	No. 10 gauge-27.3 #	

FOR 4'x4' CONCRETE BOX AT 80+30.11										Flow Line Elev.		
Letter	A	B	C	D	E	F	G	H	K	Excavation	53.35 Cu Yds	1774.00
Dimension	8'5 1/2"	8'0"	6'2 1/2"	6'0"	9'5 1/2"	10'7"	7'9 1/2"	14'3 1/2"	2'10"	Concrete	Hdwl-15.50 cu yds Apron-3.31 cu yds	Backfill-29.00 cu yds
Bar	a	b	c	d						Reinf. Steel	3 # 8-37.95 # 8 @ 168.20"	Rip Rap-4.70 sq yds
Number	20	20	0	5						Sheet Piling	Hdwl-46 secs Apron-29 secs	
Size	3/8"	1/2"	1/2"	1/2"						Flow rate	One 60" x 60"	
Length	10'6"	7'0"	7'0"	4'3"						Steel Wire Reinf.	No. 10 gauge-22.47 #	

FOR 4'x4' CONCRETE BOX AT 93+30.11										Flow Line Elev.		
Letter	A	B	C	D	E	F	G	H	K	Excavation	56.95 Cu Yds	1791.00
Dimension	7'7"	8'0"	7'2 1/2"	7'0"	11'5 1/2"	15'7"	7'9 1/2"	13'3 1/2"	4'3 1/2"	Concrete	Hdwl-15.28 cu yds Apron-4.76 cu yds	Backfill-31.65 cu yds
Bar	a	b	c	d						Reinf. Steel	3 # 8-29.70 # 8 @ 168.20"	Rip Rap-9.94 sq yds
Number	18	20	0	5						Sheet Piling	Hdwl-43 secs Apron-38 secs	
Size	3/8"	1/2"	1/2"	1/2"						Flow rate	One 48" x 48"	
Length	12'6"	6'0"	7'0"	7'2"						Steel Wire Reinf.	No. 10 gauge-30.85 #	

FOR 4'x4' CONCRETE BOX AT 109+33.11										Flow Line Elev.		
Letter	A	B	C	D	E	F	G	H	K	Excavation	32.27 Cu Yds	1711.00
Dimension	5'10"	8'0"	5'2 1/2"	5'0"	9'10"	8'7"	12'3 1/2"	16'3 1/2"	3'1 1/2"	Concrete	Hdwl-14.30 cu yds Apron-4.49 cu yds	Backfill-31.65 cu yds
Bar	a	b	c	d						Reinf. Steel	3 # 8-29.76 # 8 @ 126.07"	Rip Rap-7.78 sq yds
Number	18	20	0	5						Sheet Piling	Hdwl-47 secs Apron-29 secs	
Size	3/8"	1/2"	1/2"	1/2"						Flow rate	One 60" x 60"	
Length	11'0"	7'0"	7'0"	4'11"						Steel Wire Reinf.	No. 10 gauge-29.4 #	

FOR 4'x4' CONCRETE BOX AT 176+50.11										Flow Line Elev.		
Letter	A	B	C	D	E	F	G	H	K	Excavation	26.01 Cu Yds	1751.00
Dimension	5'10"	8'0"	4'2 1/2"	4'0"	8'6 1/2"	11'7"	7'9 1/2"	10'3 1/2"	1'9 1/2"	Concrete	Hdwl-10.05 cu yds Apron-3.60 cu yds	Backfill-12.40 cu yds
Bar	a	b	c	d						Reinf. Steel	3 # 8-17.87 # 8 @ 79.46"	Rip Rap-6.49 sq yds
Number	12	18	0	5						Sheet Piling	Hdwl-38 secs Apron-32 secs	
Size	3/8"	1/2"	1/2"	1/2"						Flow rate	One 48" x 48"	
Length	9'8"	3'8"	7'0"	3'7"						Steel Wire Reinf.	No. 10 gauge-24.15 #	


  

FOR 5'x5' CONCRETE BOX AT STA 323+80 RT										Flow Line Elev.		
Letter	A	B	C	D	E	F	G	H	K	Excavation	45.48 Cu Yds	1274.20
Dimension	6'3 1/2"	9'8"	6'2 1/2"	6'0"	10'5 1/2"	11'7"	8'9 1/2"	13'3 1/2"	1'9 1/2"	Concrete	Hdwl-13.72 cu yds	Backfill-21.90 cu yds
Bar	a	b	c	d						Reinf. Steel	3 # 8-27.67 # 8 @ 142.10"	Rip Rap-9.72 sq yds
Number	16	20	0	6						Sheet Piling	Hdwl-42 secs Apron-32 secs	
Size	3/8"	1/2"	1/2"	1/2"						Flow rate	None needed	
Length	11'6"	5'8"	8'0"	5'3"						Steel Wire Reinf.	No. 10 gauge-24.15 #	

Note:  
The corrugated sheet piling sections shall be of 12 gauge steel and 6 feet long.  
For Riprap detail see sheet no. 12.

GENERAL NOTES

Course aggregate shall be deposited behind each weep hole to occupy a space extending 15 inches in all directions from the weep hole.  
The front face of the headwalls shall be placed parallel and 1/2 inch in front of the face of the concrete base and shall be placed symmetrically about centerline of the concrete boxes at the front face of the headwall.  
All exposed edges shall be beveled with 2 inch triangular beveling.  
All reinforcing dimensions are to the centerline of the bars.  
Two feet of rip rap shall be placed on each side of all aprons.  
The distance that rip rap extends in front of each apron is as follows:  
Sta 79+40.11 - 3 feet  
Sta 86+30.11 - 2 -  
Sta 93+30.11 - 3 -  
Sta 109+30.11 - 3 -  
Sta 176+50.11 - 3 -  
Sta 323+80.11 - 10 -



ARKANSAS RIVER BASIN  
WICHITA AND VALLEY CENTER  
FLOOD CONTROL PROJECT  
EAST BRANCH INTERCEPTION CANAL  
WICHITA DRAINAGE CANAL  
HEADWALLS FOR BOX CULVERTS

SCALE 1 INCH = 2 FEET

CITY COUNTY ENGINEER OFFICE WICHITA KANSAS

APPROVED: \_\_\_\_\_

CITY-ENGINEER

APPROVED: \_\_\_\_\_

ENGINEER

DRAWN: J.R.S.

CHECKED: \_\_\_\_\_

SHEET 5 OF 12

LISTS OF BARS, DIMENSIONS, AND QUANTITIES FOR HEADWALL

FOR 3'x3' CONCRETE BOX AT STA 123+80 RT											
Letter	A	B	C	D	E	F	G	H	K	Excavation	Flow line elevation
Dimension	5'9"	7'8"	2'2"	2'8"	6'6"	14'7"	6'9"	10'3"	8"	Excavation	45.95 cu yds.
Bar	a	b	c	d	e	f	g	h	k	Concrete	12'71 cu yds Apron - 36"
Number	18	16	4	4	12	12	12	12	12	Backfill	25.59 cu yds
Size	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	Reinforcing Steel	12'71 cu yds Apron - 36"
Length	8'0"	4'8"	5'10"	2'8"	8'0"	14'7"	6'9"	10'3"	8"	Sheet Piling	12'71 cu yds Apron - 36"
										Flap Gate	One 36" x 36"

FOR 4'x4' CONCRETE BOX AT STA 137+30 RT											
Letter	A	B	C	D	E	F	G	H	K	Excavation	Flow line elevation
Dimension	4'0"	8'8"	3'2"	3'8"	7'6"	14'7"	7'9"	9'3"	8"	Excavation	32.07 cu yds.
Bar	a	b	c	d	e	f	g	h	k	Concrete	10'38 cu yds Apron - 44"
Number	10	16	4	4	12	12	12	12	12	Backfill	16.13 cu yds
Size	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	Reinforcing Steel	10'38 cu yds Apron - 44"
Length	9'0"	2'8"	6'10"	2'8"	9'0"	14'7"	7'9"	9'3"	8"	Sheet Piling	10'38 cu yds Apron - 44"
										Flap Gate	One 48" x 48"

FOR 4'x4' CONCRETE BOX AT STA 150+80 LT											
Letter	A	B	C	D	E	F	G	H	K	Excavation	Flow line elevation
Dimension	4'0"	8'8"	3'2"	3'8"	7'6"	14'7"	7'9"	9'3"	8"	Excavation	29.71 cu yds.
Bar	a	b	c	d	e	f	g	h	k	Concrete	10'38 cu yds Apron - 44"
Number	10	16	4	4	12	12	12	12	12	Backfill	13.25 cu yds
Size	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	Reinforcing Steel	10'38 cu yds Apron - 44"
Length	10'0"	2'8"	6'10"	2'8"	9'0"	14'7"	7'9"	9'3"	8"	Sheet Piling	10'38 cu yds Apron - 44"
										Flap Gate	One 48" x 48"

FOR 3'x3' CONCRETE BOX AT STA 157+40 RT											
Letter	A	B	C	D	E	F	G	H	K	Excavation	Flow line elevation
Dimension	4'0"	7'8"	2'2"	2'8"	6'6"	14'7"	6'9"	9'3"	8"	Excavation	42.31 cu yds.
Bar	a	b	c	d	e	f	g	h	k	Concrete	11'44 cu yds Apron - 36"
Number	12	16	4	4	12	12	12	12	12	Backfill	26.80 cu yds
Size	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	Reinforcing Steel	11'44 cu yds Apron - 36"
Length	9'0"	3'8"	5'10"	2'8"	9'0"	14'7"	6'9"	9'3"	8"	Sheet Piling	11'44 cu yds Apron - 36"
										Flap Gate	One 36" x 36"




FOR 2'x3' CONCRETE BOX AT STA 164+50 RT											
Letter	A	B	C	D	E	F	G	H	K	Excavation	Flow line elevation
Dimension	4'0"	7'8"	2'2"	2'8"	6'6"	14'7"	6'9"	9'3"	8"	Excavation	38.09 cu yds.
Bar	a	b	c	d	e	f	g	h	k	Concrete	10'68 cu yds Apron - 36"
Number	12	16	4	4	12	12	12	12	12	Backfill	23.82 cu yds
Size	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	Reinforcing Steel	10'68 cu yds Apron - 36"
Length	7'6"	3'8"	5'10"	2'8"	7'6"	14'7"	6'9"	9'3"	8"	Sheet Piling	10'68 cu yds Apron - 36"
										Flap Gate	One 36" x 36"

FOR 2'x3' CONCRETE BOX AT STA 164+50 LT											
Letter	A	B	C	D	E	F	G	H	K	Excavation	Flow line elevation
Dimension	4'0"	7'8"	2'2"	2'8"	7'0"	10'7"	6'9"	8'3"	8"	Excavation	39.94 cu yds.
Bar	a	b	c	d	e	f	g	h	k	Concrete	10'40 cu yds Apron - 28"
Number	10	16	4	4	12	12	12	12	12	Backfill	17.43 cu yds
Size	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	Reinforcing Steel	10'40 cu yds Apron - 28"
Length	8'6"	2'8"	5'10"	2'8"	8'6"	10'7"	6'9"	8'3"	8"	Sheet Piling	10'40 cu yds Apron - 28"
										Flap Gate	One 36" x 36"

FOR 4'x4' CONCRETE BOX AT STA 176+50 RT											
Letter	A	B	C	D	E	F	G	H	K	Excavation	Flow line elevation
Dimension	5'9"	8'8"	5'2"	5'8"	8'6"	19'7"	7'9"	11'3"	1'8"	Excavation	42.02 cu yds.
Bar	a	b	c	d	e	f	g	h	k	Concrete	16'01 cu yds Apron - 58"
Number	12	16	4	4	12	12	12	12	12	Backfill	19.34 cu yds
Size	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	Reinforcing Steel	16'01 cu yds Apron - 58"
Length	10'0"	4'8"	6'10"	3'8"	10'0"	19'7"	7'9"	11'3"	1'8"	Sheet Piling	16'01 cu yds Apron - 58"
										Flap Gate	One 48" x 48"



Note:  
 The corrugated sheet piling sections shall be of 12 gauge steel and 6 feet long for flap gate detail see sheet no 15.  
 Coarse aggregate shall be deposited behind each weep hole to occupy a space extending 15 inches in all directions from the weep hole.  
 The front face of the headwalls shall be placed perpendicular to and symmetrically about the centerline of the boxes. The front face of the headwalls shall be placed 6 inches in front of the ends of the boxes.  
 All reinforcing measurements are to the centerline of the bars.  
 The length of concrete box to be removed at each station is as follows:  
 Sta 123+80 RT - 9 feet  
 137+30 RT - 9 feet  
 150+80 LT - None  
 157+40 RT - 9 feet  
 164+50 RT - 12 feet  
 164+50 LT - 12 feet  
 Measurements are along axis of the box from the front face of the flap headwall at Sta 176+50 RT the concrete box shall be extended into the headwall until the end is perpendicular. Concrete quantity shall be included with the headwalls concrete quantity.  
 Two feet of rip rap shall be placed on each side of all aprons.  
 The distance that rip rap shall extend in front of each apron is as follows:  
 Sta 123+80 RT - 5.0 feet  
 Sta 137+30 RT - 15.0 feet  
 Sta 150+80 LT - 5.0 feet  
 Sta 157+40 RT - 5.0 feet  
 Sta 164+50 RT - 20.0 feet  
 Sta 164+50 LT - 15.0 feet  
 Sta 176+50 RT - 15.0 feet  
 3 secs of 4 inch tile - 1 foot long shall be required for each headwall.

**ARKANSAS RIVER BASIN  
 WICHITA AND VALLEY CENTER  
 FLOOD CONTROL PROJECT  
 EAST BRANCH INTERCEPTION CANAL &  
 WICHITA DRAINAGE CANAL  
 HEADWALLS FOR BOX CULVERTS**

SCALE: 1 INCH = 2 FEET  
 CITY COUNTY ENGINEER OFFICE, WICHITA, KANSAS

APPROVED: \_\_\_\_\_ APPROVED: \_\_\_\_\_  
 CITY ENGINEER ENGINEER IN CHARGE

DRAWN: JRS  
 TRACED  
 CHECKED

SHEET 6 OF 12

STATION	ELEVATION		
	A	B	C
53+50	1305.00	1299.25	1300.10
279+70 LT	1280.20	1274.00	1273.00
157+70	1294.60	1289.00	1289.50

LISTS OF BARS, DIMENSIONS, AND QUANTITIES FOR HEADWALLS FOR


36" TILE PIPE AT STA 279+70 LT												
Letter	A	B	C	D	D <sub>1</sub>	E	F	G	H	J	K	L
Excavation	30.78 cu yds											
Concrete	18.17 cu yds - Apron 3.23 cu yds											
Rein Steel	172.35 "											
Sheet Piling	63 Sections*											
Wire Mesh	23.1 "											
Flap Gate	None											
Backfill	18.65 cu yds											
Rip Rap	11.26 sq yds											

48" C.M. PIPE AT STA 53+50 LT												
Letter	A	B	C	D	D <sub>1</sub>	E	F	G	H	J	K	L
Excavation	28.76 cu yds											
Concrete	14.17 cu yds - Apron 1.41 cu yds											
Rein Steel	186.81 "											
Sheet Piling	53 Sections*											
Wire Mesh	14.91 "											
Flap Gate	48"											
Backfill	17.46 cu yds											
Rip Rap	6.22 sq yds											

60" CONCRETE PIPE AT STA 157+70 LT												
Letter	A	B	C	D	D <sub>1</sub>	E	F	G	H	J	K	L
Excavation	84.45 cu yds											
Concrete	208.63 "											
Rein Steel	209.63 "											
Sheet Piling	38 Sections											
Rip Rap	52.03 sq yds											
Flap Gate	60"											
Backfill	81.90 cu yds											





NOTE: Outfall apron at sta 157+70 to be rip rapped bottom and sides for a length of 24 ft from headwall. The bottom shall be 2" w/c. Slope of sides shall be one to one to top of natural bank.

AT STA 157+70 LT

QUANTITIES FOR RELAYING PIPE	
Excavation	180.87 cu yds
Rein Conc Pipe	192.0' of 60" dia
Backfill	236.0 cu yds

NOTE: Automatic flapgates to be similar to or equal to Calico Model 100 manufactured by Harsanyi Manufacturing Co. - Denver, Colo. to operate at a maximum head of 10 ft. The corrugated sheet piling sections shall be of 12 gauge steel and 6 ft long. Remove one 40 in section of 36 in tile pipe before placing headwall. Cut 2 ft off of 48 in C.M.P. before placing headwall. Headwalls to be placed at rt angles to & of pipe. For flap gate detail see sheet no 11. 2 w/c of 4 inch rip rap are required for each headwall.

General Notes  
 Coarse aggregate shall be deposited behind each weep hole to occupy a space extending 15 in in all direction from the weep hole. All exposed edges shall be covered with 4 in triangular masonry reinforcing dimensions are to centres of bars. Two feet of rip rap shall be placed on each side of all aprons. The distance that rip rap shall extend in front of each apron is as follows:  
 Sta 279+70 LT - 5 feet  
 Sta 53+50 LT - 3 feet



ARKANSAS RIVER BASIN  
 WICHITA AND VALLEY CENTER  
 FLOOD CONTROL PROJECT  
 EAST BRANCH INTERCEPTION CANAL &  
 WICHITA DRAINAGE CANAL  
 HEADWALLS FOR PIPE CULVERTS

SCALE: 1 INCH = 2 FT  
 CITY-COUNTY ENGINEER OFFICE, WICHITA, KANSAS

DRAWN: CWG  
 TRACED  
 CHECKED

APPROVED: \_\_\_\_\_  
 CITY-ENGINEER  
 APPROVED: \_\_\_\_\_  
 ENGINEER-IN-CHARGE


SHEET 7 OF 12












FRONT ELEVATION  
RING ONLY



SECTION ON C-C

FLAP GATE SCHEDULE		CALCO MODEL 107								
STATION	GATE SIZE	WIDTH	HEIGHT	A	B	C	D	E	F	G
86 + 30L1	6'0"	6'0"	7'0"	7'0"	4'2"	1'1/4"	2'2"	1"	2'1/2"	1' 3/4"
93 + 30L1	4'0"	4'0"	5'7"	5'7"	3'4"	1"	2'10"	3/4"	1' 3/4"	1' 3/4"
109 + 30	6'0"	6'0"	7'0"	7'0"	4'2"	1'1/4"	2'2"	1"	2'1/2"	1' 3/4"
123 + 30	3'6"	3'6"	4'4"	4'4"	2'5"	1"	2'10"	3/8"	1' 3/8"	1' 3/8"
137 + 30L1	6'0"	6'0"	7'0"	7'0"	4'2"	1'1/4"	2'1/2"	1"	2'1/2"	1' 3/4"
137 + 30L2	6'0"	6'0"	7'0"	7'0"	4'2"	1'1/4"	2'1/2"	1"	2'1/2"	1' 3/4"
147 + 30R2	4'0"	4'0"	5'7"	5'7"	3'2"	1"	2'10"	3/4"	1' 3/4"	1' 3/4"
150 + 30L1	4'0"	4'0"	5'7"	5'7"	3'4"	1"	2'10"	3/4"	1' 3/4"	1' 3/4"
157 + 40H1	3'6"	3'6"	4'4"	4'4"	2'5"	1"	2'10"	3/8"	1' 3/8"	1' 3/8"
163 + 50L1	3'6"	3'6"	4'4"	4'4"	2'5"	1"	2'10"	3/8"	1' 3/8"	1' 3/8"
164 + 50R1	3'6"	3'6"	4'4"	4'4"	2'5"	1"	2'10"	3/8"	1' 3/8"	1' 3/8"
175 + 50L1	4'0"	4'0"	5'7"	5'7"	3'4"	1"	2'10"	3/4"	1' 3/4"	1' 3/4"
176 + 50R1	4'0"	4'0"	5'7"	5'7"	3'4"	1"	2'10"	3/4"	1' 3/4"	1' 3/4"

ARKANSAS RIVER BASIN  
WICHITA AND VALLEY CENTER  
FLOOD CONTROL PROJECT  
EAST BRANCH INTERCEPTION CANAL &  
WICHITA DRAINAGE CANAL  
FLAP GATE DETAIL  
MODEL 107

SCALE: 1 INCH = 8 INCHES  
CITY COUNTY ENGINEER OFFICE WICHITA KANSAS  
APPROVED: \_\_\_\_\_  
ENGINEER IN CHARGE

DRAWN: C11 G  
TRACED  
CHECKED

SHEET NO. 12 OF 12