


B.M. 141.25 "X" on W end N. Capping Harry St. Bdg.
 B.M. 141.64 "On 1st. of W. W. 2 store, W.S. of W. N., NW Oliver & Harry
 B.M. 148.38 N.E. Cor. porch Ho. W of Ho. # 2257 E. Harry

4-12' x 9' R.C.B. HARRY ST. & DRYCREEK

PROJ. NO. C13-7




PLAN LAYOUT

SCALE: 1"=20'-0"




MARCH 1957

Class A-AE Concrete to be used throughout.
Reveal all exposed edges with a 1/2" molding
unless otherwise noted.
All reinforcing steel shall conform to ASTM Spec. A305-49.
Wire reinforcing mesh shall be of the electrically
welded square mesh type and shall be
composed of No. 10 (M10) grade steel wire
spaced at 6 inch centers each way.




PLAN
SCALE: 1/8" = 1'-0"




EAST ELEVATION
SCALE: 1/8" = 1'-0"

NOTE: Coarse aggregate deposited behind
each weephole to occupy a space extending
1'-3" in all directions from the weephole.
This work shall not be paid for directly
but shall be considered a part of excav. work.




NORTH ELEVATION



SOUTH ELEVATION
NOT TO SCALE

NOTE:
General excavation is to be extended 2'-0"
each side of box and 2'-0" each side of wing
walls. Fill is to be compacted to top of culvert.
Fill above top of culvert to be compacted by pull contractor.
Fill is to be sand stabilized. Fill to be
mechanically tamped at sides of box.











HALF WEST SIDE ELEVATION
NOT TO SCALE

NOTE:
One section of B.C.P. is to be installed
at S.W. entrance into box when box
is constructed.


SECTION
BEING ADJUSTED

2





NOT TO SCALE



NOT TO SCALE