


ARKANSAS RIVER BASIN
 WICHITA AND VALLEY CENTER
 FLOOD CONTROL PROJECT
**RELOCATION OF
 MISSOURI PACIFIC RAILROAD
 HARDTNER LINE**
 PLAN OF RIGHTS OF WAY AND EASEMENTS
 SCALE: 1 INCH = 200 FEET
 CITY-COUNTY ENGINEER OFFICE, WICHITA, KANSAS
 APPROVED: _____
 ENGINEER-IN-CHARGE
 SHEET 3 OF 3

Elevation Retention RR Only
 1. 35'-45'-30"
 2. 37'-45'-30"
 3. 39'-45'-30"
 4. 41'-45'-30"
 5. 43'-45'-30"
 6. 45'-45'-30"
 7. 47'-45'-30"
 8. 49'-45'-30"
 9. 51'-45'-30"
 10. 53'-45'-30"
 11. 55'-45'-30"
 12. 57'-45'-30"
 13. 59'-45'-30"
 14. 61'-45'-30"
 15. 63'-45'-30"
 16. 65'-45'-30"
 17. 67'-45'-30"
 18. 69'-45'-30"
 19. 71'-45'-30"
 20. 73'-45'-30"
 21. 75'-45'-30"
 22. 77'-45'-30"
 23. 79'-45'-30"
 24. 81'-45'-30"
 25. 83'-45'-30"
 26. 85'-45'-30"
 27. 87'-45'-30"
 28. 89'-45'-30"
 29. 91'-45'-30"
 30. 93'-45'-30"
 31. 95'-45'-30"
 32. 97'-45'-30"
 33. 99'-45'-30"
 34. 101'-45'-30"
 35. 103'-45'-30"
 36. 105'-45'-30"
 37. 107'-45'-30"
 38. 109'-45'-30"
 39. 111'-45'-30"
 40. 113'-45'-30"
 41. 115'-45'-30"
 42. 117'-45'-30"
 43. 119'-45'-30"
 44. 121'-45'-30"
 45. 123'-45'-30"
 46. 125'-45'-30"
 47. 127'-45'-30"
 48. 129'-45'-30"
 49. 131'-45'-30"
 50. 133'-45'-30"
 51. 135'-45'-30"
 52. 137'-45'-30"
 53. 139'-45'-30"
 54. 141'-45'-30"
 55. 143'-45'-30"
 56. 145'-45'-30"
 57. 147'-45'-30"
 58. 149'-45'-30"
 59. 151'-45'-30"
 60. 153'-45'-30"
 61. 155'-45'-30"
 62. 157'-45'-30"
 63. 159'-45'-30"
 64. 161'-45'-30"
 65. 163'-45'-30"
 66. 165'-45'-30"
 67. 167'-45'-30"
 68. 169'-45'-30"
 69. 171'-45'-30"
 70. 173'-45'-30"
 71. 175'-45'-30"
 72. 177'-45'-30"
 73. 179'-45'-30"
 74. 181'-45'-30"
 75. 183'-45'-30"
 76. 185'-45'-30"
 77. 187'-45'-30"
 78. 189'-45'-30"
 79. 191'-45'-30"
 80. 193'-45'-30"
 81. 195'-45'-30"
 82. 197'-45'-30"
 83. 199'-45'-30"
 84. 201'-45'-30"
 85. 203'-45'-30"
 86. 205'-45'-30"
 87. 207'-45'-30"
 88. 209'-45'-30"
 89. 211'-45'-30"
 90. 213'-45'-30"
 91. 215'-45'-30"
 92. 217'-45'-30"
 93. 219'-45'-30"
 94. 221'-45'-30"
 95. 223'-45'-30"
 96. 225'-45'-30"
 97. 227'-45'-30"
 98. 229'-45'-30"
 99. 231'-45'-30"
 100. 233'-45'-30"
 101. 235'-45'-30"
 102. 237'-45'-30"
 103. 239'-45'-30"
 104. 241'-45'-30"
 105. 243'-45'-30"
 106. 245'-45'-30"
 107. 247'-45'-30"
 108. 249'-45'-30"
 109. 251'-45'-30"
 110. 253'-45'-30"
 111. 255'-45'-30"
 112. 257'-45'-30"
 113. 259'-45'-30"
 114. 261'-45'-30"
 115. 263'-45'-30"
 116. 265'-45'-30"
 117. 267'-45'-30"
 118. 269'-45'-30"
 119. 271'-45'-30"
 120. 273'-45'-30"
 121. 275'-45'-30"
 122. 277'-45'-30"
 123. 279'-45'-30"
 124. 281'-45'-30"
 125. 283'-45'-30"
 126. 285'-45'-30"
 127. 287'-45'-30"
 128. 289'-45'-30"
 129. 291'-45'-30"
 130. 293'-45'-30"
 131. 295'-45'-30"
 132. 297'-45'-30"
 133. 299'-45'-30"
 134. 301'-45'-30"
 135. 303'-45'-30"
 136. 305'-45'-30"
 137. 307'-45'-30"
 138. 309'-45'-30"
 139. 311'-45'-30"
 140. 313'-45'-30"
 141. 315'-45'-30"
 142. 317'-45'-30"
 143. 319'-45'-30"
 144. 321'-45'-30"
 145. 323'-45'-30"
 146. 325'-45'-30"
 147. 327'-45'-30"
 148. 329'-45'-30"
 149. 331'-45'-30"
 150. 333'-45'-30"
 151. 335'-45'-30"
 152. 337'-45'-30"
 153. 339'-45'-30"
 154. 341'-45'-30"
 155. 343'-45'-30"
 156. 345'-45'-30"
 157. 347'-45'-30"
 158. 349'-45'-30"
 159. 351'-45'-30"
 160. 353'-45'-30"
 161. 355'-45'-30"
 162. 357'-45'-30"
 163. 359'-45'-30"
 164. 361'-45'-30"
 165. 363'-45'-30"
 166. 365'-45'-30"
 167. 367'-45'-30"
 168. 369'-45'-30"
 169. 371'-45'-30"
 170. 373'-45'-30"
 171. 375'-45'-30"
 172. 377'-45'-30"
 173. 379'-45'-30"
 174. 381'-45'-30"
 175. 383'-45'-30"
 176. 385'-45'-30"
 177. 387'-45'-30"
 178. 389'-45'-30"
 179. 391'-45'-30"
 180. 393'-45'-30"
 181. 395'-45'-30"
 182. 397'-45'-30"
 183. 399'-45'-30"
 184. 401'-45'-30"
 185. 403'-45'-30"
 186. 405'-45'-30"
 187. 407'-45'-30"
 188. 409'-45'-30"
 189. 411'-45'-30"
 190. 413'-45'-30"
 191. 415'-45'-30"
 192. 417'-45'-30"
 193. 419'-45'-30"
 194. 421'-45'-30"
 195. 423'-45'-30"
 196. 425'-45'-30"
 197. 427'-45'-30"
 198. 429'-45'-30"
 199. 431'-45'-30"
 200. 433'-45'-30"
 201. 435'-45'-30"
 202. 437'-45'-30"
 203. 439'-45'-30"
 204. 441'-45'-30"
 205. 443'-45'-30"
 206. 445'-45'-30"
 207. 447'-45'-30"
 208. 449'-45'-30"
 209. 451'-45'-30"
 210. 453'-45'-30"
 211. 455'-45'-30"
 212. 457'-45'-30"
 213. 459'-45'-30"
 214. 461'-45'-30"
 215. 463'-45'-30"
 216. 465'-45'-30"
 217. 467'-45'-30"
 218. 469'-45'-30"
 219. 471'-45'-30"
 220. 473'-45'-30"
 221. 475'-45'-30"
 222. 477'-45'-30"
 223. 479'-45'-30"
 224. 481'-45'-30"
 225. 483'-45'-30"
 226. 485'-45'-30"
 227. 487'-45'-30"
 228. 489'-45'-30"
 229. 491'-45'-30"
 230. 493'-45'-30"
 231. 495'-45'-30"
 232. 497'-45'-30"
 233. 499'-45'-30"
 234. 501'-45'-30"
 235. 503'-45'-30"
 236. 505'-45'-30"
 237. 507'-45'-30"
 238. 509'-45'-30"
 239. 511'-45'-30"
 240. 513'-45'-30"
 241. 515'-45'-30"
 242. 517'-45'-30"
 243. 519'-45'-30"
 244. 521'-45'-30"
 245. 523'-45'-30"
 246. 525'-45'-30"
 247. 527'-45'-30"
 248. 529'-45'-30"
 249. 531'-45'-30"
 250. 533'-45'-30"
 251. 535'-45'-30"
 252. 537'-45'-30"
 253. 539'-45'-30"
 254. 541'-45'-30"
 255. 543'-45'-30"
 256. 545'-45'-30"
 257. 547'-45'-30"
 258. 549'-45'-30"
 259. 551'-45'-30"
 260. 553'-45'-30"
 261. 555'-45'-30"
 262. 557'-45'-30"
 263. 559'-45'-30"
 264. 561'-45'-30"
 265. 563'-45'-30"
 266. 565'-45'-30"
 267. 567'-45'-30"
 268. 569'-45'-30"
 269. 571'-45'-30"
 270. 573'-45'-30"
 271. 575'-45'-30"
 272. 577'-45'-30"
 273. 579'-45'-30"
 274. 581'-45'-30"
 275. 583'-45'-30"
 276. 585'-45'-30"
 277. 587'-45'-30"
 278. 589'-45'-30"
 279. 591'-45'-30"
 280. 593'-45'-30"
 281. 595'-45'-30"
 282. 597'-45'-30"
 283. 599'-45'-30"
 284. 601'-45'-30"
 285. 603'-45'-30"
 286. 605'-45'-30"
 287. 607'-45'-30"
 288. 609'-45'-30"
 289. 611'-45'-30"
 290. 613'-45'-30"
 291. 615'-45'-30"
 292. 617'-45'-30"
 293. 619'-45'-30"
 294. 621'-45'-30"
 295. 623'-45'-30"
 296. 625'-45'-30"
 297. 627'-45'-30"
 298. 629'-45'-30"
 299. 631'-45'-30"
 300. 633'-45'-30"
 301. 635'-45'-30"
 302. 637'-45'-30"
 303. 639'-45'-30"
 304. 641'-45'-30"
 305. 643'-45'-30"
 306. 645'-45'-30"
 307. 647'-45'-30"
 308. 649'-45'-30"
 309. 651'-45'-30"
 310. 653'-45'-30"
 311. 655'-45'-30"
 312. 657'-45'-30"
 313. 659'-45'-30"
 314. 661'-45'-30"
 315. 663'-45'-30"
 316. 665'-45'-30"
 317. 667'-45'-30"
 318. 669'-45'-30"
 319. 671'-45'-30"
 320. 673'-45'-30"
 321. 675'-45'-30"
 322. 677'-45'-30"
 323. 679'-45'-30"
 324. 681'-45'-30"
 325. 683'-45'-30"
 326. 685'-45'-30"
 327. 687'-45'-30"
 328. 689'-45'-30"
 329. 691'-45'-30"
 330. 693'-45'-30"
 331. 695'-45'-30"
 332. 697'-45'-30"
 333. 699'-45'-30"
 334. 701'-45'-30"
 335. 703'-45'-30"
 336. 705'-45'-30"
 337. 707'-45'-30"
 338. 709'-45'-30"
 339. 711'-45'-30"
 340. 713'-45'-30"
 341. 715'-45'-30"
 342. 717'-45'-30"
 343. 719'-45'-30"
 344. 721'-45'-30"
 345. 723'-45'-30"
 346. 725'-45'-30"
 347. 727'-45'-30"
 348. 729'-45'-30"
 349. 731'-45'-30"
 350. 733'-45'-30"
 351. 735'-45'-30"
 352. 737'-45'-30"
 353. 739'-45'-30"
 354. 741'-45'-30"
 355. 743'-45'-30"
 356. 745'-45'-30"
 357. 747'-45'-30"
 358. 749'-45'-30"
 359. 751'-45'-30"
 360. 753'-45'-30"
 361. 755'-45'-30"
 362. 757'-45'-30"
 363. 759'-45'-30"
 364. 761'-45'-30"
 365. 763'-45'-30"
 366. 765'-45'-30"
 367. 767'-45'-30"
 368. 769'-45'-30"
 369. 771'-45'-30"
 370. 773'-45'-30"
 371. 775'-45'-30"
 372. 777'-45'-30"
 373. 779'-45'-30"
 374. 781'-45'-30"
 375. 783'-45'-30"
 376. 785'-45'-30"
 377. 787'-45'-30"
 378. 789'-45'-30"
 379. 791'-45'-30"
 380. 793'-45'-30"
 381. 795'-45'-30"
 382. 797'-45'-30"
 383. 799'-45'-30"
 384. 801'-45'-30"
 385. 803'-45'-30"
 386. 805'-45'-30"
 387. 807'-45'-30"
 388. 809'-45'-30"
 389. 811'-45'-30"
 390. 813'-45'-30"
 391. 815'-45'-30"
 392. 817'-45'-30"
 393. 819'-45'-30"
 394. 821'-45'-30"
 395. 823'-45'-30"
 396. 825'-45'-30"
 397. 827'-45'-30"
 398. 829'-45'-30"
 399. 831'-45'-30"
 400. 833'-45'-30"
 401. 835'-45'-30"
 402. 837'-45'-30"
 403. 839'-45'-30"
 404. 841'-45'-30"
 405. 843'-45'-30"
 406. 845'-45'-30"
 407. 847'-45'-30"
 408. 849'-45'-30"
 409. 851'-45'-30"
 410. 853'-45'-30"
 411. 855'-45'-30"
 412. 857'-45'-30"
 413. 859'-45'-30"
 414. 861'-45'-30"
 415. 863'-45'-30"
 416. 865'-45'-30"
 417. 867'-45'-30"
 418. 869'-45'-30"
 419. 871'-45'-30"
 420. 873'-45'-30"
 421. 875'-45'-30"
 422. 877'-45'-30"
 423. 879'-45'-30"
 424. 881'-45'-30"
 425. 883'-45'-30"
 426. 885'-45'-30"
 427. 887'-45'-30"
 428. 889'-45'-30"
 429. 891'-45'-30"
 430. 893'-45'-30"
 431. 895'-45'-30"
 432. 897'-45'-30"
 433. 899'-45'-30"
 434. 901'-45'-30"
 435. 903'-45'-30"
 436. 905'-45'-30"
 437. 907'-45'-30"
 438. 909'-45'-30"
 439. 911'-45'-30"
 440. 913'-45'-30"
 441. 915'-45'-30"
 442. 917'-45'-30"
 443. 919'-45'-30"
 444. 921'-45'-30"
 445. 923'-45'-30"
 446. 925'-45'-30"
 447. 927'-45'-30"
 448. 929'-45'-30"
 449. 931'-45'-30"
 450. 933'-45'-30"
 451. 935'-45'-30"
 452. 937'-45'-30"
 453. 939'-45'-30"
 454. 941'-45'-30"
 455. 943'-45'-30"
 456. 945'-45'-30"
 457. 947'-45'-30"
 458. 949'-45'-30"
 459. 951'-45'-30"
 460. 953'-45'-30"
 461. 955'-45'-30"
 462. 957'-45'-30"
 463. 959'-45'-30"
 464. 961'-45'-30"
 465. 963'-45'-30"
 466. 965'-45'-30"
 467. 967'-45'-30"
 468. 969'-45'-30"
 469. 971'-45'-30"
 470. 973'-45'-30"
 471. 975'-45'-30"
 472. 977'-45'-30"
 473. 979'-45'-30"
 474. 981'-45'-30"
 475. 983'-45'-30"
 476. 985'-45'-30"
 477. 987'-45'-30"
 478. 989'-45'-30"
 479. 991'-45'-30"
 480. 993'-45'-30"
 481. 995'-45'-30"
 482. 997'-45'-30"
 483. 999'-45'-30"
 484. 1001'-45'-30"
 485. 1003'-45'-30"
 486. 1005'-45'-30"
 487. 1007'-45'-30"
 488. 1009'-45'-30"
 489. 1011'-45'-30"
 490. 1013'-45'-30"
 491. 1015'-45'-30"
 492. 1017'-45'-30"
 493. 1019'-45'-30"
 494. 1021'-45'-30"
 495. 1023'-45'-30"
 496. 1025'-45'-30"
 497. 1027'-45'-30"
 498. 1029'-45'-30"
 499. 1031'-45'-30"
 500. 1033'-45'-30"
 501. 1035'-45'-30"
 502. 1037'-45'-30"
 503. 1039'-45'-30"
 504. 1041'-45'-30"
 505. 1043'-45'-30"
 506. 1045'-45'-30"
 507. 1047'-45'-30"
 508. 1049'-45'-30"
 509. 1051'-45'-30"
 510. 1053'-45'-30"
 511. 1055'-45'-30"
 512. 1057'-45'-30"
 513. 1059'-45'-30"
 514. 1061'-45'-30"
 515. 1063'-45'-30"
 516. 1065'-45'-30"
 517. 1067'-45'-30"
 518. 1069'-45'-30"
 519. 1071'-45'-30"
 520. 1073'-45'-30"
 521. 1075'-45'-30"
 522. 1077'-45'-30"
 523. 1079'-45'-30"
 524. 1081'-45'-30"
 525. 1083'-45'-30"
 526. 1085'-45'-30"
 527. 1087'-45'-30"
 528. 1089'-45'-30"
 529. 1091'-45'-30"
 530. 1093'-45'-30"
 531. 1095'-45'-30"
 532. 1097'-45'-30"
 533. 1099'-45'-30"
 534. 1101'-45'-30"
 535. 1103'-45'-30"
 536. 1105'-45'-30"
 537. 1107'-45'-30"
 538. 1109'-45'-30"
 539. 1111'-45'-30"
 540. 1113'-45'-30"
 541. 1115'-45'-30"
 542. 1117'-45'-30"
 543. 1119'-45'-30"
 544. 1121'-45'-30"
 545. 1123'-45'-30"
 546. 1125'-45'-30"
 547. 1127'-45'-30"
 548. 1129'-45'-30"
 549. 1131'-45'-30"
 550. 1133'-45'-30"
 551. 1135'-45'-30"
 552. 1137'-45'-30"
 553. 1139'-45'-30"
 554. 1141'-45'-30"
 555. 1143'-45'-30"
 556. 1145'-45'-30"
 557. 1147'-45'-30"
 558. 1149'-45'-30"
 559. 1151'-45'-30"
 560. 1153'-45'-30"
 561. 1155'-45'-30"
 562. 1157'-45'-30"
 563. 1159'-45'-30"
 564. 1161'-45'-30"
 565. 1163'-45'-30"
 566. 1165'-45'-30"
 567. 1167'-45'-30"
 568. 1169'-45'-30"
 569. 1171'-45'-30"
 570. 1173'-45'-30"
 571. 1175'-45'-30"
 572. 1177'-45'-30"
 573. 1179'-45'-30"
 574. 1181'-45'-30"
 575. 1183'-45'-30"
 576. 1185'-45'-30"
 577. 1187'-45'-30"
 578. 1189'-45'-30"
 579. 1191'-45'-30"
 580. 1193'-45'-30"
 581. 1195'-45'-30"
 582. 1197'-45'-30"
 583. 1199'-45'-30"
 584. 1201'-45'-30"
 585. 1203'-45'-30"
 586. 1205'-45'-30"
 587. 1207'-45'-30"
 588. 1209'-45'-30"
 589. 1211'-45'-30"
 590. 1213'-45'-30"
 591. 1215'-45'-30"
 592. 1217'-45'-30"
 593. 1219'-45'-30"
 594. 1221'-45'-30"
 595. 1223'-45'-30"
 596. 1225'-45'-30"
 597. 1227'-45'-30"
 598. 1229'-45'-30"
 599. 1231'-45'-30"
 600. 1233'-45'-30"
 601. 1235'-45'-30"
 602. 12




T-28-S

ARKANSAS RIVER BASIN
 WICHITA AND VALLEY CENTER
 FLOOD CONTROL PROJECT
**RELOCATION OF
 MISSOURI PACIFIC RAILROAD
 HARDTNER LINE**
 PLAN OF RIGHTS OF WAY AND EASEMENTS

SCALE: 1 INCH = 200 FEET
 CITY-COUNTY ENGINEER OFFICE, WICHITA, KANSAS

APPROVED: _____
 ENGINEER-IN-CHARGE


DRAWN: M.S.M. 07-22-54
 CHECKED: _____
 SHEET 2 OF 3



T-28-S

R-1-W

T-27-S




ARKANSAS RIVER BASIN
 WICHITA AND VALLEY CENTER
 FLOOD CONTROL PROJECT
**RELOCATION OF
 MISSOURI PACIFIC RAILROAD
 HARDTNER LINE**
 PLAN OF PERMANENT R/W

SCALE: 1 INCH = 200 FEET
 CITY-COUNTY ENGINEER OFFICE, WICHITA, KANSAS

APPROVED: _____
 ENGINEER-IN-CHARGE

DRAWN: M.L.M. 12-12-54
 CHECKED: _____
 SHEET 1 OF 3



S89°39'W 622.28'
 N89°39'E 622.28'
 O.K. School Dist.
 S89°39'E 622.28'
 N89°39'W 622.28'

ARKANSAS RIVER BASIN
**WICHITA AND VALLEY CENTER
 FLOOD CONTROL PROJECT**
 SEC. II, T-27-S, R-1-W

SCALE: 1 INCH = 200 FEET
 CITY-COUNTY ENGINEER OFFICE, WICHITA, KANSAS

DRAWN G.S.G.

APPROVED: _____
 ENGINEER-IN CHARGE