

SITE PLAN

PRIVATE STORM SEWER

TO SERVE

TANGLEWOOD APTS.

WICHITA, KANSAS

MOSHER & ASSOC. CONSULTING ENGINEERS

314 BROWN BLDG. WICHITA, KANSAS

REQUIRED FOR





REINFORCED CONCRETE DROP INLET
(ALTERNATE)

NOTES:
1. MANHOLE TO BE 4' DIA. BRICK, CITY OF WICHITA STANDARD DESIGN.
2. DROP INLET CATCH BASINS TO BE CITY OF WICHITA STANDARD DESIGN BRICK, OR (ALTERNATE) CATCH BASINS MAY BE 2'x2' REINFORCED CONCRETE W/6" WALL THICKNESS. INLET FRAME & GRATE TO BE CITY OF WICHITA STD.

2/21/74
James Tandy

SCALE
1" = 20' HORZ.
1" = 5' VERT.

PLAN AND PROFILE
ARKANSAS STORM SEWER
AT 39TH
WOODLAWN ADD.
WICHITA, KANSAS

MORELAND & ASSOC.
300 ARKANSAS BLDG.

CIVIL ENGINEERS
SURVEYORS
WICHITA, KANSAS
AMHERST 7-1572

PLAN
SURVEYED
PLOTTED
DESIGNED
DRAWN
TRACED
CHECKED
NOTE BOOK
NO.
BY: CITY OF WICHITA
DATE
BY

PROFILE
SURVEYED
PLOTTED
DESIGNED
DRAWN
TRACED
CHECKED
NOTE BOOK
NO.
BY: CITY OF WICHITA
DATE
BY

PL.I.E 2 - PLAN - PROFILE - P.A.S.
CLEARPRINT PAPER CO., S. F. CAL.
NO. MICH-2