


SCALE  
 PLAN 1" = 20'  
 PROFILE 1" = 2'  
 VERT. 1" = 2'  
 HORZ. 1" = 20'



NOTE  
 ALL STORM SEWER LINES UNDER ASPHALT SHALL BE BACKFILLED WITH AB-3 ROCK, COMPACTED TO A MIN. 95% STANDARD DENSITY.

NOTE  
 DISCHARGE PIPE MUST BE INSTALLED BEFORE CONCRETE DRAINAGE SWALE IS BUILT.



Item	Elevation
EXIST. GRADE	78
PROP. GRADE	76
EXIST. GRADE	82
By CITY ENGINEER OF WICHITA	80
Sanitary Sewers	80
Storm Sewers	80
Driver Approaches	80
Water Mains	80
Paving	78
	76
	74

NOTE TO CONTRACTOR  
 This project will be constructed under the supervision of the City Engineer and approved by the City Engineer. The City of Wichita is not responsible for any errors, omissions, or delays in the construction of this project.

Booked  
 10/90  
 MS

CITY OF WICHITA PRIVATE PROJECT # 468-76-245-90001-000-000-160

REISS & GOODNESS ENGINEERS  
 2100 WEST 21<sup>ST</sup> STREET  
 WICHITA, KANSAS 67204  
 (316) 832-0213

REVISION	DRAWN BY	CHECKED BY	DESIGNED BY	PROJECT	CUSTOMER	SCALE	NOTED	PROJECT NO.
		AB	AB	STORM SEWER LINES 1, 1A, 1B, 1C & DETAILS	LAMPLIGHTER MOBILE HOME PARK	1" = 20'		MS 1288

DATE
 SHEET 9 OF |