



REINFC. CONC. OUTFALL STRUCTURE STA. 0+30




PLAN VIEW
Scale: 3/8" = 1'

BILL OF MATERIAL

- 6 Cu. Yds. G-Sack paving mix
- 300 Lbs. Reinf. Steel
- 4-20", 10' butt, treated timber piles




END ELEVATION



SIDE ELEVATION

NOTE TO CONTRACTOR


- Mechanically compact backfill between Outfall Structure and Sta. 0+45 & around inlets. Compacting backfill is incidental to Outfall & Inlet Construction.
- Flush earth backfill from Sta. 0+45 to Sta. 1+05
- Sand backfill (Vibrate & Flush) all lines from Sta. 1+05 to end of project.
- Cost of Vibrating & Flushing to be included in bid price of Pipe.
- Place broken conc. Rip-Rap from Outfall Structure to edge of water. Cost to be considered incidental to Outfall Structure.



B.M. 12401 W. corner of N.W. Wing to 13th Street (Minisa) Bridge

B.M. 118.93 "G" in Globe Top E. curb Jeannette St. on N.L. 13th Street.

Profile Scale: Horiz. 1" = 20', Vert. 1" = 4'



INCIDENTAL DRAINAGE
13th Street from W.L. Bitting to (Rt.) Bank Little Arkansas River
B.E. SMITH CITY ENGINEER CITY OF WICHITA, KANSAS
Date: June 1966 Project No. C15-53