B.M.: 12789 CITY STANDARD S.W. corner 21st and AMIDON.
B.M.: 1259.3 "D" on ctr medial ℄ 21st @ approx W.L. COOLIDGE N.

SURVEY BASELINE: 50' N. ℄ 21st STR.

N

0+00 — 391.1' West W.L. COOLIDGE

0+50 — 1+00 — 1+42.5 — 2+00 — 2+23 — 4+91.1

"Integral curb to be incidental to project" consist 6 sack reinf rock mix concrete gutter

Grade parking to match at 1% -0.197%

EXISTING ASPHALT MAT PARKING

8" Storm sewer trench conduct abandoned

8" Steel pole 225' Light

Tan: 15.00'
Δ 22° 37' 18"

2.83

4" SGM

C" conc. curb

8" P.P.

10' 11"

8" R.C.P.

P.P.

Remove exist. comb curb & gtr.

6" ASPH. PAVT.

P.P.

P.P.

IRON

COOLIDGE

STREET

21ST

IRON ℄ 21st & AMIDON.

"CAUTION" 48" WATER MAIN

Remove 2'x3' brick inlet and CONSTRUCT STD TYPE "A" MANHOLE
f/o existg 18" R.C.P. So. 128.90
15" R.C.P. West 128.03
12" R.C.P. North 128.32

4 bars to remain in place in 6" conc. const.

Rem. & Repl. AC. Surf. only (incidental to proj.)

EXIST. ASPH., BROKEN OR BUCKLED DURING CURB AND GUTTER REMOVAL, SHALL BE REMOVED AND REPLACED, AND SHALL BE CONSIDERED INCIDENTAL TO COST OF PAVEMENT. DOWELL BARS IN EXIST. CONC. BASE SHALL BE CUT OFF WHERE NEW BLACK BASE IS CONSTRUCTED, BUT SHALL REMAIN AND EXTEND INTO NEW CONC. PAVEMENT AT DRIVE.

SEE ST. PROJ. NO. 56 DCE 273 FOR ADDITIONAL DETAILS

2" Asphaltic conc wearing surface.
6" Bituminous base paved in two lifts.

remove existg comb curb & gtr

const comb curb & gutter

1'-0"

6"

12"

3"

18'

2'-6"

6" subgrade as per city specifications.

TYPICAL SECTION

SUB-GRADE

TYPE OF SUB-GRADE TREATMENT SHALL BE DETERMINED BY THE FIELD ENGINEER. SUB-GRADE TREATMENT MAY CONSIST OF LIME TREATMENT, CEMENT TREATMENT, SUB-GRADE MODIFICATION, OR ANY COMBINATION OF THESE.

"EXCAVATION"
87.7 cu yds
+10% 8.8 " "
96.5 cu yds

"Revised Apr 26, 1977"

R. W. LINN LICENSED ENGINEER 3854

1/2

NORTH SIDE 21ST STR.

From 391.1' West W.L. COOLIDGE To 208.1' West W.L. COOLIDGE.

CITY of WICHITA, KANSAS

DECELERATION LANE 8" Asphalt Pavt w Comb Curb & Gutter.

R.W. LINN CITY ENGINEER

Date Jan. 1977 Proj No DAKS576026

1/1