


The landing 200



- ELEVATIONS: CITY DATUM (AND 110.14 FOR USCGA 89)
- BENCHMARKS
1. N.P. C.T. 1.0. (STATION 15.00) ELEV. = 116.01
 2. VANDERBILT (PROP. COR.) ELEV. = 117.00
 3. R.P. SP. 1.0. (PROP. COR.) ELEV. = 121.07
 4. R.P. SP. 1.0. (PROP. COR.) ELEV. = 121.03
 5. "U" C.T. (PARKING CO.) (PROP. COR.) ELEV. = 118.25

- GENERAL NOTES
1. REFER TO ARCHITECTURAL BUILDING PLANS AND SPECIFICATIONS FOR EXISTING AND PROPOSED FOUNDATIONS FOR ALL SLABS AND BUILDING FOUNDATIONS.
 2. ALL UNSURFACED AREAS ARE TO RECEIVE FOUR INCHES OF TOPSOIL, SEED, BRUSH AND WATERED UNTIL A HEALTHY STAND OF GRASS IS OBTAINED. AFTER BEING ESTABLISHED, ALL GRASSED AREAS ARE TO BE MAINTAINED AS SPECIFIED AND BOUND UNTIL FINAL ACCEPTANCE OF THE SITE WORK.
 3. WAL-HART CONTRACTOR SHALL BE RESPONSIBLE FOR THE REMOVAL OF ALL EXCESS EXCAVATION FROM THE SITE.

00.00 = TOP OF
 0.00 = F.C. SURF.
 10.00 =

