



68.73  
 STA 22+52.80 LINE 1  
 CONSTRUCT STD. TYPE P MH, D=5'  
 TOP ELEV. = 1325.84

SEWER SERVICE TABLE

NUMBER	TYPE	LOCATION			FOR INFORMATION ONLY	
		LOT NO.	BLOCK NO.	LINE NO.	STATION \ DIRECTION	APPROXIMATE LENGTH 4" PIPE
9	8" X 4" Tee Saddle	25	1	1	17+58/R	56' 16" 18' 12"
10	8" X 4" Tee Saddle	24	1	1	18+48/R	44' 19" 18' 12"
11	8" X 4" Tee Saddle	23	1	1	19+35/R	19' 19' 10' 5"
12	8" X 4" Tee Saddle	22	1	1	20+25/R	26' 19" 10' 11.5"
13	8" X 4" Tee Saddle	21	1	1	22+08/R	13' 18' 10"

NOTE: Vertical Riser Pipe shall be extended to 2' minimum above ground water elevation and 4' maximum below proposed ground elevation.

NOTE: ALL BACKFILL FOR SHALL BE SAND FLUSHED AND VIBRATED.



"AS-BUILT"  
 12-4-17  
 AML  
 3-15-07  
 AML  
 12-1-11  
 AML

SCALE 1" = 40' HORIZ.  
 1" = 5' VERT.  
 IRON = ●

