B.M. 87.40 + N.W. Cor. Conc. Sign Base S.W. Mac Arthur & Hydraulic
B.M. 87.44 R.R. Spike N.S. P.P. S.W. Cor. Ellis & Mac Arthur.
B.M. 87.57 R.R. Spike N.W. Side P.P. N.W. Selma & Ellis.

Note: Contractor to notify George Hoffsess @ 524-0491 prior to crossing any Cities Service Gas Pipeline.

AR-39

Riggs Lauren

Sta. 1+35.0 Line 2
Const. Std. Manhole Type A
Install 4" Stubs

ELLIS AVE.

LOUIS ADD'N

Sta. 4+95 Line 1
Sta. 0+00 Line 3
Const. Std. Manhole Type A

Rd.

Mac Arthur

AVE.

SELMA

UNPLATTED

Sta. 5+60
Const. Std. Manhole Type A
Install 4" Stubs

PLAN SCALE 1"=40'
PROFILE SCALE 1"=40' HOR.
1"=4' VERT.

Sta. 2+37.0 Line 1
Sta. 0+00 Line 2
Const. Std. Manhole Type A.

Sta. 1+25 Line 3
Install Pipe Plug
Incidental to project

Sta. 0+00 Existing Manhole Type B with 20° B Stub South

Sta. 2+37.0 Line 1 Sta. 0+00 Line 2 Const. Std. Manhole Type A

Sta. 4+95.0 Line 1 Sta. 0+00 Line 3 Const. Std. Manhole Type A

Sta. 5+60 Line 1 Const. Std. Manhole Type A

Existing Ground

Line 1

8" Clay Pipe @ 0.2%

540 Lin. Ft. 8" Clay Pipe @ 0.2%

Fls Out 77.97
Fls In East 77.47
Fls In South 77.37

Fls Out 77.69
Fls In West 77.39
Fls In South 77.89

Fls Out 78.02

Sta. 1+35.0 Line 2 Const. Std. Manhole Type A

Sta. 1+35.0 Line 2

Line 2

8" Clay Pipe @ 0.4%

Fls Out 77.77
Fls In East 77.27
Fls In South 77.37

135 Lin. Ft. 8" Clay Pipe @ 0.4%

Fls Out 78.01

Sta. 4+95.0 Line 1 Sta. 0+00 Line 3 Const. Std. Manhole Type A

Sta. 1+25.0 Line 3 Install Pipe Plug

Line 3

8" Clay Pipe @ 0.2%

Fls Out 77.69
Fls In West 77.39
Fls In South 77.89

125 Lin. Ft. 8" Clay Pipe @ 0.3%

Fls Out 78.19

LAT. 17, SUB!, S.W. INTER.
CITY OF WICHITA, KANSAS
R.W. LINN, CITY ENGINEER
DATE:
PROJ. NO. DBKL570039