SURVEY BY: J.BOWG BOOK 183Y
DRAWN BY: J.PAWLY
CHECKED BY: -
DATE -

NOTE:
SANDFILL OR FLUSH SEWER WITHIN TEN FEET OF BLDGS., OR AS DIRECTED BY FIELD ENGINEER.

14 TH. ST.

AVE. MERIDIAN

AVE. ST. CLAIR

13 TH. ST.

WESTLAWN ADDITION

NOT PLATTED

NOTE: SHADED AREAS REPRESENT PERMANENT EASEMENTS.

PLAN SCALE 1"=40'
PROFILE SCALE 1"=40' HOR, 1"=4' VERT.

LINE #1A
120 LIN.FT. 8" V.C.P. @ .2% GR.
NATURAL GROUND
STATION 0+00 I.N.V. 112.70
STATION 1+20 I.N.V. 112.46
STATION 0+00 M.H. RIM 120.1
STATION 1+20 M.H. RIM 120.0
112.70 IN
112.96 FLO
111.36 OUT LN #1

LINE #1
675.38 LIN.FT. 8" V.C.P. @ .2% GRADE
NATURAL GROUND
STATION 6+75.38 I.N.V. 111.35
STATION 6+75.38 M.H. RIM 120.1
STATION 12+75.38 I.N.V. 112.15
STATION 12+75.38 M.H. RIM 120.0
STATION 0+00 M.H. RIM 120.1
STATION 6+75.38 M.H. RIM 120.0
STATION 12+75.38 M.H. RIM 120.0
111.00 IN
111.35 FLO
112.70 IN LN #1A
111.95 FLO
112.15 FLO
114.70 IN LN #1B
112.92 FLO
27
107.33 OUT
30 LIN. FT. EX. ST. 8" V.C.P.
675.38 LIN. FT. 8" V.C.P. @ .2% GRADE

LINE #1B
120 LIN.FT. 8" V.C.P. @ .2% GRADE
NATURAL GROUND
STATION 6+75.38 I.N.V. 111.95
STATION 12+75.38 I.N.V. 112.15
STATION 6+75.38 M.H. RIM 120.0
STATION 12+75.38 M.H. RIM 120.0
114.70 IN
114.94 FLO
112.15 OUT LN #1

120 LIN.FT. 8" V.C.P. @ .2% GRADE

120 LIN.FT. 8" V.C.P. @ .2% GRADE

0 1 0 1 2 3 4 5 6 7

LATERAL 40 SAN. SEWER 22
CITY OF WICHITA, KANSAS
B.E. SMITH CITY ENGINEER
PROJECT NO C2%-91 DATE-JAN. 1959

1/2

14 TH. ST.

13 TH. ST.

ST. CLAIR AVE.

ARBUTHNOT AVE.

CLAREVUE PLACE

WESTBOROUGH

NOTE: ALL SHADED AREAS REPRESENT PERMANENT EASEMENTS.

NOT PLATTED

PLAN SCALE 1"=40'
PROFILE SCALE 1"=40' HOR 1"=4 VERT.

NATURAL GROUND

FLUSH STATION 7+86 TO 8+94

FLUSH STATION 10+60 TO 11+00
454.62 LIN. FT. 8" V.C.P. @ .2% GRADE

FLUSH STA. 12+03 TO 12+48

FLUSH STA. 13+80 TO 14+25
2" V.C.P.

245 LIN. FT. 8" V.C.P. @ .4% GRADE

44 LIN. FT. EXIST. 8" V.C.P. UNDER PAVT

40 LIN. FT. EXIST. 8" V.C.P. UNDER PAVT

150 LIN. FT. 8" V.C.P. @ .2% GR.

60' 8" @ .2%

140 LIN. FT. 8" V.C.P. @ .2% GR.

(2/2) LATERAL 40 SAN. SEWER 22
PROJ. NO. C26-31