B. M. 127.65 W. from M.H. W.S. Amidon 117.5' So. of S.L. 31st St.

Survey by B & W
Date 12-67
Check
By

BK. 44-43

Sta. 01000 Const. Std. M.H. Type "A" over existg 15" San. Sewer.

NOTE: Existg 15" S.S. is encased with 8" Reinforced Conc. encasement.

Existg M.H. Plan "Flo 115.33

Sta. 2150.0 Const. Std. M.H. Type "H"

NOTE: This frame house has been removed.

Sta. 4+64.1 Const. Std. M.H. Type "A"

Sta. 6+80.0 Const. Std. M.H. Type "A"

30TH ST.

Existg 6" Water line

SECHRIST 1 ADDITION

ST. JUDE PLACE

CHARLES AVE.

AMIDON AVE.

Existg M.H. Plan "Flo 115.78

2 Irons

Iron

Iron

3" W. W. Fnc.

4" Chain Lk. Fnc.

Group of 6 - 4" Fruit trees

Row of 4 - 4" Fruit trees

W. 142.5' of the N 120' of the S ½ of lot 10 Russell Tracts.

4'x 3' Water well, P.R.

1" Fruit tree

CLP

P.P., 4' Chain Lk. Fnc. 142.5'

Plan Scale 1" = 40'
Profile Scale 1" = 4' Horiz.
1" = 4' Vert.

Sta. 01000 Const. Std. M.H. Type "A" over Existg 15" S. S.

Sta. 2150.0 Const. Std. M.H. Type "A"

Sta. 4+64.1 Const. Std. M.H. Type "A"

Sta. 6+80.0 Const. Std. M.H. Type "A"

Cut top of M.H. at 119.20

Natural ground

Proposed S. cb 30th St.

Proposed W. cb Charles Ave.

Proposed E. cb St. Jude Place

8" V.C.P. @ 0.30%

8" V.C.P. @ 0.30%

8" V.C.P. @ 0.30%

115.58 Cut 5' S.S. 2'-8" in 8" 119.00 Flo in 8"

119.30

119.60

119.35 Flo

119.30

120.20

120.89 Flo in 12"-8" cut

120.60

120.90

121.14 Flo

680 Lin. ft. of 8" V.C.P. @ 0.30% grade.

0 1 2 3 4 5 6

130

120

110

LAT. 52, SUBMAIN 17, S. S. NO. 22
CITY OF WICHITA, KANSAS
B. E. SMITH CITY ENGINEER
NOV. 1968 PROJECT NO. C28-50