B. M. 818.81 "D" in Mid Kansas
NL 21st. E. cb Oliver.

Survey by A.R. U.W. Bk. 191 pg.
Plan by U.W. Bk. pg.
Checked by

BLECKLEY

FIRST ADDITION TO CRESTVIEW HEIGHTS

LANE

SHADYBROOK

KIMBELL ADDITION

UNIVERSITY BAPTIST CHURCH ADDN.

OLIVER ST.

Sta. 0+98.0 Const. Std. M. H. Type "A"

Sta. 0+100.0 Exist. M. H. Remove or Plug Exist. Stub S.

NOTE: The removing or plugging of the exist. 8" Stub south at Sta. 0+100.0 is to be incidental to the project.

Sta. 3+10.0 Const. Std. M. H. Type "A"

Sta. 5+19.4 Const. Std. M. H. Type "A" Install 8" Stub East. Install stub S. for Bldg.

Sta. 7+30.0 Const. Std. M. H. Type "A" Install Stub S.W. For Bldg.

Proposed GMAC Building

Frame Bldg.

Stucco Bldg.

A. C. Parking lot

Well house (Conc. Floor)

Plan Scale 1" = 40'
Profile Scale 1" = 40' Horz.
1" = 4' Vert

Sta. 0+100.0 Exist. M.H. Remove & Plug Exist. Stub South
Sta. 0+98.0 Const. Std. M.H. Type "A"
Sta. 3+10.0 Const. Std. M.H. Type "A"
Sta. 5+19.4 Const. Std. M.H. Type "A" Ins. 8" Stub East Install stub S. for Bldg.
Sta. 7+30.0 Const. "A" Std. M.H. Type Install Stub S.W. for Bldg.

Natural ground

Proposed W. cb Blackley

Exist. E. cb Oliver St.

Exist. E. cb Oliver St.

S. Rim M.H. 223.84

8" V.C.P. @ 0.40% 8" V.C.P. @ 0.40% 8" V.C.P. @ 0.40%

2182.2 F/O M.H. 216.38 F/O In

219.71 F/O In 219.38 F/O In 218.38

218.22

218.88 F/O 218.05 F/O

214.02

214.42

216.30 F/O 12" In 215.80 F/O 8" Stub E.

214.32

215.44 F/O

730 Lin. ft. of 8" V.C.P. @ 0.40% grade.

0 1 2 3 4 5 6 7

230 220 210

LAT. 27, SUBMAIN 5, S. S. NO. 23
CITY OF WICHITA, KANSAS
B. E. SMITH CITY ENGINEER
FEB. 1969 PROJECT NO. C28-103