NORTHBOROUGH

STRATFORD LN.

BRAMBLEWOOD

WOODLAWN AVE

21 ST. ST.

Sta 0+98.8 Const.
Std. M.H. Type "A" or "C"
Install 8" stub 3.5 S.E.

Sta 2+37 ± Proposed
M.H. by Others Type "C"
191.30 F/o Exist 8" Pipe

Exist. 8" Pipe

Sta 5+00 Const.
Std. M.H. Type "A" or "C"

Exist. 8" Pipe

Sta 7+55.1 Const.
Std. M.H. Type "A" or "C"
Install 8" stub S.
193.00 F/o Exist 8" Pipe

10'x30' Sewer Easement

Sta 0+00 Exist. M.H.
Remove Exist 8" stub S.

20" Water Line
6" Gas Service Line

Sta 0+00 Exist. Manhole
Remove Exist. 8" stub S.

Sta 0+98.8 Const.
Std. M.H. Type "A" or "C"
Install 8" stubs S.E.

Sta 2+37 ± Proposed
M.H. by Others
191.30 F/o Exist 8" Pipe

Sta 5+00 Const.
Std. M.H. Type "A" or "C"

Sta 7+55.1 Const.
Std. M.H. Type "A" or "C"
Install 8" stub S.
193.00 F/o Exist
8" Pipe

B.M. 200.65 City Std. Disc 45.4' E and 45.4' N. of E of Woodlawn and 21st St.

Scale Plan 1" = 40'
Profile 1" = 40' Horz.
1" = 5' Vert.

200
195
190
185
180

183.45 F/o 12
183.75 F/o 12"
182.92 F/o 8" stub S.E. in
187.61
188.46
189.31
190.16 F/o
191.01
191.86
192.33 F/o

98.8 L.F. of 10" Clay Pipe @ 0.30 % Grade
Alternate 10" A.B.S. Composite Pipe or 10" P.V.C. Pipe

656.3 L.F. of 8" Clay Pipe @ 0.85 % Grade
Alternate 8" A.B.S. Composite Pipe or 8" P.V.C. Pipe

0 1 2 3 4 5 6 7

DCD-163

R. Pullen
R. Loomis

DONALD E. SCHNACKE
NUMBER 6111
REGISTERED
PROFESSIONAL
ENGINEER
STATE OF KANSAS

# LAT 10, MAIN 6, SANITARY SEWER NO. 23

CITY OF WICHITA, KANSAS

DEAN SELLERS — CITY ENGINEER

PROJ. NO. 468-76-245-80410-000-000-001

1/1