

PLOT PLAN

BRADFORD, SMITH & SHEPHERD · Architects

3900 South Crysler • Independence, Missouri • 64050

LeRoy D. Bradford A.I.A.
Lawrence F. Smith A.I.A.
C. Stewart Shepherd

Revisions	Date	Job No.	Job Name	Sheet Title
				PLOT PLAN UTILITY PLAN WATER, SEWER, & GAS



Revisions

Date

Job No.

Job Name

Sheet Title UTILITY PLAN ELECTRICAL & TELEPHONE

BRADFORD, SMITH & SHEPHERD · Architects

3900 South Crysler • Independence, Missouri • 64050



Revisions

Date

Job No.

Job Name

Sheet Title SANITARY PLAN & PROFILE

LeRoy D. Bradford A.I.A.
Lawrence F. Smith A.I.A.
C. Stewart Shepherd

BRADFORD, SMITH & SHEPHERD · Architects
BLUE RIDGE TOWER, SUITE 720, 4240 BLUE RIDGE BLVD., KANSAS CITY, MO. 64133



Revisions | Date | Job No. | Job Name | Sheet Title STORM SEWER PLAN & PROFILE

BRADFORD, SMITH & SHEPHERD · Architects
BLUE RIDGE TOWER, SUITE 720, 4240 BLUE RIDGE BLVD., KANSAS CITY, MO. 64133

LeRoy D. Bradford A.I.A.
Lawrence F. Smith A.I.A.
C. Stewart Shepherd



TOP VIEW

MANHOLE COVER

WEIGHT 115 LBS.



VERTICAL

MANHOLE COVER



SIDE VIEW

MANHOLE COVER



YEAR CASTING IS MADE

TOP VIEW

MANHOLE RING

WEIGHT 385 LBS.



SECTION

MANHOLE RING

SUITABLE CLEARANCE OF COVER AND THE INNER FACE AND SEAT OF RING TO BE MACHINED FIT.



STANDARD MANHOLE

TYPE "A"



DROP MANHOLE

TYPE "A"

Note —

THE CONCRETE USED FOR MORTAR IN MANHOLES SHALL CONTAIN 6 SACKS OF CEMENT PER CUBIC YARD.

STANDARD MANHOLES AND DROP MANHOLES REQUIRED HAVE OF DIAMETER SHALL BE 8'-0" FOR THE PIPES ON STANDARD MANHOLES.

ALL MANHOLES WITH PIPES 24" & SMALLER SHALL BE 4'-0" IN DIA.



ORDINARY BEDDING METHOD

FOR CLAY PIPE

Approved [illegible]

Revisions	Date	Job No.	Job Name	Sheet Title
				SANITARY SEWER DETAILS

BRADFORD, SMITH & SHEPHERD · Architects
BLUE RIDGE TOWER, SUITE 720, 4240 BLUE RIDGE BLVD., KANSAS CITY, MO. 64133
LeRoy D. Bradford A.I.A.
Lawrence E. Smith A.I.A.
C. Stewart Shepherd





STANDARD 2'x5' INLET

NOTE: TO CONTRACTORS
It will be construed ... sion of the CITY ENGINEER ... to the SPECIFICATIONS ... CITY OF WICHITA. The CONTRACTOR will reimburse the City of Wichita for all cost of [redacted] inspection.

Approved 5-2-69

BRADFORD, SMITH & SHEPHERD • Architects
BLUE RIDGE TOWER, SUITE 720, 4240 BLUE RIDGE BLVD., KANSAS CITY, MO. 64133
LeRoy D. Bradford A.I.A.
Lawrence F. Smith A.I.A.
C. Stewart Shepherd

Revisions	Date	Job No.	Job Name	Sheet Title
				STORM SEWER– DETAILS STANDARD 2'x 5' INLET



WALK GRADES ALONG PROPERTY LINE TO BE SET IN THE FIELD BY THE CITY ENGINEERING DEPT.

NOTE TO CONTRACTOR

This project will be constructed under the supervision of the CITY ENGINEER and conforms to the SPECIFICATIONS of the CITY OF WICHITA. The CONTRACTOR will reimburse the City of Wichita for all cost of [redacted] Inspection.


SCALE 1" = 50' HORIZ.
1" = 10' VERT.
NEW 4' WALK
MATCH EXISTING STREET GRADES
+0.75% GRADE
0.0% GRADE
-0.5% GRADE
+3.0% GRADE
MURDOCK AVE. (R.P.)
CL GREENWALD RD.
PROPOSED CURB & GUTTER
EXISTING CURB & GUTTER
EXISTING CURB & GUTTER
PROPOSED CURB & GUTTER
PROPOSED 6" PVC SANITARY SEWER
EXISTING 6" PVC SANITARY SEWER
PROPOSED 6" PVC SANITARY SEWER
PROPOSED 12" PVC SANITARY SEWER
PROPOSED 12" PVC SANITARY SEWER
PROPOSED 12











Revisions	Date	Job No.	Job Name	Sheet Title
				DRIVE, PARKING & CURB DETAILS

LeRoy D. Bradford A.I.A.
Lawrence E. Smith A.I.A.
C. Stewart Shepherd

BRADFORD, SMITH & SHEPHERD · Architects
BLUE RIDGE TOWER, SUITE 720, 4240 BLUE RIDGE BLVD., KANSAS CITY, MO. 64133