

BENCHMARK:

BM #1: CITY OF WICHITA BENCHMARK DISC, TOP OF CURB AT WEST END OF CURB RETURN, NORTHWEST CORNER OF INTERSECTION OF CITY VIEW AND SHERIAC CIR. IN SHADOW WOODS ADDITION.
ELEV. = 1386.66 NGVD29




BM #2: CITY OF WICHITA BENCHMARK DISC, TOP OF CURB BY FIRE HYDRANT AT WEST END OF CURB RETURN, NORTHWEST CORNER OF INTERSECTION OF SHERIAC CIR. AND SHERIAC CT, SOUTH OF SE CORNER OF LOT 13, BLOCK B, SHADOW WOODS ADDITION.
ELEV. = 1392.11 NGVD29

Sta 0+02, Begin Line 1
Begin Construction of 36" RCP with End Section. Restrain End Section to first pipe joint. Install 31 S.Y. Heavy-Stone Rip Rap as shown, See Detail, Sheet 18.

Sta 1+30.4, Line 1
Construct Standard Manhole (5' Dia.)
Rim Elev. = 1381.10

Sta 2+60.1 to Sta 3+09.5,
Install 49.4 L.F. Flowable Fill to Elev. = 1379.3

Sta 4+65.1, Line 1
Construct Standard Manhole (5' Dia.)
Rim Elev. = 1375.80
Match Point



		The Woods Addition Line 1 Storm Water Drain #287	
		Baughman Company, P.A. 315 Ellis St. Wichita, KS 67211 P 316-262-7271 F 316-262-0149 ENGINEERING SURVEYING PLANNING LANDSCAPE ARCHITECTURE	
PROJECT NUMBER 468-84131	DESIGN RDM/AEG	DRAWN RDM	DATE 6-11-08
REVISIONS:	APPROVED AEG	SCALE Noted	SHEET 11 OF 37
The Woods Addition\Phase 1\SWD\SWSI.dwg			