

**BENCHMARK:**

BM #1: CITY OF WICHITA BENCHMARK DISC, TOP OF CURB AT WEST END OF CURB RETURN, NORTHWEST CORNER OF INTERSECTION OF CITY VIEW AND SHERIAC CIR. IN SHADOW WOODS ADDITION.  
ELEV. = 1386.66 NGVD29




BM #2: CITY OF WICHITA BENCHMARK DISC, TOP OF CURB BY FIRE HYDRANT AT WEST END OF CURB RETURN, NORTHWEST CORNER OF INTERSECTION OF SHERIAC CIR. AND SHERIAC CT., SOUTH OF SE CORNER OF LOT 13, BLOCK B, SHADOW WOODS ADDITION.  
ELEV. = 1392.11 NGVD29

Sta 0+01, Begin Line 2A  
Begin Construction of 48" RCP with End Section. Restrain End Section to first pipe joint.  
Install 65 S.Y. Heavy-Stone Rip Rap as shown. See Detail, Sheet 18.

Sta 1+12.4, Line 2A  
Construct Std. Type 1A Curb Inlet (10'x3')  
Top Elev. = 1378.50

Sta 1+12.4 to Sta 1+56.5,  
Install 44.1 L.F. Flowable Fill to Elev. = 1375.6

Sta 2+76.0, End Line 2A  
Construct Inlet Manhole (12' x 3')  
Top Elev. = 1375.20



		The Woods Addition <b>Line 2A</b> Storm Water Drain #287	
		Baughman Company, P.A. 315 Ellis St. Wichita, KS 67211 P 316-262-7271 F 316-262-0149 ENGINEERING   SURVEYING   PLANNING   LANDSCAPE ARCHITECTURE	
PROJECT NUMBER 468-84131	DESIGN RDM/AEG	DRAWN RDM	APPROVED AEG
REVISIONS:	APPROVED AEG	DATE 6-11-08	SCALE Noted SHEET <b>14 OF 37</b>
The Woods Addition\Phase 1\SWD\SWSI.dwg			