



DETAIL-A
N.T.S.

NOTE:
1. REBARS AND TRASH RACKS ARE NOT SHOWN HERE FOR CLARITY.




DETAIL-B
N.T.S.

NOTE:
1. REBARS AND TRASH RACKS ARE NOT SHOWN HERE FOR CLARITY.




DETAIL-C
N.T.S.


NOTE:
1. REBARS ARE NOT SHOWN HERE FOR CLARITY.



DETAIL-D
N.T.S.
TRASH RACK SCREEN
N.T.S.




DETAIL-F
PIPE GRATE
N.T.S.




DETAIL-E
CONCRETE STAND PIPE WEIR (SPW)
FOR SOUTH DETENTION POND
N.T.S.

NOTE:
1. REBARS AND CONCRETE THICKNESS OF THE SPW IS NOT SHOWN HERE FOR CLARITY.
2. INSTALL 14" WIDE x 9" HIGH TRASH RACK SCREEN FOR 8" WIDE INLET ORIFICE. INSTALL 42" WIDE x 15" HIGH TRASH RACK SCREEN FOR 36" WIDE INLET ORIFICE. TRASH RACK SCREEN TO BE #2 REBARS WITH 2"x2" OPENINGS (WELDED). ANCHOR TRASH RACK INTO STAND PIPE WEIR FACE WALL WITH ANCHORED BARS INTO CONCRETE WALL (REFER DETAIL-C).




SECTION A-A
N.T.S.



SECTION B-B
N.T.S.

INSTALL 14" WIDE x 9" HIGH TRASH RACK SCREEN FOR 8" WIDE INLET ORIFICE. INSTALL 42" WIDE x 15" HIGH TRASH RACK SCREEN FOR 36" WIDE INLET ORIFICE. TRASH RACK SCREEN TO BE #2 REBARS WITH 2"x2" OPENINGS (WELDED). ANCHOR TRASH RACK INTO STAND PIPE WEIR FACE WALL WITH ANCHORED BARS INTO CONCRETE WALL (REFER DETAIL-C).



SECTION C-C
N.T.S.

NOTE:
1. REBARS AND TRASH RACKS ARE NOT SHOWN HERE FOR CLARITY.

- NOTE:
1. REINFORCED STEEL SHALL BE DEFORMED BARS. COST OF STEEL, CONCRETE & MISCELLANEOUS FITTINGS SHALL BE INCLUDED IN PRICE BID FOR STAND PIPE WEIR STRUCTURE.
2. SOME OF THE REBARS IN SECTION A-A OR B-B VIEW MAY NOT BE SHOWN FOR CLARITY PURPOSES. HOWEVER, CONTRACTOR SHALL READ SECTION A-A AND B-B TOGETHER TO CALCULATE THE REBARS QUANTITIES.
3. ALL CONSTRUCTION AND MATERIALS SHALL BE IN ACCORDANCE WITH THE CURRENT APPLICABLE STANDARDS OR SUPPLEMENTAL SPECIFICATIONS.
4. CONCRETE STAND PIPE WEIR STRUCTURE SHALL BE PRE CAST.
5. CONCRETE SHALL BE AIR ENTRAINED PER KDOT SPECS.

CONCRETE STAND PIPE WEIR
FOR SOUTH DETENTION POND
N.T.S.

STAND PIPE WEIR FOR SOUTH DETENTION POND			
WAL-MART SUPERCENTER #4321-00			
N.W. 53rd ST. NORTH & N. MERIDIAN WICHITA, KANSAS			
SMC Consulting Engineers, P.C.			
815 West Main - Oklahoma City, OK 73108 PH: 405-232-7715 FAX: 405-232-7859 KANSAS CERTIFICATE OF AUTHORIZATION NO. E-335 EXP. DEC. 31, 2008			
No. Revision		By Date	
1 Per City comments		MDS 03/21/07	
DATE: 12/12/06		SCALE: N.T.S.	
DRAWN BY: MDS		PROJECT NO.: 4344.00	
PROJECT NO.: 4344.00		SHEET NO. C-11.12	
ENGINEER: TERENCE L. HAYNES, P.E. #14583			

