







EROSION CONTROL PLAN LEGEND

-  - DROP INLET PROTECTION
-  - CURB INLET PROTECTION
-  - STRAW BALE BARRIER
-  - SILT FENCE
-  - EROSION CONTROL BERM
-  - BACK OF CURB PROTECTION

NO SCALE

SEEDING NOTE:

All areas disturbed during construction within Maple Street R/W, Reserve "B", Reserve "C", and Country View Lane from Maple Street to the South Line of Lot 1, Block A shall be seeded, mulched, and fertilized as follows (Permanent Seeding) unless otherwise noted:

Seed: Kansas Premium Fescue Blend: 10 lbs./1000 sq. ft.
Mulch: Prairie Hay: 2 tons/acre (Not needed where erosion control mat is installed)
Fertilizer: 12-24-12: 850 lbs./acre


All other areas disturbed during construction shall be seeded at 300 lbs./acre with Rye Grass and mulched with prairie hay at 2 tons/acre immediately following construction in that area unless otherwise noted. All costs associated with seeding, mulching, and fertilizing shall be included in bid item "Project Seeding."

EROSION CONTROL MEASURE (UNITS)	INSTALLED	MAINTAINED
DROP INLET PROTECTION (Ea.)	0	0
CURB INLET PROTECTION (Ea.)	3	0
STRAW BALE BARRIER (Ea.)	0	2
SILT FENCE (L.F.)	0	180
EROSION CONTROL BERM (L.F.)	0	0
BACK OF CURB PROTECTION (S.Y.)	2,255	0
CONSTRUCTION ENTRANCE (Ea.)	0	1

Quantities are For Information Only! Contractor shall verify quantities per final bid quantity sheet.

Contractor shall maintain one construction entrance onto existing paved roadway.

Contractor shall remove trees only when necessary for construction and ONLY with the Developer's approval. Trees that may be trimmed to avoid removal shall be trimmed with a chainsaw.



No construction equipment or operation shall be allowed within ConocoPhillips, or Quest easements without first contacting a representative from the respective company, minimum one week prior to construction. No work shall be allowed within these easements until permission has been granted by the pipeline companies and/or encroachment agreements have been signed. All Work must be done Monday through Friday.
 Quest Contact: Joe Fowler 913-764-6015
 ConocoPhillips Contact: Craig Winn 316-655-5058

Baughman THE WOODS ADDITION - PH. I
EROSION CONTROL PLAN
 STREET IMPROVEMENTS

Baughman Company, P.A. 315 Ellis St. Wichita, KS 67211 P 316-262-7271 F 316-262-0149
 ENGINEERING | SURVEYING | PLANNING | LANDSCAPE ARCHITECTURE

PROJECT NUMBER	DESIGN AEG	DRAWN RDM
REVISIONS:	APPROVED	DATE 06/08
	SCALE NOTED	
	SHEET	17 OF 34

The Woods Addition\Phase 1\Str\Str EC Plan 06-06-E583