Scale: 1"= 10'

JOINT DETAIL



Expansion Joints to be equally Spaced at 10' apart beginning at the center of the parking area. The Longitudinal Joint shall be located 10' from the face of the monolithic curb.

146.06'

CESSNA

STA 0+29.22 20 L.F. RT.
Begin Construction
Remove 160' Curb & Gutter
Construct 182' Monolithic Curb and Gutter
To Match Existing Curb
Construct 154' 4' Valley Gutter
Construct Expansion Joint

33.00'
0+00
1+00
PT = 1+46.06
2+00
20.00'
33.00'
29.22'
STA 0+25.44
13.00'
4.00'
32.70'
L=73.24'
R=276.00
L=8.42'
R=12.00'
21.05'
11.30'
18.40'
25.00'
8.00'
7.67'
8.33'
6.25'
4.00'
120.36'
58.99'
55.52'
125.50'
146.06'

7.23 TC | 7.42 TC | 7.23 FL | 7.55 FL | 7.77 FL | 8.00 FL | 8.23 FL | 8.47 FL | 9.50 TC
7.73 TC | 8.23 TC | 8.55 TC | 8.77 TC | 9.00 TC | 9.23 TC | 9.39 TC
6.40 | 6.60 | 7.10 | 7.30 | 7.70 | 8.30 | 8.70 | 8.70
5.70 | 6.10 | 6.80 | 7.20 | 7.80 | 8.50 | 9.00 | 9.20

Remove 165 L.F Sidewalk.

Existing Fire Hydrant

Existing Sidewalk

L=4.50 5.79'
R=6.00'
17.90' M/L
9.98'
L=71.83'
R=483.00

STA 1+85.82 20 L.F. RT.
End Construction
Match Existing FL
Construct Expansion Joint

Proposed Sidewalk

Install R7-8 Van Accessible Sign and Post

Install WCR And Connect To Proposed Sidewalk

Construct 180 L.F Sidewalk.

STA 1+52.59 38.40 L.F. RT.

3401 E Cessna
Lot 16, Block H

Part of
Lot 1, Block G

W-6x6 Welded Wire Fabric will be used as reinforcement Fabric shall overlap a minimum of 12" on all sides.

PLANEVIEW SUBDIVISION #1
Part of Block U

BENCHMARK:

CESSNA AND DRY CREEK, WEST OF ROOSEVELT
250 FT. MORE OR LESS, WEST OF ROOSEVELT
CITY STANDARD DISC. ELEVATION 114.25 FT.
MSL ELEVATION 1301.65 FT.

BASELINE STA. 0+00
THE INTERSECTION OF THE CENTERLINE OF CESSNA AND THE EAST LINE OF LOT 16, BLOCK H PLANEVIEW SUBDIVISION #1, AS EXTENDED NORTH

CITY OF WICHITA PUBLIC WORKS ENGINEERING

PLANEVIEW PARK PARKING
PLAN SHEET

CITY ENGINEER
JAMES L. ARMOUR, P.E.

PROJECT NUMBER	OCA NUMBER	DATE
472 - 84140	602559	DEC, 04

CITY ENGINEER'S OFFICE
CITY HALL - SEVENTH FLOOR
455 NORTH MAIN STREET
WICHITA, KANSAS 67202-1620
(316) 268-4501
(316) 268-4114 FAX

DESIGN	DRAWN
DEA	DEA

SHEET
3 OF 5