

DESIGN	DATE	DESIGN	DATE
CHECK	DATE	CHECK	DATE
APPROVAL	DATE	APPROVAL	DATE
REVISION	DATE	REVISION	DATE

Drawn By: JTRANSYSTEMS Plotted: 9/12/2006
 File: g:\w\0\001\Road\p050(1).sht

4" SIDEWALK				
STATION TO STATION	LENGTH (FT.)	AREA (S.F.)	SIDE	
10+74.06	11+64.64	90.6	452.9	Rt.
11+88.44	11+93.24	4.8	24.0	Rt.
11+93.24	11+95.21	2.9	14.5	Rt.
11+95.21	11+98.09	21.7	108.5	Rt.
11+98.09	12+00.07	2.9	14.5	Rt.
12+00.07	13+09.74	109.7	548.5	Rt.
13+39.97	14+48.81	108.8	544.2	Rt.
14+68.81	15+08.92	40.1	200.6	Rt.
15+32.77	15+69.77	37.0	185.0	Rt.
15+94.73	16+25.16	30.4	152.0	Rt.
16+74.34	19+09.94	235.6	1,178.0	Rt.
19+20.89	19+84.87	64.0	319.9	Rt.
20+35.12	21+02.97	67.9	339.5	Rt.
21+14.20	22+90.48	176.3	881.4	Rt.
23+40.14	25+85.28	245.1	1,225.5	Rt.
26+35.25	27+42.72	107.5	537.4	Rt.
27+54.51	28+85.34	131.0	655.0	Rt.
29+35.11	34+74.97	540.0	2,700.0	Rt.
32+82.17	32+87.17	6.0	30.0	Rt.
35+01.96	35+65.60	63.6	318.2	Rt.
35+79.57	36+05.22	25.7	128.3	Rt.
36+54.97	39+46.23	291.3	1,456.5	Rt.
38+72.12	38+72.12	6.0	30.0	Rt.
39+72.10	46+21.61	649.5	3,247.6	Rt.
46+71.03	48+37.23	166.2	831.0	Rt.
48+55.94	49+32.82	76.9	384.4	Rt.
49+82.77	50+38.14	55.4	277.0	Rt.
50+38.14	50+41.66	3.9	19.5	Rt.
50+41.66	50+43.89	3.1	15.5	Rt.
50+43.89	50+47.44	3.9	19.5	Rt.
50+47.44	51+10.02	62.6	313.0	Rt.
51+10.02	51+13.52	3.9	19.5	Rt.
51+13.52	51+15.29	2.5	12.5	Rt.
51+15.29	51+18.83	3.9	19.5	Rt.
51+18.83	52+59.39	140.6	703.0	Rt.
52+59.39	53+04.13	14.8	74.0	Rt.
10+90.39	11+77.60	87.2	436.1	Lt.
12+07.56	12+70.38	62.8	314.1	Lt.
12+94.91	14+01.58	106.7	533.5	Lt.
14+25.60	15+34.48	108.9	544.4	Lt.
15+55.21	16+60.52	105.3	526.5	Lt.
17+10.47	18+75.42	165.0	824.8	Lt.
18+92.35	19+60.03	26.4	131.8	Lt.
19+18.70	19+33.58	18.2	90.9	Lt.
19+33.58	19+42.11	8.5	42.5	Lt.
19+42.11	19+52.80	14.5	72.3	Lt.
19+52.80	19+60.03	7.2	36.0	Lt.
20+10.16	22+45.22	35.1	175.3	Lt.
22+95.12	25+30.63	235.5	1,177.5	Lt.
25+80.65	26+70.28	89.6	448.0	Lt.
26+81.19	27+30.26	49.1	245.5	Lt.
27+41.10	28+30.81	89.7	448.5	Lt.
28+80.71	29+75.54	94.8	474.0	Lt.
29+92.56	31+30.96	138.4	692.0	Lt.
31+80.93	32+45.13	64.2	321.0	Lt.
32+62.14	32+82.21	20.1	100.5	Lt.
32+82.21	32+82.21	6.0	30.0	Lt.
32+82.21	34+30.88	148.7	743.5	Lt.
34+80.75	35+11.87	31.1	155.5	Lt.
35+21.75	37+69.68	247.9	1,239.5	Lt.
38+19.77	41+02.06	282.3	1,411.5	Lt.
38+72.20	38+72.20	6.0	30.0	Lt.
41+51.09	43+00.99	149.9	749.5	Lt.
43+20.06	43+49.48	29.4	147.0	Lt.
43+67.47	44+03.53	36.1	180.5	Lt.
44+17.52	44+32.21	14.7	73.5	Lt.
44+42.27	45+45.49	103.2	516.0	Lt.
45+55.41	45+71.23	15.8	79.0	Lt.
45+82.85	46+35.01	52.2	261.0	Lt.
46+64.86	48+48.10	183.2	916.0	Lt.
48+77.69	50+50.72	173.0	865.0	Lt.
50+80.36	51+90.62	110.3	551.5	Lt.
52+19.54	52+99.56	80.0	400.0	Lt.
TOTAL		6,792.8	33,964.2	

WATER VALVES			
STATION	STATION	EXIST. ELEV.	PROPOSED
26+34.29	38.96' Rt.	99.89	99.52
26+30.80	33.47' Lt.	100.20	99.75
28+10.32	32.98' Rt.	99.87	100.05
28+75.37	33.22' Rt.	99.73	99.90
31+71.69	34.35' Rt.	99.85	99.55
34+14.91	36.52' Rt.	100.85	100.40
34+17.98	32.70' Rt.	100.61	100.40
34+30.73	33.84' Lt.	100.48	100.02
34+38.46	34.01' Lt.	100.64	99.80
36+11.52	32.78' Rt.	100.94	100.55
36+12.99	36.28' Rt.	101.16	100.60
46+11.43	38.08' Rt.	100.16	99.70
46+28.49	34.21' Lt.	101.49	99.50
46+69.39	47.16' Rt.	99.54	99.20
46+24.56	45.57' Rt.	99.55	99.45
52+38.14	40.56' Rt.	100.04	99.60
TOTAL		16	

NOTE
 * Denotes Glenn Street Stationing

ROLL CURB			
STATION TO STATION	LENGTH (FT.)	SIDE	
11+49.64	12+03.44	53.8	Rt.
12+95.34	13+55.57	60.3	Rt.
14+33.79	14+83.85	50.1	Rt.
14+93.92	15+47.77	53.8	Rt.
15+54.80	16+09.73	54.9	Rt.
18+94.96	19+35.88	40.9	Rt.
20+88.01	21+29.17	41.2	Rt.
27+27.72	27+69.51	41.8	Rt.
34+59.97	35+16.96	57.0	Rt.
35+50.60	35+94.76	44.2	Rt.
39+31.23	39+87.10	55.9	Rt.
48+22.28	48+70.94	48.7	Rt.
52+44.39	53+04.34	59.9	Rt.
11+62.60	12+22.57	60.0	Lt.
12+55.34	13+09.88	54.6	Lt.
13+86.58	14+40.60	54.0	Lt.
15+19.49	15+70.21	50.7	Lt.
18+60.38	19+07.31	46.9	Lt.
26+55.27	26+96.18	40.9	Lt.
27+15.26	27+56.10	40.8	Lt.
29+60.53	30+07.55	47.0	Lt.
32+30.12	32+77.13	47.0	Lt.
34+96.87	35+36.75	39.9	Lt.
42+85.95	43+82.43	96.5	Lt.
43+88.53	44+57.27	68.7	Lt.
45+30.49	45+97.85	67.4	Lt.
46+20.01	46+79.86	59.8	Lt.
48+33.10	48+92.69	59.6	Lt.
50+35.72	50+95.36	59.6	Lt.
51+75.62	52+34.54	58.9	Lt.
TOTAL		1,614.8	

CONCRETE PAVEMENT (8") (Drive) (Reinforced)						
DRIVEWAY	P	L	W	Y	SIDE	AREA S.Y.
11+76.54	50.50	30.5	23.8	-	Rt.	147.3
13+24.86	22.36	2.9	30.2	-	Rt.	87.4
14+58.81	20.00	-	20.0	-	Rt.	57.8
15+20.85	20.00	-	23.8	-	Rt.	66.7
15+82.25	20.00	-	0.0	-	Rt.	69.2
19+15.42	20.00	5.5	0.0	-	Rt.	30.3
21+08.58	20.00	5.5	0.0	-	Rt.	30.9
27+48.61	20.00	5.5	0.0	-	Rt.	32.2
34+88.47	20.00	-	0.0	-	Rt.	73.9
35+72.59	20.00	-	0.0	-	Rt.	44.1
39+59.16	20.00	-	0.0	-	Rt.	73.9
48+46.59	20.00	-	0.0	-	Rt.	55.0
52+74.36	20.00	-	0.0	-	Rt.	80.6
11+92.58	27.07	6.5	30.0	12.58	Lt.	101.4
12+82.65	25.18	8.1	24.5	8.12	Lt.	80.0
14+13.59	20.00	-	24.0	-	Lt.	67.0
15+44.85	20.00	4.4	20.7	4.37	Lt.	69.7
18+83.88	20.00	5.5	16.9	-	Lt.	43.9
26+75.73	20.00	5.5	10.9	-	Lt.	30.5
27+35.68	20.00	5.5	10.8	-	Lt.	30.0
29+84.05	20.00	5.5	17.0	2.98	Lt.	49.8
32+53.64	20.00	5.5	17.0	-	Lt.	44.1
35+16.81	20.00	5.5	9.9	-	Lt.	27.9
43+10.52	20.00	5.5	19.1	13.52	Lt.	77.4
43+58.48	20.00	5.5	18.0	13.28	Lt.	72.9
44+10.53	20.00	5.5	14.0	9.26	Lt.	51.5
44+37.24	20.00	5.5	10.1	9.61	Lt.	38.9
45+50.45	20.00	5.5	9.9	15.27	Lt.	44.7
45+77.04	14.00	-	11.6	19.40	Lt.	49.0
46+49.93	20.00	-	29.8	4.44	Lt.	95.1
48+62.89	20.00	-	29.6	1.73	Lt.	85.5
50+65.54	20.00	-	29.6	11.42	Lt.	117.5
52+05.08	20.00	-	28.9	0.58	Lt.	80.1
TOTAL						2,106.2

WHEELCHAIR RAMP QUANTITIES		
STATION	SIDE	QNTY.
16+25.17	Rt.	1
16+74.34	Rt.	1
19+84.87	Rt.	1
20+35.12	Rt.	1
22+90.48	Rt.	1
23+40.14	Rt.	1
25+85.28	Rt.	1
26+35.25	Rt.	1
28+85.46	Rt.	1
29+35.11	Rt.	1
32+84.67	Rt.	1
36+65.88	Rt.	1
38+74.63	Rt.	1
46+21.61	Rt.	1
46+71.03	Rt.	1
49+32.82	Rt.	1
49+82.77	Rt.	1
16+60.52	Lt.	1
17+10.47	Lt.	1
19+60.03	Lt.	1
20+10.16	Lt.	1
22+45.22	Lt.	1
22+95.12	Lt.	1
25+30.63	Lt.	1
25+80.65	Lt.	1
28+30.81	Lt.	1
28+80.71	Lt.	1
31+30.96	Lt.	1
31+80.93	Lt.	1
32+84.71	Lt.	1
34+30.88	Lt.	1
34+80.75	Lt.	1
37+69.67	Lt.	1
38+19.77	Lt.	1
38+74.69	Lt.	1
41+02.06	Lt.	1
41+51.09	Lt.	1
TOTAL		38

8" CONCRETE PAVEMENT			
STATION TO STATION	LENGTH (FT.)	WIDTH (FT.)	AREA (S.Y.)
10+90.39	12+24.18	133.79	817.6
12+24.18	13+74.51	150.33	918.7
13+74.52	15+50.00	175.48	1,072.4
15+50.00	21+50.00	600.00	3,666.7
21+50.00	27+50.00	600.00	3,666.7
27+50.00	32+80.54	530.54	3,242.2
32+88.54	33+50.00	61.46	375.6
33+50.00	38+70.46	520.46	3,180.6
38+78.46	39+50.00	71.54	437.2
39+50.00	45+50.00	600.00	3,666.7
45+50.00	51+50.00	600.00	3,666.7
51+50.00	53+00.00	150.00	916.7
TOTAL			25,627.6

MANHOLE ADJUSTMENT		
STATION	OFFSET	SIDE
20+07.34	41.31'	Rt.
29+86.28	11.27'	Rt.
31+91.48	11.91'	Rt.
20+31.87	11.74'	Lt.
28+90.50	11.01'	Lt.
29+26.88	3.25'	Lt.
42+86.89	15.72'	Lt.
46+00.80	16.09'	Lt.
49+36.89	16.38'	Lt.
TOTAL		10

MONOLITHIC CURB & GUTTER				
STATION TO STATION	LENGTH (FT.)	SIDE	STREET	
16+09.58	16+34.58	39.3	Rt.	St. Clair
16+64.09	16+64.09	10.5	Rt.	St. Clair
16+64.33	16+89.09	35.8	Rt.	St. Clair
19+69.79	19+94.79	39.3	Rt.	Everett
20+25.21	20+50.21	39.3	Rt.	Everett
22+75.16	23+00.24	36.7	Rt.	Bennett
23+30.38	23+55.35	36.6	Rt.	Bennett
25+70				