


STATE	PROJECT NO.	YEAR	SHEET NO.	TOTAL SHEETS
KANSAS	54-87 K-8258-06	2004	4	71


### REHABILITATION



\* Excavation thru Cuts not Subgraded  
 \*\* The lower 150 mm of Compaction is subsidiary.  
 ▲ Compaction of this material shall be subsidiary.


Note: These are 4 general cases. Specific compaction requirements are determined on a project-by-project basis.

### RECONSTRUCTION



\* Excavation thru Cuts not Subgraded  
 \*\* The lower 150 mm of Compaction is subsidiary.  
 ▲ Compaction of this material shall be subsidiary.

### NEW CONSTRUCTION



\* Excavation thru Cuts not Subgraded  
 \*\* The lower 150 mm of Compaction is subsidiary.

#### General Notes:

In materials designated to be subgraded, compaction of soils, including shales, designated for backfill shall be 150 mm Compaction (Type AA)(MR-0-5).

Unless otherwise noted on the Plans, all embankment, including side roads and entrances, shall be compacted.

NO.	DATE	REVISIONS	BY	APP'D
3				
2	5-29-98	Revised Reconstruction Section B-B	R.J.S.	J.O.B.
1	2-20-96	Revised Subsidiary Compaction	R.J.S.	J.O.B.

KANSAS DEPARTMENT OF TRANSPORTATION

### FOUNDATION TREATMENT & COMPACTION OF EARTHWORK

RD980-SI

FHWA APPROVAL	6-23-98	APP'D.	James O. Brewer
DESIGNED	G.D.S.	DETAILED	R.A.W.
DESIGN CK.	DETAIL CK.	G.D.S.	QUAN. CK.
			TRACED CK.