


STATE	PROJECT NO.	YEAR	SHEET NO.	TOTAL SHEETS
KANSAS	54-87 K-8258-01	2007	451	556




ELEVATION

- †NOTES:
- 1.) "Left Type" footing shall be drilled shafts.
  - 2.) Install the "Left Type" footing before beginning wall construction in this area.

\* Note: Use this point as a control point for all elevations.

STEEL DETAILS					
TRUSS	Member 1 Wall Thickness		4.78		
	Member 2 Wall Thickness		3.05		
	N = 10	X = 235	S = 1828	Camber = 23	
END SUPPORTS	Member 1 Wall Thickness		4.78		
	Member 2 Wall Thickness		3.18		
	Left	N = 2	S = 1950	L = 6265	
	Right	N = 2	S = 2050	L = 6465	
FOOTINGS	Left Type		E	Right Type E	



PLAN

Scale 1:75

Plotted By: \$\$\$\$  
 File: \$\$\$\$  
 Plot Date: \$\$\$\$

NO.	DATE	REVISIONS	BY	APP'D
3				
2				
1				

KANSAS DEPARTMENT OF TRANSPORTATION  
 W.B. Frontage Road STATION 3+135  
 SPAN TYPE OVERHEAD SIGN STRUCTURE  
 CONSTRUCTION LAYOUT  
 STEEL ALTERNATE

PROJ. NO. 54-87 K-8258-01 SEDGWICK CO.

SHEET NO.	OF	SCALE	APP'D
DESIGNED	CEM	CEM	QUANTITIES
DESIGN CK.	DETAIL CK.	QUAN. CK.	CADD CK.