


EROSION CONTROL MEASURE (UNITS)	INSTALLED	MAINTAINED
DROP INLET PROTECTION (Ea.)	2	0
CURB INLET PROTECTION (Ea.)	5	0
STRAW BALE BARRIER (Ea.)	3	0
SILT FENCE (L.F.)	0	0
EROSION CONTROL BERM (L.F.)	0	0
BACK OF CURB PROTECTION (L.F.)	1,883	0
CONSTRUCTION ENTRANCE (Ea.)	0	1

Quantities are For Information Only! Contractor shall verify quantities per final bid quantity sheet.



**EASEMENT GRADING QUANTITIES**  
 CUT: 357 C.Y.    FILL: 515 C.Y.

See cover sheet for summary of earthwork quantities and calculations, including contractor borrow.

= Easements To Be Graded

The contractor shall grade the easements as shown to the elevations given on the easement grading plan. All costs for grading shall be included in bid items, "Excavation, Unclassified" and "Excavation, Borrow (Contractor Furnished)".

The contractor shall 'straight' grade the easements between the elevations given. Where a callout designates 'Match', the contractor will grade to the existing ground elevation.

Proposed Elevation  
Existing Elevation

Contractor shall remove trees only when necessary for construction and ONLY with the Developer's approval. Trees may be trimmed to avoid removal and shall be trimmed with a chainsaw.

**Baughman** The Woods Addition - Phase 2  
**Easement Grading & Erosion Control Plan**  
 Water Distribution System

Baughman Company, P.A. 315 Ellis St., Wichita, KS 67211 P 316.262.7271 F 316.262.0149  
 ENGINEERING | SURVEYING | PLANNING | LANDSCAPE ARCHITECTURE

PROJECT NUMBER 472-84360	DESIGN RDM	DRAWN RDM
REVISIONS:	APPROVED AEG	DATE 12-21-2010
SCALE Noted		SHEET <b>14 OF 23</b>

14 EC Plan.dwg