

CONCRETE PAVEMENT

STATION to STATION	SIDE	CONCRETE PVMT. 12" (AE) (BR. APP.)		CONC. PVMT. 10" UNIFORM (AEXNRDJ)				CONC. PVMT. 10" VARIABLE (AEXNRDJ)				4" CEMENT TREATED BASE		10" GEOGRID REINFORCED BASE		6" SUBGRADE			PAVEMENT EDGE WEDGE (ROCK) TONS	REMARKS				
		WIDTH FT.	SO. YDS.	MAIN LANES		INSIDE SHOULDER		INSIDE SHOULDER		OUTSIDE SHOULDER		WIDTH FT.	SO. YDS.	WIDTH FT.	SO. YDS.	LIME TREATED		FLY ASH TREATED						
				WIDTH FT.	SO. YDS.	WIDTH FT.	SO. YDS.	WIDTH FT.	SO. YDS.	WIDTH FT.	SO. YDS.					MANIPULATION SO. YDS.	† LIME TONS	⊖ WATER MGAL			MANIPULATION SO. YDS.	⊙ FLY ASH TONS	⊖ WATER MGAL	
<i>Mainline</i>																								
631+00.00	631+49.96	Rt.		36	199.8	14.5	80.5			12	66.6	64.5	358.0			64.5	358.0	4.4	6.4			7.6		
631+00.00	637+99.99	Lt.		36	2,800.0	12	933.3			13.25	1,030.5	63.25	4,919.4			63.25	4,919.4	60.9	87.6					
631+00.00	638+19.99	Lt.		24	1,920.0	7.25	580.0			11.25	900.0	46.5	3,719.9			46.5	3,719.9	46.0	66.2				CD Road	
631+49.96	635+09.96	Rt.		Var.	1,680.0	14.5	580.0			Var.	346.8	Var.	2,686.8			Var.	2,686.8	33.2	47.8				57.6	
635+09.96	637+99.99	Rt.		48	1,546.8	14.5	467.3			8	257.8	72.5	2,336.4			72.5	2,336.4	28.9	41.6				81.7	
637+99.99	639+69.99	Rt.		48	906.7	Var.	219.5			8	151.1	Var.	1,349.0			Var.	1,349.0	16.7	24.0				43.2	
637+99.99	639+69.99	Lt.		36	680.0	Var.	218.7			Var.	234.3	Var.	1,194.5			Var.	1,194.5	14.8	21.3					
638+19.99	639+39.99	Lt.		24	320.0	Var.	88.9			11.25	150.0	Var.	612.2			Var.	612.2	7.6	10.9				CD Road	
639+39.99	642+72.26	Lt.		24	886.1	7.25	267.7			11.25	415.4	46.5	1,716.8			46.5	1,716.8	21.2	30.6				CD Road	
639+69.99	640+09.95	Rt.		48	213.1	14.5	64.4			8	35.5	72.5	321.9			72.5	321.9	4.0	5.7				7.9	
639+69.99	658+86.49	Lt.		36	7,664.3	12	2,555.2			13.25	2,820.4	63.25	13,465.6			63.25	13,465.6	166.6	239.8					
640+09.95	646+22.41	Rt.		Var.	2,865.8	14.5	986.7			Var.	377.0	Var.	4,311.9			Var.	4,311.9	53.4	76.8				59.4	
642+72.26	648+88.65	Lt.		Var.	1,989.2	7.25	496.5			Var.	406.2	Var.	3,109.2			Var.	3,109.2	38.5	55.4				CD Road	
646+22.41	653+69.83	Rt.		36	2,989.7	14.5	1,204.2			12	996.6	64.5	5,356.5			64.5	5,356.5	66.3	95.4				114.3	
648+88.65	658+72.87	Lt.		36	3,933.0	7.25	792.1			8	873.0	55.25	6,034.7			55.25	6,034.7	74.7	107.5				CD Road	
653+69.83	655+08.91	Rt.		36	556.3	14.5	224.1			Var.	200.7	Var.	981.0			Var.	981.0	12.1	17.5					
655+08.91	656+68.06	Rt.		Var.	774.3	14.5	256.4			Var.	80.3	Var.	1,128.4			Var.	1,128.4	14.0	20.1					
656+68.06	658+86.49	Rt.		48	1,167.6	14.5	352.1			9.25	225.4	73.75	1,793.7			73.75	1,793.7	22.2	31.9					
658+72.87	659+23.41	Lt.	51.25	240.8								55.25	259.6			55.25	259.6	3.2	4.6				5.9	
658+86.49	659+39.53	Lt.	61.25	295.5								63.25	303.0			63.25	303.0	3.7	5.4					
658+86.49	659+61.72	Rt.	71.75	512.6								73.75	529.4			73.75	529.4	6.6	9.4					
660+50.59	661+00.51	Lt.	51.25	243.1								56.5	261.7			56.5	261.7	3.2	4.7				CD Road	
660+72.18	661+45.82	Lt.	61.25	437.3								73.75	453.6			73.75	453.6							
660+91.05	661+45.82	Rt.	71.75	354.5								63.25	361.9			63.25	361.9			451.8	16.8	8.0		
661+00.51	661+91.79	Lt.			36	363.1	7.25	73.2			9.25	93.2	56.5	569.9			56.5	569.9	7.1	10.1				CD Road
661+45.82	662+68.06	Rt.			48	653.4	14.5	197.0			9.25	126.1	73.75	1,003.8			73.75	1,003.8						
661+45.82	672+77.40	Lt.			36	4,530.7	12.0	1,509.1					48.0	6,039.8			48.0	6,039.8	74.7	107.5				
661+91.79	666+74.99	Lt.			Var.	955.4					9.25	496.4	Var.	1,559.1			Var.	1,559.1	19.3	27.8				CD Road
662+68.06	665+68.06	Rt.			Var.	1,400.3	14.5	483.3				330.7	Var.	2,281.0			Var.	2,281.0			2,215.7	82.3	39.5	
665+68.06	677+94.05	Rt.			36	4,898.8	14.5	1,974.8			13.25	1,801.5	65.75	8,946.9			65.75	8,946.9			8,680.7	322.3	154.6	
666+74.99	668+81.19	Lt.			24	552.9					9.25	213.1	35.25	812.1			35.25	812.1	10.0	14.5				CD Road
672+77.40	677+94.05	Lt.			60	3,444.3	12.0	688.9			9.25	531.0	83.25	4,779.0			83.25	4,779.0						
677+94.05	678+27.63	Rt.	63.75	237.9								65.75	245.3			65.75	245.3			4,666.6	173.2	83.1		
677+94.05	678+27.63	Lt.	81.25	303.2								83.25	310.7			83.25	310.7			238.0	8.8	4.2		
682+00.63	682+34.22	Rt.	63.75	237.9								65.75	245.3			65.75	245.3			303.3	11.3	5.4		
682+00.63	682+34.22	Lt.	81.25	303.2								83.25	310.7			83.25	310.7			238.0	8.8	4.2		
682+34.22	691+24.01	Rt.			36	3,559.2	14.5	1,433.6			13.25	1,310.0	63.75	6,306.8			63.75	6,306.8			303.3	11.3	5.4	
682+34.22	683+03.52	Lt.			60	462.0	12.0	92.4			9.25	71.2	83.25	641.0			83.25	641.0			6,306.8	234.1	112.3	
683+03.52	686+63.52	Lt.			Var.	2,160.0	12.0	480.0			9.25	370.2	Var.	3,090.3			Var.	3,090.3			625.9	23.2	11.1	
686+63.52	687+68.29	Lt.			48	558.8	12.0	139.7			9.25	107.7	69.25	806.6			69.25	806.6			3,011.9	111.8	53.6	
687+68.29	698+24.60	Lt.			36	4,227.3	12.0	1,408.6					48.0	5,635.9			48.0	5,635.9	69.7	100.4				
691+24.01	699+24.35	Rt.			36	3,198.6	14.5	1,289.2					50.5	4,487.8			50.5	4,487.8	55.5	79.9				
698+24.60	704+91.14	Lt.			48	3,560.9	12.0	889.0			9.25	687.1	71.25	5,285.7			71.25	5,285.7	65.4	94.1				
699+24.35	709+71.70	Rt.			48	5,586.6	14.5	1,687.4			9.25	1,076.7	73.75	8,583.5			73.75	8,583.5	106.2	152.8				
704+91.14	713+95.39	Lt.			36	3,611.0	12.0	1,205.2					48.0	4,816.2			48.0	4,816.2	59.6	85.8				
709+71.70	718+74.46	Rt.			36	3,613.5	14.5	1,454.6					50.5	5,068.1			50.5	5,068.1	62.7	90.2				
713+95.39	718+88.18	Lt.			36	1,971.2	12.0	657.1			13.25	725.5	63.25	3,463.2			63.25	3,463.2	42.9	61.7				
718+74.46	718+88.18	Rt.			36	54.9	14.5	22.1			13.25	20.2	65.75	100.3			65.75	100.3	1.2	1.8				
718+88.18	719+45.35	Rt.	63.75	322.8								65.75	330.2			65.75	330.2	4.1	5.9					
718+88.18	719+67.19	Lt.	61.25	464.9								63.25	482.6			63.25	482.6	6.0	8.6					
720+94.34	721+73.80	Rt.	63.75	480.7								65.75	498.4			65.75	498.4			481.0	17.9	8.6		
721+73.80	721+73.80	Lt.	61.25	307.0								63.25	314.5			63.25	314.5			307.2	11.4	5.5		
721+73.80	726+84.75	Rt.			36	2,043.8	14.5	823.2			13.25	752.2	65.75	3,732.8			65.75	3,732.8			3,621.6	134.5	64.5	
721+73.80	726+84.75	Lt.			36	2,043.8	12.0	681.3			13.25	752.2	63.25	3,590.9			63.25	3,590.9			3,479.7	129.2	62.0	
726+84.75	727+18.26	Rt.	63.75	237.3								6												