



GENERAL NOTES

- CONTRACTOR SHALL INSTALL AND MAINTAIN EROSION PROTECTION THROUGHOUT THE ENTIRE PROJECT. THE FOLLOWING QUANTITIES ARE FOR INFORMATION ONLY, AND SHALL BE INCLUDED IN THE EROSION CONTROL LUMP SUM BID ITEMS FOR EACH RESPECTIVE PART. EROSION PROTECTION SHALL BE INCLUDED IN THE BID AS FOLLOWS:

SANITARY SEWER SILT FENCE BARRIER	245 L.F.
WATER LINE SILT FENCE BARRIER	675 L.F.
PAVING AND DRAINAGE CURB INLET PROTECTION	6 EACH
AREA INLET PROTECTION	1 EACH
BACK OF CURB PROTECTION	1,190 L.F.
STORM WATER DRAIN SILT FENCE BARRIER	1,070 L.F.
STABILIZED CONSTRUCTION ENTRANCE	1 EACH
DITCH CHECKS	4 EACH
- THE EROSION CONTROL DEVICES SHOWN ON THIS SHEET ARE CONSIDERED MINIMUM STANDARDS. WHENEVER SEDIMENT ENTERS THE STREETS, STORM SEWERS, DITCHES, OR PONDS, CONTRACTOR WILL INSTALL ADDITIONAL DEVICES, AS NEEDED, TO CORRECT THE PROBLEM.
- THE EROSION CONTROL DEVICES SHOWN HEREON MUST BE IN PLACE AT ALL TIMES DURING CONSTRUCTION UNTIL SUCH TIME AS THE SITE IS REESTABLISHED WITH PAVING OR GRASS. TEMPORARY OR PERMANENT SEEDING AND MULCH WILL BE INSTALLED WHEN EARTHWORK ACTIVITIES CEASE IN AN AREA FOR 14 DAYS OR MORE.
- ANY MUD INADVERTENTLY TRACKED ONTO ANY STREET SHALL BE CLEANED UP BY THE CONTRACTOR, AT THE END OF EACH DAY'S WORK, OR AS DIRECTED BY THE FIELD ENGINEER.
- CONTRACTOR TO FURNISH A TRUCK WASH-OUT PIT TO BE PLACED AT A CONVENIENT LOCATION THAT DOES NOT CONFLICT WITH CONSTRUCTION. CONTRACTOR SHALL CLEAN OUT AND BACKFILL PIT PRIOR TO FINAL INSPECTION. LOCATION SHALL BE APPROVED BY THE FIELD ENGINEER.

LEGEND

- SILT FENCE (TO BE BID WITH STORM WATER DRAIN PROJECT)
- SILT FENCE (TO BE BID WITH WATER LINE PROJECT)
- SILT FENCE (TO BE BID WITH SANITARY SEWER PROJECT)
- DITCH CHECKS (STORM WATER DRAIN)
- STABILIZED CONSTRUCTION ENTRANCE
- TURF REINFORCEMENT MAT
- BACK OF CURB PROTECTION
- RIPRAP (D₅₀=9")
- PROPOSED WATER MAIN
- PROPOSED SANITARY SEWER w/MANHOLE
- PROPOSED STORM WATER SEWER
- PROPOSED CURB INLET PROTECTION
- PROPOSED AREA INLET PROTECTION

Saved: 05-09-2011 2:07:01 PM by: BCL
 Plot Scale: 1/4" = 20'-0" (1:840)
 2/2/2011 11:14:02 AM 114-002-C-Erosion Plan

No.	Revision	By	Date
NEWMARKET OFFICE 2ND - PHASE 1 WATERLINE IMPROVEMENTS EROSION CONTROL PLAN JAMES L. ARMOUR, P.E. - CITY ENGINEER CITY OF WICHITA PROJECT NO. 448-90523			
PROFESSIONAL ENGINEERING CONSULTANTS, P.A. 303 SOUTH TOPEKA WICHITA, KS 67202 316-262-2691 www.pec1.com			
Designed by	MDK	Job No.	35-11114-002
Drawn by	CSL	Date	JANUARY 2011
			Sht. 8 of 11