



A.C. Pavement Transverse Crack Repair Detail




Section A-A

The Contractor shall repair all Transverse cracks in Tyler Road from Sta. 12+03.28 to Sta. 58+13.90 as detailed above. All cost associated with this work shall be SUBSIDIARY to the Measured Quantity Bid Item "Crack (Thermal) Repair (36" Wide)".


Estimated Total Length of AC Pavement Crack Repair = 2475'



Pavement Extension Detail
For "W" = 6' or greater



Pavement Extension Detail
For "W" less than 6'



Saw & Seal Detail

The Contractor shall saw & seal the existing high edge joint in all locations where the existing pavement is being extended on both sides of Tyler Road. All cost associated with this work shall be SUBSIDIARY to the Measured Quantity Bid Item "Saw & Seal Joints".

Drawing File: E:\Projects\Tyler - 21st to 29th\Civil 3d\Typical Sections.dwg

Design: TPV
 Drawn: STAFF
 Approved: TPV
 Scale: NOTED

Project No. 10-12E575
 CAPITAL IMPROVEMENT PROJECT
TYLER ROAD PAVING
 DETAILS
 TYLER ROAD - 21ST STREET NORTH TO 29TH STREET NORTH

Baughman Company, P.A.
 315 Ellis St. Wichita, KS 67211 P. 316-262-7271 F. 316-262-0149
 TPVING | SURVEYING | PLANNING | LANDSCAPE ARCHITECTURE

July 2011
 SHEET
8
 OF
 100