



Sta. 123+85.7  
 Exist. MH Z  
 Match Point

**CAUTION !!!**  
 Overhead Electric  
 (Westar Energy)

Sta. 129+42.0  
 Exist. MH AA (See Typical MH Section, sheet 12)  
 Seal 54" opening (N&S)  
 Abandon approx. 310.2 L.F. Existing 54" RCP Pipe (N)  
 Abandon MH  
 (See Abandonment Details, sheet no. 17)

Sta. 132+60.86  
 Exist. MH BB  
 Sanitary Sewer Plug (S) and Vent  
 installed during Phase 2  
 Cut and cap existing vent pipes  
 at the plug location and remove  
 vent pipes within manhole  
 once the engineered fill is placed  
 in the abandoned 54" pipe (S).

N: 1,684,237.8951, E: 1,656,136.1436  
 Sta. 123+85.7 (approx. 118.3', Rt.)  
 Existing MH  
 Verify location of Existing MH and  
 report findings to Engineer.  
 Abandon MH per City of Wichita  
 Standards and Specifications.  
 see General note no. 21.

N: 1,684,805.2767, E: 1,656,078.5401  
 Sta. 129+62.0 (approx. 67.1', Rt.)  
 Exist. Access MH  
 Abandon MH and Accessway  
 (See Abandonment Details, sheet no. 17)

PHASE 1 SANITARY SEWER  
 (by others)

Saved 01-16-2012 11:09:41 AM by JAN  
 Plot Scale: 1"=50' 01-16-2012 11:54:27 AM by CATHY S. LINK  
 Q:\2007\107600\001\Phase 3\07600-001-C10-Demo plan.dwg

	No.	Revision	By	Date	
	RELOCATION OF SANITARY SEWER NO. 23 PHASE 3: ABANDONMENT PLANS				
	<b>SANITARY SEWER ABANDONMENT PLAN</b>				
	JAMES L. ARMOUR, P.E. - CITY ENGINEER CITY OF WICHITA PROJECT NO. 468-84375b				
		PROFESSIONAL ENGINEERING CONSULTANTS, P.A. 303 SOUTH TOPEKA WICHITA, KS 67202 316-262-2691 www.pec1.com			
Designed by	MDK, SAD	Job No.	35-07600-001	Sht. 10 of 20	
Drawn by	CSL, JAN	Date	SEPTEMBER 2011		