

Sta. 5+04.4 Line 100-
Sta. 103+92.50, 53.73' Rt. @ Greenwich Rd.
Construct Std. Type I Curb Inlet
L=10'-0" W=3'-0" H=6'-0"
Connect to Exist. 18" (RCP)(E)
Install 18" x 4.4' SWS (RCP)(W)
Connect to Exist. 18" (RCP) (100)
See Sh. No. 38, 68, 69


Sta. 5+13.2 Line 150-
Sta. 106+55, 58' Rt. @ Greenwich Rd.
Construct Std. Type I Curb Inlet
L=10'-0" W=3'-0" H=5'-6"
Install 18" x 13.2' SWS (RCP)(W)
Connect to Exist. 18" (RCP) (150)
See Sh. No. 38, 68, 69

Sta. 5+13.8 Line 200-
Sta. 109+45, 58' Rt. @ Greenwich Rd.
Construct Std. Type I Curb Inlet
L=10'-0" W=3'-0" H=4'-0"
Install 15" x 15.1' SWS (RCP)(NE)
Connect to Exist. Inlet (202)
Install 18" x 13.8' SWS (RCP)(W)
Connect to Exist. 18" (RCP) (200)
See Sh. No. 38, 68, 69

Sta. 5+24.8 Line 350-
Sta. 116+05, 69' Rt. @ Greenwich Rd.
Construct Std. Type I Curb Inlet
L=10'-0" W=3'-0" H=4'-6"
Install 18" x 24.8' SWS (RCP)(W)
Connect to Exist. 18" (RCP) (350)
See Sh. No. 38, 68, 69

Sta. 5+13.3 Line 250-
Sta. 111+21, 58' Rt. @ Greenwich Rd.
Construct Std. Type I Curb Inlet
L=10'-0" W=3'-0" H=4'-6"
Connect to Exist. 15" (RCP)(E)
Install 18" x 13.3' SWS (RCP)(W)
Connect to Exist. 18" (RCP) (250)
See Sh. No. 38, 68, 69

Sta. 5+13.2 Line 300-
Sta. 113+80.50, 58' Rt. @ Greenwich Rd.
Construct Std. Type I Curb Inlet
L=10'-0" W=3'-0" H=5'-0"
Connect to Exist. 18" (RCP)(E)
Install 18" x 13.2' SWS (RCP)(W)
Connect to Exist. 18" (RCP) (300)
See Sh. No. 38, 68, 69



STORM SEWER PLAN
LINE NO. 100, 150, 200, 250, 300, & 350
K-96 AND GREENWICH ROAD

DESIGNED BY: R/S
DRAWN BY: DRP
Job No. 09521
Date: Jan., 2014
PROFESSIONAL ENGINEERING CONSULTANTS, P.A.
303 SOUTH DOVEKIA WICHITA, KS 67202
316-262-2891 www.pec1.com
PEC
Sheet 34 of 388

Plotted By: CD
Date: 12/30/2013 11:34:22 AM
FILE: I:\2009\09521\SWS\09521-SWS-DIPR-sr101.dgn