


See Sh. No. 56-58 for Concrete Approach Pavement



See Sh. No. 56-58 for Concrete Approach Pavement

All Contraction Joints in curves are dimensioned along the Baseline and are radial to the curve unless otherwise noted.

LEGEND

- Doweled Contraction Joint (Omit Dowels in Shoulders)
- Longitudinal Joint
- Theoretical Edge of Pavement (No Joint)
- Expansion Joint
- † Pavement to be placed monolithic with Shoulder
- * Match Existing
- △ Remove Existing Shoulder Pavement @ Existing Joint. Drill & Epoxy Grout #5x30" Tie Bars @ 2'-6" Centers into Existing Pavement.

Plotted By: cp Date: 12/30/2013 11:34:29 AM
 FILE: I:\2009\0952\Paving\0952-Gore_Detail.dgn

No.	Revision	By	Date
K-96 AND GREENWICH ROAD			
GORE DETAIL			
RAMP E-NS AND RAMP NS-E			
GARY JANZEN, P.E.-CITY ENGINEER CITY OF WICHITA PROJECT NO. 472-85066			
PEC PROFESSIONAL ENGINEERING CONSULTANTS, P.A. 303 SOUTH TOPEKA WICHITA, KS 67202 316-262-2691 www.pec1.com			
Designed by	JPS	Job No.	09521
Drawn by	SVB	Date	Jan., 2014
			Sht. 42 of 388