


PARTIAL SECTION - SIDEWALK CONSTRUCTION

Sta. 46+60.10 to Sta. 49+42.62 Rt.


* Dimensions and Slopes for standard ditches and fills. See plan and cross-sections for variations.

† Backfill. Quantities for this work are included in the Earthwork Summary Table.



PARTIAL SECTION - CONCRETE PAVEMENT WIDENING

Sta. 49+16.66 to Sta. 49+75.07
Sta. 50+26.61 to Sta. 50+81.09



COMPACTION DIAGRAM
Note: All embankment, including sideroads and driveways shall be compacted.

⑦ The top 6" of all areas to be seeded shall be topsoiled with material suitable for growth of vegetation. Thru cuts, over excavate 6" for placement of topsoil. This work shall be Subsidiary to other earthwork items. In fill, the top 6" of embankment shall be topsoil. Quantities for this work are included in the contract bid items for earthwork. No measurement or payment will be made for material required to replace material excavated during stripping operations.

Plotted By: svb Date: 2/16/2015 9:09:29 AM
FILE: U:\Wichita\Civil\2014\136\000\Trans\Road\DCN Project\Typical\136-Typical Sections 2.dgn

No.	Revision	By	Date
HILLSIDE			
TYPICAL SECTIONS			
GARY JANZEN, P.E.-CITY ENGINEER CITY OF WICHITA PROJECT NO. 472-85161			
		PROFESSIONAL ENGINEERING CONSULTANTS, P.A. 303 SOUTH TOPEKA WICHITA, KS 67202 316-262-2691 www.pec1.com	
Designed by	JPS	Job No.	14136
Drawn by	SVB	Date	Feb., 2015
			Sht. 3 of 62